# ANNUAL REPORT of LOWER BEAR RIVER DISTRIBUTION SYSTEM

#### prepared for

#### STATE OF UTAH OFFICE OF STATE ENGINEER LOGAN, UTAH

by

Terry L. Gnehm Water Commissioner

> Water Year 1997

·

#### **ACKNOWLEDGMENT**

I would like to express my sincere thanks to all the Lower Bear River water users and the personnel at the Division of Water Rights.

We started the 1997 irrigation season with a very high snow pack. The elevation at Bear Lake reached 5,922.54 about July 11<sup>th</sup>. The releases started about the same time to keep the lake from getting too high.

On January 12, 1998, the elevation of Bear Lake was 5,919.5, this is about the same elevation as it was May 21, 1997.

West Cache Canal's new pump station on the Utah-Idaho State Line was a major project this year and was completed for the irrigation season.

The summer of 1997 was very wet. Some farmers lost all three cuttings of alfalfa from the rain. The precipitation amount varied throughout the valley and along the Lower Bear River system. Where I live North of Logan, we received approximately 11 inches of precipitation from April 22<sup>nd</sup> to September 30<sup>th</sup>.

During the morning of July 3<sup>rd</sup> and the afternoon of July 10<sup>th</sup>, there were some problems with low river flows on the main river from West Cache Canal diversion in Idaho downstream to Amalga.

Terry L. Gnehm Water Commissioner



#### PACIFICORP BEAR RIVER OPERATIONS

#### **SUMMARY OF 1997 FLOWS**

During 1997, the Bear River and Bear Lake experienced the highest runoff conditions since the mid 1980's. Since the fall of 1995, Bear Lake rose an astounding 11.5 feet which is equal to a storage increase of 800,000 acre feet or 57% of the total active storage volume. In 1997, the lake rose nearly 7 feet and peaked at elevation 5922.54 feet, only 1 foot from the historic high.

Outlet Canal releases began on February 28, in response to heavy snowpack conditions and high runoff forecasts. As of December 31, Outlet Canal releases for the year totaled 482,000 acre feet and Bear Lake elevation was 5919.40 feet. Net runoff to Bear lake was equal to 720,000 acre feet or 230% of the historical average. Bear Lake releases were made primarily for flood control purposes during the entire year. Irrigation demands were met and no shortages occurred. Flow in the Bear River below Cutler Dam occurred during the entire irrigation season. Total volume of runoff below Cutler during the irrigation season was over 1 million acre feet and this reflected the high runoff conditions in the system.

Currently, releases from Bear Lake equal 700 cfs. Releases will continue throughout the winter of 1997-98 in order to lower Bear Lake to safe levels prior to spring runoff.

#### **TABLE OF CONTENTS**

ACKNOWLEDGMENT i
PACIFICORP BEAR RIVER OPERATIONS SUMMARY ii
1997 FINANCIAL STATEMENT
1997 BUDGET EXPENDITURES
1997 DELINQUENT WATER ASSESSMENTS 3
MINUTES OF THE ANNUAL MEETING OF THE LOWER BEAR RIVER DISTRIBUTION SYSTEM WATER RIGHTS COMMITTEE
MINUTES OF THE ANNUAL MEETING OF THE LOWER BEAR RIVER DISTRIBUTION SYSTEM
APPENDIX A - BEAR RIVER SUMMARIES
CUTLER
APPENDIX B - BEAR RIVER CANALS  HAMMOND  WESTSIDE  13  15
APPENDIX C - LOWER BEAR RIVER DIVERSIONS 17 LIST OF LOWER BEAR RIVER DIVERSIONS 19 1997 SUMMARY OF LOWER BEAR RIVER 21
APPENDIX D - LOWER BEAR RIVER - BOX ELDER DIVERSIONS

This Page Intentionally Left Blank



## State of Utah DEPARTMENT OF NATURAL RESOURCES

DIVISION OF WATER RIGHTS

Michael O. Leavitt Governor

Ted Stewart Executive Director Robert L. Morgan State Engineer 801-538-7240 (Fax)

1594 West North Temple, Suite 220 Box 146300 Salt Lake City, Utah 84114-6300

REPORT DATE: 01/07/98	Page 1
To All Water Users of the LOWER BEAR RIVER DISTRIBUTION SYS	STEM (24):
**************************************	********
A. BALANCE of Distribution Trust Funds January 1, 1997:	\$11,700.74
B. RECEIPTS:	
(1) Regular Assessments: \$26,125.10	
(2) Delinquent Penalties: 20.59	
(3) Annual Interest Earned: 830.74	
TOTAL RECEIPTS:	26,976.43
C. EXPENDITURES (see attached):	( 26,758.76)
D. BALANCE of Distribution Trust Funds December 31, 1997:	\$11,918.41
***WARNING: Expenditures and Assessments received after MIGHT NOT be included in this Financial S	er December 20th

SUBMITTED BY:

**ወ**ገRobert L. Morgan, P. E.

STATE ENGINEER

PREPARED BY:

Paula Dupin-Zahn

BUDGET & ACCOUNTING OFFICER

#### \*\*\* LOWER BEAR RIVER (24) \*\*\*

#### 1997 BUDGET EXPENDITURES

CODE NO.	ITEM DESCRIPTION	AMOUNT BUDGETED	AMOUNT EXPENDED	ITEM BALANCE
	Commissioner: GNEHM, TERRY L			
1	SALARY	\$15,300.00	\$15,300.00	\$0.00
2	>SOCIAL SECURITY	1,170.00	1,170.00	0.00
3	>RETIREMENT	2,370.00	2,406.09	36.09-
4	>TRAVEL EXPENSE	1,600.00	626.80	973.20
10	BONDING EXPENSE		50.00	
11	INSURANCE PREMIUMS		4,445.37	
		•	325.00	
14	TELEPHONE EXPENSE			
15	COMMITTEE EXPENSE	800.00	150.00	650.00
16	ANNUAL REPORT	726.00	526.00	200.00
17	EQUIPMENT EXPENSE	2,400.00	1,716.33	683.67
18	MISCELLANEOUS EXPENSE	94.00	43.17	50.83
	1997 BUDGETARY TOTALS:	\$29,600.00	\$26,758.76	\$2,841.24
	1997 SYSTEM ASSESSMENT:	\$26,250.00		

#### \*\*\* LOWER BEAR RIVER (24) \*\*\*

#### 1997 DELINQUENT WATER ASSESSMENTS

<del></del>	ACCOUNT NUMBER	NAME/ ADDRESS	TOTAL DUE
-	111C	WATTERSON, J L 4705 W 3800 N BENSON, UT 84335	\$22.00
_	119	HANSEN, WILLARD A 265 S MAIN SMITHFIELD, UT 84335	23.10
~	130	WATTERSON, JOSEPH L 3796 N 4100 W BENSON, UT 84335	23.10
	320	ADAMS, FLOYD R	36.41
~	T101	REESE, W LEE 4443 N 2400 W BENSON, UT 84335	67.16
•	T102	REESE, W LEE 4443 N 2400 W BENSON, UT 84335	67.16
<b>-</b>	T105	KUNZLER BROTHERS LIVESTOCK KUNZLER, DARRELL 3215 W 3000 N BENSON, UT 84335	23.10
•	T115	ALLEN, GARY G 1241 E 13000 N COVE, UT 84320	23.10
	T116	KUNZLER, DARRELL C 3215 W 3000 N BENSON, UT 84335	25.64
`	T119	REESE, W LEE 4443 N 2400 W BENSON, UT 84335	67.16
-		TOTAL DELINQUENT AMOUNTS DUE	\$377.93

# MINUTES ANNUAL MEETING OF THE LOWER BEAR RIVER DISTRIBUTION SYSTEM WATER RIGHTS COMMITTEE

The Water Rights Committee for the Lower Bear River Distribution System met at Bridgerland Vocational Center on January 23, 1997. The meeting was called to order at 9:30 am by Charles Holmgren. The minutes were read by Will Atkin. A motion was made, seconded and passed to approve the minutes as read and corrected.

Lee Sim presented the financial report. Terry didn't get all his pay. Delinquent accounts were discussed. A motion was made, seconded and passed to accept the financial report.

Terry Gnehm gave the commissioner's report. Bear Lake is at the level it was last July when the pumps were turned on. Bob Fotheringham reported that Carly Burton forecasted the lake to rise to 5923.10 elevation. Terry reads power meters rather than pitot tubes and feels that his readings are accurate. There was a discussion on meters and Terry's measurements. Idaho may not think our way is good enough. Who knows if Idaho's meters are all that accurate. A motion was made, seconded and passed to accept Terry's report.

There was a discussion on the budget and getting a new computer. Jim Watterson expressed some concern about spending more \$ and increasing assessments for the people he represents. Terry's insurance went down because he switched plans. It was decided that Terry's salary will remain the same and the annual report will increase by \$200. After some discussion, Jim made a motion to get a new computer, Howard Anderson seconded, and the motion passed. It was motioned, seconded and passed to set the total budget at \$29,600 and assessments will remain the same as last year.

During the meeting, Carly Burton called on Terry's cellular phone. He didn't come because of bad weather. He said that there would be flood control releases from Bear Lake starting in March. Will reviewed the meeting with him and he was in agreement.

It was motioned, seconded and passed to have Terry for another year. It was also motioned, seconded, and passed to reappoint the directors who are up for reappointment, whoever they are. Lee will look into it. The meeting was adjourned at 11:00 am.

#### **MINUTES**

## ANNUAL MEETING OF THE LOWER BEAR RIVER DISTRIBUTION SYSTEM

The annual meeting for the Lower Bear River Distribution System was held at Bridgerland Vocational Center on January 23, 1997. The meeting was called to order at 11:00 am by Charles Holmgren. The minutes were read by Will Atkin. A motion was made, seconded and passed to approve the minutes as read and corrected.

Lee Sim presented the financial report. Delinquent accounts were discussed. A motion was made, seconded and passed to accept the financial report.

Terry Gnehm gave the commissioner's report. He passed on information from Carly Burton about forecasts for the coming year. He said that they will be in flood control mode. Bear Lake is at the level it was last July when the pumps were turned on. The lake is forecasted to rise to 5923.10 elevation. Jim Watterson said that pumpers should consider raising their pumps. A motion was made, seconded and passed to accept Terry's report.

The budget proposed by the committee was presented by Charles Holmgren. There was a discussion on the need for a new computer.. It was motioned, seconded and passed to set the total budget at \$29,600 and assessments will remain the same as last year as proposed.

The committee recommended that Terry be reappointed commissioner. It was motioned, seconded and passed to keep Terry as commissioner. Terry thanked everyone. It was also motioned, seconded, and passed to reappoint the standing directors.

Earl Peterson asked if there was anyone who could help with the washout on Bear River caused by a slide. It has already cut 50 feet into his field for about 500 feet. The meeting was adjourned at 11:40 am.

#### Those in Attendance:

Terry L. Gnehm	Lower Bear River Commissioner
Will Atkin	Utah Division of Water Rights - Logan
Robert M. Fotheringham	Utah Divison of Water Rights - Logan
Gertudys Adkins	Utah Divison of Water Rights - SLC
Lee Sim	Utah Divison of Water Rights - SLC
Howard Andersen	pumper
Charles Holgren	Bear River Canal Company, Tremonton
Jerry D wilde	Bear River Canal Company, Tremonton
Paul F. Carden	Benson Bear Lake Irrigation Company
Reid Stewart	pumper
Joe larsen	West Cache Irrigation Company
Mark L. Rigb; y	pumper
Earl L. Petersen	pumper
Jim Watterson	Utah Small Irrigators / Committee Member

NOTE: Because of the snow storm (the biggest snow storm of the season, 10 inches in Cache Valley and more in the Salt Lake area) Carly Burton was unable to attend and Will Atkin volunteered to keep minutes of the meetings. Representatives from Salt Lake Division of Water Rights were able to attend due to meetings they attended the previous day here in the valley. The storm was responsible for a very small attendance at the meetings.

## APPENDIX A BEAR RIVER SUMMARIES

This Page Intentionally Left Blank

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 00 COLLINSTON

THE MEASURING STATION IS LOCATED COMMON DESCRIPTION: Below Cutler Dam

DIVERTING WORKS:

MEASURING DEVICE: Stage Recorder RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER:

AND FEET FROM THE CORNER OF SECTION 27 TOWNSHIP 13N RANGE 2W, SL B&M.

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
_														
	1					4529	5098	1441	1429	379				
	2					4673	5066	1374	331	543				
	3					4930	5281	841	1409	1372				
	4					4596	5402	236	1460	1370				
	5					4218	5331	690	1480	1369				
	6					4004	5000							
	7					4024	5260	717	1877	1367				
	8					4091	5113	1237	1470	1355				
_	9					4336	5006	634	1750	1353				
	10					4477	5030	298	1877	1045				
	10					4529	5112	33	1683	1408				
	11					4527	5270	60	2045	1457				
_	12					4616	5333	921	2314	1485				
_	13					4853	5339	1910	1532	1567				
	14					4982	5345	2302	2070	1762				
	15					4999	5351	1800	1480	1806				
	16					5129	5357	1993	1490	1780				
_	17					5414	5343	1996	1440	1767				
	18					5587	5120	1842	1409	1742				
	19					5526	4678	1460	895	1808				
	20					5918	4537	1460	260	1864				
_						3510	4337	1400	200	1004				
	21					5600	4381	1683	1408	1862				
	22					5716	4244	1390	1225	2281				
	23					5676	3989	822	691	2479				
	24					5894	3657	739	1383	1902				
~	25					6297	3165	1409	859	1120				
	26					6440	0000	1400	700	4007				
	27					6419	2882	1409	760	1827				
	28						2755	541	1349	1375				
_	29					6297	1999	1429	915	1788				
						6034	1790	285	730	1673				
	30					5755	2392	1490	1354	2235				
	31					5345		1683	1343					
TOTAL	(AC-FT)				:	320186	267027	71653	82746	93503			83	5115
_					<b>✓</b>	<i>!</i> .		✓	/	$\checkmark$				· =
							•							

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 00 CUTLER

THE MEASURING STATION IS LOCATED FEET FROM THE CORNER OF SECTION 26 TOWNSHIP 13N RANGE 2W, SL B&M. AND

COMMON DESCRIPTION: Cutler Reservoir

DIVERTING WORKS:

MEASURING DEVICE: Stage Recorder maintained by UP&L RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 29- 1506

#### CALENDAR YEAR 1997 DAILY STORAGE IN AC-FT

							•					
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1					12593.	11929.	10348.	12593.	12259.			
2					14666.	15385.	11929.	13272.	15024.			
2 3					12259.	12593.	14313.	14666.	14313.			
4					11929.	11929.	12931.	16869.	14313.			
5					11929.	11929.	14666.	13272.	14313.			
6					11929.	11929.	13963.	13272.	13616.			
7					11929.	11929.	13963.	14666.	13616.			•
8					11929.	11929.	13272.	14666.	13963.			
9					11929.	12593.	12593.	13272.	14666.			
10					11929.	12931.	13963.	13272.	15024.			
11					11929.	13272.	15385.	12593.	15024.			
12					12259.	12593.	15385.	12593.	15024.			
13					12259.	12593.	15024.	14666.	15024.			
14					12259.	12593.	15385.	12259.	14313.			
15					12259.	12931.	15385.	13272.	12931.			
16					12931.	12593.	14666.	13272.	12931.			
17					12593.	15385.	15385.	12593.	12259.			
18					12259.	11929.	11929.	11929.	12259.			
19					13963.	11929.	13963.	11604.	12593.			
20					12593.	11929.	14313.	13963.	12931.			
21					12259.	11929.	11929.	14666.	13616.			
22					12259.	12259.	12593.	13616.	15024.			
23					12593.	11283.	11929.	14666.	12593.			
24					13272.	11283.	13272.	13965.	14666.			
25					12931.	11283.	12931.	12931.	13616.			
26					12931.	11604.	12593.	14666.	11929.			
27					12593.	10966.	13272.	13963.	13616.			
28					11929.	10966.	12593.	13272.	13272.			
29					11929.	10966.	14313.	14666.	15385.			
30					11929.	9754.	14666.	13272.	12931.			
31					11929.	1	13968.	12259.	/			
					/	1	<b>√</b>	•				

#### UTAH DIVISION OF WATER RIGHTS USGS Streamflow Database Printout

USGS Gage Number: 10092700 Station Name: BEAR RIVER AT IDAHO UTAH STATE LINE

Latitude:

42 00 48 111 55 09

Drainage area MI^2 4881.00 Datum (FEET MSL) 4420.00

Longitude:

### CALENDAR YEAR RECORD FOR YEAR 1997, UNITS ARE FLOW IN CFS MEAN VALUES

DAY	JAN	Y FEE	MAR	APR	MAY	' JUN	i Jul	L AU	G SEP	ост	NOV	DEC
1			724	2260	2470	2640	1620	1540	1420	2010	1910	1570
2	1410		560	2220	2430	2660	1070	1540	1550	1520	1990	
3	2620		873	2200	2430	2560	554	1390	1430	•••	•••	1190
4	1700		721	2190	2420	2540	991	1660	1460	1780	2040	1510
5	1220	•••	861	1950	2430	2560	1020	1380	1640	1700	2010	1510
6		• • •		1780	2620	2580	1050	1780	1690	1750	2170	1560
7			895	1780	2430	2560	1100	1710	1360		1800	1440
8		403	893	1790	2400	2560	893	1620	1800	1880	2070	
9		470	992	1490	2390	2560	673	1880	1610	1880		1410
10	1410	545	1010	1460	2400	2680	•••	1860	1660		2040	1450
11		1090	1300	1860	2560	2640		1810	1590		2230	1350
12		763	1610	1880	2450		1360	1570	1750	2370	2010	1350
13		543	1190	1980	2480		1380	1400	1460	2050	2160	
14		826	1060	1960	2520		1540	1180	1760	1280	2140	1330
15	826	574	1230	1940	2610		1530	1270	1640	1130	2150	1380
16		681	593	1940	2630		1580	1050	1680	999		1280
17		722	1690	737	2670	2420	1320	1350	1950		2210	1260
18		830	1460	1650	2640	2590	1680	1310	1760	1230	2440	
19		649	1440	2470	2550	2630	1300	1670	1890	1870	1990	1560
20	555	657	1550	2520	2670	2510	1260	1070	2040	1900	1530	1340
21	1020	737	2110	2540	2720	2430	1460	1470	2100		1370	1660
22	601	1010	2010	2180	2750	2380	1250	1430	2180		1350	1300
23	948	459	1830	2370	2730	2310	1390	1460	1200	1870		1090
24		603	2000	2470	2760	1860	1200	1540	1580	1870	1520	
25	•	685	2040	2050	2960	1810	1380	1550	1450	1950	1600	
26		586	2230	2530	2910	1860	1410	1500	1500	1750		•••
27		678	2270	2490	2770	1820	1330	1520	1540	1950	1700	
28		730	2260	2390	2690	1760	1430	1570	2020		1500	
29	• • •	•••	2240	2540	2580	573	1550	1680	1690		1490	
30	• • •	• • •	2220	2560	2600	1910	1570	1390	1840	2000	1530	
31	• • • •		2250		2610	•••	1190	1470	•••	2120		• • •
	23419	14241		62177	80280	57403	37081	46620	50240	38859	46950	26540
MEAN	1018	678	1455	2073	2590	2296	1279	1504	1675	1766	1878	1397
MAX	2620	1090	2270	2560	2960	2680	1680	1880	2180	2370	2440	1660
MIN	508	403	560	737	2390	573	554	1050	1200	999	1350	1090
ACFT	46451	28247	89478	123326		113857		92469				52641

Total For Year 1049101.AC-FT

This page intentionally left blank

APPENDIX B BEAR RIVER CANALS This Page Intentionally Left Blank

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 00 HAMMOND

THE MEASURING STATION IS LOCATED

COMMON DESCRIPTION: Cutler Dam DIVERTING WORKS:

Hammond Canal

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 29- 2633

AND FEET FROM THE CORNER OF SECTION 27 TOWNSHIP 13N RANGE 2W, SL B&M.

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
~														
	. 1				0	90	157	178	157	147				
	2				0	91	160	177	158	146				
	3				0	91	164	179	158	146				
	4				0	92	165	179	147	133				
~	5				0	118	166	180	138	120				
	6				0	146	166	180	138	120				
	7				0	148	171	174	139	120				
	8 9				0	148	172	167	139	120				
	9				0	150	174	167	138	121				
	10				0	154	176	167	138	121				
	11				0	160	163	168	138	121				•
_	12				0	166	130	151	137	122				
	13				0	170	136	135	140	122				
	14				0	180	132	136	139	121				
	15				0	189	132	137	137	119				
	16				0	193	132	138	136	108				
	17				0	193	137	138	137	102				
	18				0	194	145	151	137	103				
	19				0	190	150	163	140	104				
	20				0	188	150	157	141	104				
	21				0	187	154	151	140	103				
	22				0	187	158	150	140	103				
	23				0	189	160	150	140	104				
	24				0	167	164	148	140	103				
_	25				0	134	174	154	139	104				
	26				0	122	176	158	140	103				
	27				0	134	178	158	140	103				
	28				<b>6</b> 6	132	178	159	144	103				
	29				99	132	178	157	152	98				
	30				92	133	177	154	149	93				
	31				/	139		158	1,44	<i>)</i> *				
<u> IQ</u> TAL	(AC-FT)				√ 510	9336	9471	9757	<b>8</b> 727	6817			4	14618

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER OO WESTSIDE

AND

FEET FROM THE

THE MEASURING STATION IS LOCATED

COMMON DESCRIPTION: Cutler Dam
DIVERTING WORKS: West Side Canal

MEASURING DEVICE:

TOTAL

RECORDS RATING: G (E,G,F,P)

WATER RIGHT NUMBER: 29- 2856

#### CALENDAR YEAR 1997 DAILY DISCHARGE IN CFS

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
1					321	674	803	707	637				
					333	697	800	677	639				
2 3 4					369	722	798	651	637				
4					427	741	796	657	636				
5					462	741	759	641	634				
6					581	763	737	607	634				
6 7 8					633	791	735	607	639				
8					651	794	744	607	639				
9					698	788	740	608	607				
10	*				719	726	743	608	590				
11					734	682	743	602	590				
12					740	616	671	575	588				
13					749	548	636	552	589				
14					775	474	589	558	585				
15					804	434	518	566	575				
16					820	432	570	565	541				
17					814	430	613	559	541				
18					811	496	593	557	543				
19					806	551	596	557	524				
20					813	574	618	560	496				
21					819	606	646	575	492				
22					810	642	673	619	471				
23					783	707	705	644	447				
24					665	726	703	642	449				
25					567	769	703	646	448				
26					541	791	705	643	418				
27					541	788	706	639	385				
28					543	799	704	641	386				
29					541	800	704	640	389				
30					544	797	702	638	385				
31					587		702	638					
(AC-FT)					3 <b>96</b> 71	39866	42555	√ 37658	<b>3200</b> 1				191752

CORNER OF SECTION 27 TOWNSHIP 13N RANGE 2W, SL B&M.

**/** 、

APPENDIX C LOWER BEAR RIVER DIVERSIONS This Page Intentionally left Blank

#### LIST OF LOWER BEAR RIVER DIVERSIONS

01	GOODWIN PUMP Larry Pitcher 563-5395	15	Mike Falslev 752-6591
02	MUNK JORGENSEN PUMP CO.	17	HILL IRRIGATION CO. Steven Bodily 258-2273
03	Bob Munk 563-6818  LDS CHURCH	18	SMITHFIELD WEST BENCH IRR. Gilbert Duncan
	Ron Larson	19	W.A. HANSEN
)4	WEST CACHE IRRIGATION CO. Lance Kingston 563-9094	20	Jess Harris 563-6990  COE LARKIN
)5	HOFFMAN PUMP Robert Hoffman 563-6844		Clair Larkin 563-5492
)5A	HOFFMAN PUMP	21	MARCHANT PUMP George Marchant 563-5310
6	Robert Hoffman 563-6844  PAUL THAIN	22	LARRY FALSLEV Larry Falslev 752-8306
-	Danny Thain 752-1531	22A	LARON FALSLEV
7	MUNK, TARBET, FISHER PUMP John Fisher 563-6453	22.	LaRon Falslev 752-4403
8	REESE - BALLARD PUMP	23	LDS CHURCH Ron Larson
9	Melroy Ballard 752-3505  JOHN ALLEN	24	WALTER WOOD Larry Pitcher
	John T. Allen	25	WOOD IRRIGATION CO. Larry Pitcher
0	BALLARD PUMP Todd Ballard 753-7857	26	WHEELER PUMP Allen Wheeler 258-2670
0 <b>A</b>	LANDELL BALLARD Landell Ballard 752-6506	27	HAROLD FALSLEV Harold Falslev 752-6410
1	BENSON - BEAR LAKE IRRIGATION Wayne Cardon 752-1131	28	BOB MUNK
1 A	LEE JOHNSON		Bob Munk
1 <b>B</b>	Lee Johnson 752-0811  W.D. JOHNSON	29	REGAN WHEELER Regan Wheeler 258-2522
1C	Cecil Archibald 752-4036  JIM WATTERSON	30	J.L. WATTERSON Jim Watterson 753-3693
	Jim Watterson 753-3693	31	MURRAY RIGBY
1D	HILTON PUMP Paul Cardon 752-9656	32	Mark Rigby 563-3521  MURRAY RIGBY
2	KING IRRIGATION CO. Kent Reese		Mark Rigby 563-3521
3	SPACKMAN	33	LARRY FALSLEV Larry Falslev 752-8306
4	Bob Spackman 563-6447  SIMMONDS - CHAMBERS	34	HAROLD FALSLEV Harold Falslev 752-6410
	Jerry Simmonds 563-3681	35	J. GOLDEN RIGBY
4A	LARRY PITCHER Larry Pitcher 563-5395	36	J. Golden Rigby 563-6259 NORVAL JOHNSON
5	LARRY FALSLEV Larry Falslev 752-8306	27	Norval Johnson 752-5508
5A	LARRY FALSLEV	37	BULLEN FARMS Larry Roundy 563-6843
	Larry Falslev 752-8306	38	LOGAN RIVER BLACKSMITH FORK IRR

39	REESE-CLARK PUMP Wendell Munk	T01	LEE REESE Lee Reese
39A	WAYNE WATTERSON Wayne Watterson 752-3442	T02	LEE REESE Lee Reese
40	ROYDEN STROBELT Perry Spackman 563-5335	Т03	TOM REESE Tom Reese 752-1503
41	LARRY PITCHER Larry Pitcher	T04	ROBERT GRIFFITHS Lee Reese 752-3572
42	JOE COWLEY Joe Cowley 752-7504	T05	DARRELL KUNZLER Darrell Kunzler 752-5194
43	BULLEN FARMS Larry Roundy 563-6843	T06	GORDON RICKS Gordon Ricks 752-6404
44	FLOYD DORIUS Floyd Dorius 258-2825	<b>T</b> 07	HYER-JORGENSEN PUMP Regan Wheeler 258-2522
44A	WEEKS & TAGGART Merlin Weeks 258-2894	T08	WILLIAM HARRIS Zan Harris 258-5121
45	DUANE GRIFFIN Brad Griffin 563-9285	<b>T09</b>	SKIDMORE PUMP Claine Skidmore 258-2138
46	DALE BENSON Eddie Benson 563-5819	T09A	
47	<b>RICH PUMP</b> Jeff Rich 752-8968	Т09В	GORDON WEBB Claine Skidmore 258-2138
48	MAX RASSMUSSEN Bill Lindley 563-5636	T09C	RUDY SERRANO Rudy Serrano 646-2560
49	BILL LINDLEY Bill Lindley 563-5636	T10	W.D.C.I.
50	<b>BOB MUNK</b> Bob Munk	TII	GEDDES PUMP Adrian Geddes 258-2885
51	Rod Munk	T12	GEDDES PUMP Adrian Geddes 258-2885
52	Todd Ballard 753-7857  ALLEN WHEELER	T13	PEARSON PUMP Reed Snyder (208) 852-0401
53	Allen Wheeler 258-2670  CECIL ARCHIBALD	T14	HOBBS PUMP Larry Hobbs (208) 646-2383
54	Cecil Archibald 752-4036  MARK RIGBY	T15	ALLEN PUMP Gary Allen 258-2615
55	Mark Rigby	Ti6	RICKS PUMP Darrel Kunzler 563-5194
56	Paul Stewart	<b>T</b> 17	GORDON RICKS Gordon Ricks 752-6404
EX1	PRESTON, SAUNDERS, & JOHNSON	T18	COWLEY PUMP Joe Cowley 752-7504
EX2	Kimber Johnson 752-7693  BILL LINDLEY	T19	LEE REESE Lee Reese 752-3572
EX3	Bill Lindley 563-5636  GARTH BENSON	T20	BECKSTEAD PUMP Wm. Beckstead 563-6347
<del>_</del>	Garth Benson	T21	BOYD LARSEN Boyd Larsen 258-2806
		T22	GENE LARSEN Gene Larsen 258-2738

1997 SUMMARY OF LOWER BEAR RIVER

Pump	Pumps or Diversions	April	May	June	July	August	September	Total Ac-ft	Total Storage
1	1 Goodwin	0	0	0	0	15	5	20	0
2	Munk - Jorgenson	0	0	35	8	56	0	180	0
3	LDS Church - Leland Larsen	0	0	0	0	0	0	0	0
4	West Cache Irr. Co.	0	0	09	71	09	0	190	0
5	Hoffman	0	0	18	24	12	0	54	0
05A	Hoffman	0	0	0	16	14	0	30	0
9	Thain	0	3	20	98	37	11	157	0
7	Munk - Tarbet - Fisher	0	0	24	65	30	0	119	0
∞	Reese - Ballard	0	9	37	43	24	9	115	0
6	John Allen	0	12	30	36	24	0	101	0
10	Ballard Pump	0	12	12	42	0	0	65	0
10A	Landell Ballard	0	0	3	0	0	0	3	0
11	Benson - Bear Lake Irr.	0	28	111	167	160	0	465	0
11A	11A Lee Johnson	0	0	12	0	0	0	12	0
11B	W.D. Johnson	0	0	5	3	0	0	∞	0
11C	Jim Watterson	0	0	10	10	<b>∞</b>	0	28	0
11D	Sam Hilton	0	3	9	0	0	0	6	0
12	King Irr. Co.	0	0	09	228	139	0	426	0
13	Spackman Pump	0	0	20	128	49	0	197	7
14	14   Simmonds - Chambers	0	9	20	26	2	5	17	0

1997 SUMMARY OF LOWER BEAR RIVER - continued page 2

						animina puba			
Pump	Pumps or Diversion	April	May	June	July	August	September	Total Ac-ft	Total Storage
14A	Larry Pitcher	0	0	0	10	2	5	17	0
15	15 Larry Falslev	0	0	0	9	0	0	9	0
15A	Larry Falslev	0	0	20	24	10	0	54	0
16	Rulon Falslev	0	30	42	48	12	0	131	0
17	Hill Irr.	0	63	65	£9	32	0	254	0
18	Smithfield West Bench	0	0	22	88	8	0	<i>L</i> 9	0
19	W.A. Hansen	0	10	0	0	0	0	10	0
20	20 Coe Larkin	0	0	17	17	10	0	43	0
21	Marchant	0	0	59	24	32	0	145	0
22	Larry Falslev	0	0	10	14	10	0	33	0
22A	LaRon Faislev	0	0	10	22	10	0	41	0
23	LDS Church - Leland Larsen	0	54	09	24	36	0	173	0
24	Walter Wood	0	17	15	53	89	25	179	0
25	Wood Irr.	0	0	0	8	15	0	24	0
26	Wheeler Pump	0	0	0	0	0	0	0	0
27	Harold Falslev	0	0	12	14	12	0	38	0
28	Bob Munk	0	0	0	0	0	0	0	0
29	Regan Wheeler	0	0	84	0	0	0	84	0
30	J.L. Watterson	0	0	30	42	24	0	95	22
31	31   William Rigby	0	24	36	09	30	0	149	0

1997 SUMMARY OF LOWER BEAR RIVER - continued nage 3

	1991	1997 SUMMAKI	- 11	OF LOWER BEAK K	KIVEK - continued	nued page 3			
Pum	Pumps or Diversions	April	May	June	July	August	September	Total Ac-ft	Total Storage
32	Murray Rigby	0	0	42	42	36	0	119	0
33	Larry Falslev	0	0	12	24	20	0	56	4
34	Harold Falslev	0	0	8	20	10	0	38	9
35	J. Golden Rigby	0	16	16	20	0	0	52	0
36	Norval Johson	0	3	12	30	21	9	71	18
37	Bullen Farms	0	30	09	54	42	0	184	0
38A	L.R Blacksmith Fork	0	738	1,790	1,852	2,014	1,927	8,321	0
39	Reese - Clark	0	24	0	48	23	0	95	13
39A	Wayne Watterson	0	14	10	10	0	0	33	0
40	Don Spackman	0	0	16	0	0	0	16	0
41	Larry Pitcher	0	0	9	20	4	S	35	8
42	Joe Cowley	0	0	27	30	17	0	74	0
43	Bullen Farms	0	30	42	LL	30	0	179	0
4	Floyd Dorius	0	6	13	22	18	4	99	10
44A	Weeks & Taggart	0	0	0	4	0	0	4	0
45	Duane Griffin	0	0	0	8	7	0	15	0
46	Dale Benson	0	0	12	61	12	0	43	0
47	Rich Pump	0	0	29	142	54	0	263	7
48	Max Rassmussen	0	0	0	0	0	0	0	0
49	49 Bill Lindley	0	0	12	0	0	0	12	9
									I

1997 SUMMARY OF LOWER BEAR RIVER - continued page 4

40 40 36 36 37 38 38 30 0 0 0 0 0 0 0 0 0 0 0 0 0	Pum	Pumps or Diversions	April	May	June	July	August	September	Total Ac-ft	Total Storage
0	50	$\vdash$	0	0	54	93	40	0	186	99
0	51		0	0	12	12	0	0	24	0
0	52	i	0	14	32	64	41	6	160	0
12     24     40     20       0     0     40     0     0       0     0     5     0     9       10     0     8     6     8       0     0     6     54     36       0     0     0     36     36     36       0     0     0     18     36     18       0     0     0     16     0     0       0     0     0     12     48     20       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0     0     0       0	53		0	0	27	18	0	0	45	0
1       0       40       0       0         10hnson       0       5       0       9         10hnson       0       0       8       6       8         0       0       0       6       54       36       8         0       0       0       6       54       36       18       36       18         0       0       0       0       18       36       18       0       18       18       18       18       0       0       0       0       12       48       20       0 </td <td>54</td> <td></td> <td>0</td> <td>12</td> <td>24</td> <td>40</td> <td>20</td> <td>0</td> <td>95</td> <td>12</td>	54		0	12	24	40	20	0	95	12
lohnson     0     0     5     0     9       lohnson     0     0     8     6     8       0     0     6     54     36     8       0     0     0     36     36     36       0     0     18     36     18       0     0     0     16     0       0     0     0     16     0       0     0     0     12     48     20       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0     0     0       0     0     0     0	55		0	0	40	0	0	0	40	0
Independent of the control of the	99		0	0	5	0	6	0	14	0
0       0       6       54       36       36         0       0       0       36       36       18         0       0       0       16       0       18         0       0       0       16       0       12         0       0       0       12       48       20         0       0       0       0       0       0         0       0       0       0       0       0         0       0       0       0       0       0         0       0       0       0       0       0         0       0       0       0       0       0         0       0       0       0       0       0         0       0       0       0       0       0         0       0       0       0       0       0         0       0       0       0       0       0         0       0       0       0       0       0         0       0       0       0       0       0         0       0       0       0 <t< td=""><td>EX1</td><td></td><td>0</td><td>0</td><td><b>∞</b></td><td>9</td><td>∞</td><td>0</td><td>22</td><td>0</td></t<>	EX1		0	0	<b>∞</b>	9	∞	0	22	0
0     0     18     36     18       0     0     18     36     18       0     0     16     0       0     0     10     10     12       0     0     0     0     0       0     0     0     0     0       0     0     0     0     0       0     0     0     0     0       0     0     0     0     0       0     0     0     0     0       0     0     0     0     0       0     0     0     0     0       0     0     0     0     0	EX2		0	0	9	54	36	0	95	0
0       0       18       36       18         0       0       0       16       0         0       0       10       10       12         0       0       0       12       48       20         0       0       0       0       0       0         0       0       0       0       0       0         0       0       0       0       0       0         0       0       0       0       0       0         0       0       0       0       0       0         0       0       0       0       0       0	EX3		0	0	20	36	36	0	91	0
0       0       0       16       0         0       0       10       10       12         0       0       12       48       20         0       0       0       0       0         0       0       0       0       0         0       0       0       0       0         0       0       0       0       0         0       0       0       0       0         0       0       0       0       0         0       0       0       0       0         0       0       0       0       0	T01	Lee Reese	0	0	18	36	18	0	71	0
0     0     10     10     12       0     0     12     48     20       0     0     0     0     0       0     0     0     0     0       0     0     3     3     2       0     0     0     28     40     0       0     0     0     0     0       0     0     0     0     0       0     0     0     0     0       0     0     0     0     0	T02		0	0	0	16	0	<b>∞</b>	24	0
0     0     12     48     20       0     0     0     0     0       0     0     3     3     2       0     0     28     40     0       0     0     0     0     0       0     0     0     0     0       0     0     0     0     0       0     0     0     0     0	T03		0	0	10	10	12	0	32	0
0     0     0     0     0       0     0     3     3     2       0     0     28     40     0       0     0     0     0     0       0     0     0     0     0       0     0     0     0     0       0     0     0     0     0	T04		0	0	12	48	20	0	79	0
0     0     3     3     2       0     0     28     40     0       0     0     0     0     0       0     0     0     0     0       0     0     0     0     0       0     0     0     0     0       0     0     0     48     0     4	T05		0	0	0	0	0	0	0	0
0     0     28     40     0       0     0     0     0     0       0     0     0     0     0       0     0     0     0     0       0     0     0     48     0     4	T06		0	0	3	3	2	0	∞	3
0     0     0     0     0       0     0     54     60     0       0     0     0     0     48     0	T07		0	0	28	40	0	0	29	0
0 0 0 0 0 0 0 0 48 0 0 4	T08		0	0	0	0	0	0	0	0
0 0 0 0 0 0	T09		0	0	54	09	0	0	113	28
	T09A	Howard Andersen	0	0	0	48	0	44	91	0

1997 SUMMARY OF LOWER BEAR RIVER - continued page 5

Pump	Pumps or Diversions		April	May	June	July	August	September	Total Ac-ft	Total Storage
T09B	T09B Gordon Webb		0	0	0	20	0	0	20	0
T09C	Rudy Serrano		0	0	0	8	5	0	13	0
T10	W.D.C.I.		0	0	0	0	0	0	0	0
T11	Geddes		0	0	0	0	0	0	0	0
T12	Geddes		0	0	0	0	32	0	32	0
T13	Pierson		0	0	0	0	28	0	28	0
T14	Hobbs		0	0	0	0	36	0	36	0
T15	Gary Allen		0	0	0	0	0	0	0	0
T16	T16 Ricks Pump		0	0	0	0	0	0	0	0
T17	Gordon Ricks		0	0	9	6	<b>∞</b>	0	21	0
T18	Cowley Pump		0	0	0	0	0	0	0	0
T19	T19 Lee Reese		0	0	0	18	0	0	18	0
T20	Beckstead		0	0	4	4	0	0	8	0
T21	Boyd Larsen		0	0	∞	0	0	0	8	0
T22	Gene Larsen		0	0	0	0	0	0	0	0
							L	Total Pumps	14,856	200
38	Logan River - Blacksmith Fork Canals ***	smith Fork	l	not counted in pumps	sdwnd u					
		April	May	June	July	August	September	October	Total Ac-ft	Total Storage
East Wh	East Wheelon Canal	510	9,336	9,471	9,757	8,727	6,817		44,618	
West Wl	West Wheelon Canal		39,671	39,866	42,555	37,658	32,001		191,752	

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 01 GOODWIN

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 15 TOWNSHIP 14N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 11900 North 4400 West Corr DIVERTING WORKS: 25 HP Electric Pressure Pump Cornish DIVERTING WORKS: MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 6467

C	PAY	JAN	FEB	MAR	APR	MAY	NUL	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	0	0					
	2 3					0	0	Ō	Ö					
	3					0	0	.50	0					
	4					0	0	.50	. 50					
	5					0	0	. 50	. 50 . 50					
	6 7 8 9					0	0	.50	.50					
	7					0	0	.50	.50					
	8					0	0	.50	.50					
	9					0	0	. 50	0					
	10					0	0	.50	0					
	11 12 13 14					0	0	.50	0					
	12					0	0	. 50	0 0					
	13					0	0	0	0					
	14					0	0	0	0					
	15					0	0	0	0					
	16 17 18 19					0	0	0	0					
	17					0	0	0 0	0 0					
	18					0	0	0	0					
	19					0	0	0	0					
	20					0	0	0	0 0					
	21					0	0	0	0					
	22 23					0	0	0	0 0 0					
	23					0	0	0	0					
	24 25					0	0	0	0					
	25					0	0	0	0					
	26 27 28 29 30 31					0	0	0	0					
	27					0	0	.50	0					
	28					0	0	.50 .50	0 0					
	29					0	0	.50	0					
	30					0	0	50	0					
	31					0		/ .50	0 /					
TOTAL (AC-F	T)					0	. 0	15	5.0					20

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 02 MUNK JORGENSEN PUMP CO.

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 36 TOWNSHIP 13N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 5100 North 2875 West An DIVERTING WORKS: 30 HP Electric Flood Pump Amalga

MEASURING DEVICE:

RECORDS RATING: RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 3505

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	3.5 3.5	0	0				
-	2					0	0	3.5	0	0				
	1 2 3 4 5					0	0	3.5	0	0				
	4					. 0	0	3.5 3.5	0	0				
	5					0	. 0	3.5	0	0				
	6 7 8 9 10					0	0	3.5 3.5	0	0				
- \	7					0	0	3.5	0	0				
	8					0	0	3.5	0	0				
	9					0	0	3.5	0	0				
_	10					0	0	0	0	0				
	11					0	0	0	0	0				
	12					0	0	0	0	0				
	13					0	0	0	0	0				
_	14					0	0	0	0	0				
	15					0	0	0	0	0				
	16					0	0	0	0	0				
	17					0	0	0	0	0				
_	18					0	0	0	0	0				
	19					0	0	0	3.5	0				
	20					0	0	0	3.5	0				
	·21 22					О	0	0	3.5	0				
_	22					0	0	0	3.5	0				
	23					0	3.5	0	3.5	0				
	24					0	3.5	0	3.5	0				
	25					0	3.5	0	3.5	0				
_	26 27					0	3.5	0	3.5	0				
	27					Ô	3.5	0 3.5	0	0				
	28					Ō	0	3.5	Ō	0				
	29					Ö	ŏ	3.5	ŏ	Ö				
	30					ŏ	ŏ	3.5	ŏ	Ŏ				
-	30 31					ŏ	7	0,	ŏ,	-				
							/	9						
JTAL	(AC-FT)					0	35	90	56	0				180

## UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 04 WEST CACHE IRR. CO. PUMP

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 19 TOWNSHIP 13N RANGE 1E, SL B&M.

COMMON DESCRIPTION: behind Cache Valley Cheese Plant - Amalga

DIVERTING WORKS: Electric Flood Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 5132

#### COMMENTS:

\*\*\*\*\*\*

A NEW PUMPING STATION WAS BUILT THIS YEAR TO HELP FLOWS IN THE CANAL. THE LOCATION OF THIS PUMPING STATION IS LAT/LON:41 59 20 N/111 56 32W IT HAS A CAPACITY TO PUMP ABOUT 125 CFS. A PICTURE IS AVAILABLE IN THE DATA BASE AS WELL AS THE INTERNET. TAKEN BY G. ADKINS.

C	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT .	NOV	DEC	ANN
	1					0	o	6.0	0	0				
	2 3					0	0	6.0	0	0				
	3					0	0	6.0	0	0				
	4					0	0	6.0	0	0				
	5					0	0	6.0	0	0				
	6 7					0	0	6.0	0	0				
	7					0	0	0	0	0				
	8 9					0	0	0	0	0				
	9					0	0	0	0	0				
	10					0	0	0	0	0				
	11					0	0	0	0 0	0				
	12					0	0	0	0	0				
	13					0	0	0	0 0	0				
	14					0	0	0	0	0				
	15					0	0	0	0	0				
	16					0	0	0	0	0				
	17					0	0	0	0	0				
	18					0	0	0	0	0				
	19					0	0	0	0	0				
	20					0	0	0	0	0				
	21					0	0	0	6.0	0				
	22 23					0	0	0	6.0	0				
	23					0	0	0	6.0	0				
	24 25					0	0	0	6.0	0				
	25					0	0	0	6.0	0				
	26					0	6.0	0	0	0				
	27					0	6.0	0	0	0				
	28					0	6.0	0	0	0				
	29					0	6.0	0	0	0				
	30					0	6.0	0	0	0				
	31					0	$\int$	9	9/					
TOTAL (AC-F	T)					0	မွေ	<del>7</del> 1	60	0				190

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 05 HOFFMAN

THE MEASURING STATION IS LOCATED AND COMMON DESCRIPTION: 5100 North 2875 West - Amalga CORNER OF SECTION 36 TOWNSHIP 13N RANGE 1W, SL BAM. FEET FROM THE

DIVERTING WORKS: 15 HP Electric Flood Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 7045

<del></del> .	DAY	JAN	FEB	RAM	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	3.0 3.0	3.0	0				
-	1 2 3					0	0	3.0	3.0	0				
						0	0	3.0	0	0				
	4					0	0	3.0	0	0				
	5					0	0	0	0	0				
	6 7 <b>8</b> 9 10					0	0	0 0 0	0	0				
	7					0	. 0	0	0	0				
	8					0	0		0	0			•	
	9					0	0	0	0	0				
-	10					0	0	0	0	0				
	11 12 13					0	0	0	0	0				
	12					0	0	0	0	0				
	13					0	0	0	0	0				
_	14 15					0	0	0	0	0				
	15					0	0	0	0	0				
	16 17					0	0	0	0	0				
	17					0	0	0	0	0				
_	18					0	0	0	0	0				
	19					0	0	0	0	0				
	18 19 20					0	0	0	0	0				
	21 22 23 24 25					0	0	0	0	0				
_	22					0	0	0	0	0				
	23					0	0	0	0	0				
	24					0	0	0	0	0				
	25					0	0	0	0	0				
~	26					0	0	0	0	0				
	27					0	0	0	0	0				
	26 27 28 29 30					0	3.0	0	0	0				
	29					0	3.0	0	0	0				
	30					Ö	3.0	Ö	O	0				
_	31					0		9/	0					
TAL (A	C-FT)					0	18	24	12	0				54
•	•													

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 05A HOFFMAN

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 36 TOWNSHIP 13N RANGE 1W, SL B&M.

THE MEASURING STATION IS LOCATED AND COMMON DESCRIPTION: 5300 North 2900 West - Amalga DIVERTING WORKS: 15 HP Electric Flood Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 3517

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	2.0	0	0				
	2					ŏ	0	2.0	0	0 0 0				
	2 3 4					ŏ	ŏ	2.0	Ö	ő				
	4					Õ	ō		ŏ	ō				
	5					0 0	0 0	0 0	0 0	0 0				
	6					0	0	0	0	0				
	7					0	0	0	0 0	0				
	8					0	0	0	0	0				
	9					0 0 0	0	0 0 0	0	0				
	6 7 8 9 10					0	0 0 0	0	0 0 0	0 0 0 0				
	11					0	0	0	0	0				
	12					0 0	0	0 0	0	0				
	13					0	0 0 0	0	0 0 0 0	0 0 0				
	14					0	0	0	0	G				
	11 12 13 14 15					0	0	0	0	0				
	16 17 18 19 20					0	0	0	0	0				
	17					0	0 0	0	0	0				
	18					0	0	0	0	0 0 0				
	19					0 0	0	0	0	0				
	20					0	0	0	0 0 0 0 2.0	0 0				
	21 22 23 24 25					0	0	0	2.0	0				
	22					0 0 0	0 0 0	0	2.0	0 0 0				
	23					0	0	0	1.0	0				
	24					0	0	0	0 0	0				
	25					0	0	0	0	0				
	26 27 28 29 30 31					0	0 0 0	0 2.0	0 0 0	0				
	27					0	0	2.0	0	0				
	28					0		0		0				
	29					0	0	0	0 0 0	0 0				
	30					0	0	0	0	0				
	31					0		<b>O</b> .	0					
TOTAL (	AC-FT)					0	0	16	14	0				30

# UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 06 PAULL THAIN

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 36 TOWNSHIP 13N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 5100 North 2875 West - Amalga DIVERTING WORKS: 30 HP Electric Flood Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 7046

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
														•
	1					0	0	1.4	1.5	0				
_	1 2 3					0	0	1.4 1.6	1.5	0				
	3					0	0	1.6	1.7	0		-		
	4					0	0	1.5	0	1.1				
	5					0	0	1.5	0	1.1 1.5				
•	6					0	0	1.6	0	0				
	6 7 8 9					0	0	1.6 1.6	1.5	0				
	8					0	0	2.0	0	0				
	9					0	0	1.9	0	0				
_	10					0	0	1.9 1.0	0	0				
-	11					0	0	0	0	0				
	12					0	Ó	0	0	0				
	12 13					0	0	0	0	1.9				
	14					0	0	0 0	0	1.9 1.2				
•	15					0	0	0	0	0				
	16					0	0	1.2	0	0				
	17					0	ŏ	1.2 2.0	Ö	Ŏ				
	18					Ö	ŏ	1.7	Ö	Ŏ				
-	19					0	Ö	0	Ö	o				
	19 20					1.5	0	0 2.1	0	0				
	21					0	0	3.0	1.5	0				
_	21 22					ō	ō	2.2	1.5 1.2	Ō				
	23					Ó	1.4	1.7	0	0				
	23 24					0	1.0	3.0	0	0				
	25					0	1.6	2.2 1.7 3.0 .70	0 1.5	0				
_	26					0	1.6	1.2	1.5	0				
	26 27					Ö	3.0	3.0	.70	0				
	28					ō	0	1.9	1.6	0				
	28 29					ŏ	ō	1.4	1.1	Ō				
	30					ō	1.5	1.5	1.6	0				
-	30 31					0,	1	1.1	1.6	/				
						1	✓	86	/					
STAL (A	(C-FT)					3.0	žo	86	37	11				157

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 07 MUNK, TARBET, FISHER

THE MEASURING STATION IS LOCATED AND COMMON DESCRIPTION: 2500 West 500 North - Benson FEET FROM THE CORNER OF SECTION 25 TOWNSHIP 13N RANGE 1W, SL B&M.

DIVERTING WORKS: 15 HP Electric Flood Pump
MEASURING DEVICE:

TOTAL

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 6322

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
1 2 3 4					0	o	3.0	0	0				
2					0	. 0	3.0	0	0				
3					0	0	3.0	0	0				
4					. 0	0	3.0	0	0				
5					0	0	3.0	0	0				
6 7					0	0	3.0	0	0				
7					0	0 0 0	3.0	0	0				
8 9 10					0	0	0	0	- 0				
9					0	0	0	0	0				
10					0	0	0	0	0 0 0				
11					0	0	0	0	0				
12					0	0 0	0	0	0				
13					0	0	0	0	0				
14					0	0 0 0	0	0	0				
15					0	0	0	0 0 0 0	Ō				
16					0	0	0	0	0				
17					0	0	0	3.0	Ö				
18					0	0	0	3.0	ŏ				
19					0	0	0	3.0	Ö				
20					0	0	0	3.0	Ö				
21					0	0	0	3.0	0				
22					0 0	0	3.0	0	Ö				
22 23 24					0	0	3.0	0 0	Ö				
24					0	0	3.0	Ö	Ö				
25					0	0	3.0	Ö	ō				
26 27 28					0	3.0	0	0	n				
27					Ö	3.0	ŏ	ŏ	ŏ				
28					Ŏ	3.0	ŏ	Õ	ŏ				
29					Ö	3.0	ŏ	0 0 0	0 0 0 0				
30 31					ō	o o	ŏ	ŏ	ŏ				
31					Ō	I	Ŏ,	ŏ/	·				
(AC-FT)					0	24	65	30	0				119

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 08 REESE-BALLARD

CORNER OF SECTION 1 TOWNSHIP 12N RANGE 1W, SL B&M. THE MEASURING STATION IS LOCATED AND COMMON DESCRIPTION: 2750 West 4200 North - Benson FEET FROM THE

15 HP Electric Pressure & 30 HP Electric Flood DIVERTING WORKS:

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 6915

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	4.0 2.0 1.5	0	0				
_	2					0	0 0	2.0	0	0				
	3					0	0	1.5	0	0				
	4					ò	0	.20	0	0				
	5					0	0	.30	0	0				
	6					0	0	.40 .60	0	0				
	6 7					0	0 0 0	.60	0	0				
	8					0	0	.70	0	0		*		
	9					0	0	0	0	0				
	9 10					0	0	0	0	0				
	11					0	0 0	0	0	0				
	12					0	0	0	0	0				
	13					0	0	0	0	0				
_	14					0	0	0	0	0				
,	11 12 13 14 15					0	0	0	0	0				
	16					0	0	0	0 0	0				
	17					0	0	0	0	0				
_	18					0	0	0	0	0 0 3.0				
	19					0	1.5	4.0	0	0				
	16 17 18 19 20					3.0	1.5 1.5	4.0	0	3.0				
	21					0	. 50	4.0	0	0				
_	22					0	0	0	0	0				
	23					0	0	0	0	0				
	24					0	0	0	0	0				
	21 22 23 24 25					0	0	0	0	0				
_	26					0	0	0	0	0				
	27					0	4.0	0	4.0	0				
	26 27 28 29					0	4.0	0	4.0	0				
	29					0	4.0	0	4.0	0				
	30					0	3.0	0	0	0				
_	<b>3</b> 0 <b>3</b> 1					9	1	9/	9/					
						V	<u>~</u>	<b>√</b> 2	24	~				115
[OTAL	(AC-FT)					<sup>V</sup> 6.0	37	43	24	6.0				115

# UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 09 JOHN ALLEN

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION TOWNSHIP RANGE , SL B&M.

COMMON DESCRIPTION: 4350 North 2750 West - Benson

DIVERTING WORKS: 25 HP Electric Flood & 2 25 HP Electric Pressure

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 6914

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					•	•	•	•					
	1 2 3 4 5					0 0	0 0	0 0	0	0				
	3					Ö	Ö	Ö	0	0				
	4					Ö	Ö	Ö	0	0				
	5					ŏ	Ö	Ö	0 3.0	0				
						Ū	·	v	3.0	U				
	6 7 8 9 10					0	0	0	0	0				
	<u>′</u>					0	0	3.0	0	0				
	8					0	0	3.0	0	. 0				
	9					0	0	0	0	0		•		
	10					0	0	0	0	0				
	11 12 13					0	0	0	0	0				
	12					0	Ō	Ŏ	Ö	ŏ				
	13					Ō	ō	ō	ŏ	Ö				
	14					0	Ō	ō	Ö	ŏ				
	14 15					0	Ō	ō	Ö	ŏ				
	16					_	_							
	10					0	0	0	0	0				
	17					0	0	0	0	0				
	10					3.0	0	0	0	0				
	16 17 18 19 20					3.0	0	0	0	0				
	20					0	0	0	0	0				
	21 22 23					0	0	3.0	0	0				
	22					O	0	3.0	0	0				
	23					0	0	3.0	0	0				
	24					0	0	3.0	3.0	0				
	24 25					0	3.0	0	3.0	0				
	26					0	3.0	o	3.0	•				
	26 27					Ö	3.0	ŏ	0	0				
	28					Ö	3.0	Ö		0 0 0				
	28 29 30					Ö	3.0	0	0	0				
	30					Ö	0	0	0	0				
	31					ď	<b>o</b> ,	0,	0	U				
	٥.						1	7	0.					
TOTAL (	AC-FT)					12	30	36	24	0				101

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 10 BALLARD PUMP

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 1 TOWNSHIP 12N RANGE 1W, SL BAM. COMMON DESCRIPTION: 3900 North 3200 West - Benson

DIVERTING WORKS: 20 HP Electric Flood Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)

WATER RIGHT NUMBER: 25- 6910

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	0	0	0				
	2					0 0	0	0	0	0 0 0				
	2					Ō	Ō	Ō	O	Ō				
	4					Ö	0 0	3.0	Ŏ	Ō				
	5					0	ō	0 3.0 3.0	Ö	Ö				
_	6					0	. O	3.0	0	0				
	6 7 8 9 10					0	0	0	0	0 0 0				
	8					0	0	<b>0</b> 0 0	0	0				
	9					0	0	0	0	0		•		
	10					0	0	0	0	0				
	11 12 13					0	0	0 3.0	0	0 0 0 0				
	12					0	0	3.0	0	0				
	13					0	0 0	3.0	0	0				
	14					0 3.0	0	0	0	0				
	15					3.0	0	0	0	0				
	16					3.0	0	0 0 0 0	0	0 0 0				
	17					0	0	0	0	0				
	18					0	0	0	0	0				
	19					0	0	0	0	0				
	20					0	0	0	0	0				
	21 22 23 24 25					0	0	0	0	0 0 0 0				
	22					0	0	0		0				
	23					0	0 3.0 3.0	3.0	0	0				
	24					0	3.0	3.0	0	0				
	25					0	3.0	0	0	0				
	26					0	0 0 0 0	0 0 0 0	0	0 0 0 0				
	27					0	0	0	0	0				
	28					0	0	0	0	0				
	29					0	0	0	0	0				
	30					0	0	0	0	0				
	26 27 28 29 30 31					0,			0					
TAL (A	AC-FT)					12	12	42	0	0				65

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 10A LANDELL BALLARD

THE MEASURING STATION IS LOCATED AND COMMON DESCRIPTION: 3900 North 3200 West - Benson FEET FROM THE CORNER OF SECTION TOWNSHIP RANGE , SL B&M.

DIVERTING WORKS: 10 HP Electric Pressure Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 6911

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1						•	•		_				
	,					0 0	0 0	0 0 0 0	0 0 0	0 0 0 0				
	2					0	0	0	0	0				
	4					Ö	0	0	0	0				
	5					ŏ	0 0	0	0	0				
						v	U	U	U	U				
	6 7 8 9 10					0	0	0	0	0 0 0 0				
	′					0 0 0	0	0 0 0	0 0 0	0				
						0	0	0	0	0				
	40					0	0	0	0	0				
						0	0	0	0	0				
	11 12 13					0	0	0	0	0				
	12					0	0	0 0	0 0	0 0 0				
	13					0	0	Ō	ō	ŏ				
	14					0	Ō	ō	ŏ	ŏ				
	15					0 0 0 0	0	0 0 0	0 0	Ö				
	16					^	•	•		_				
	16 17					0	0	0	0	0				
	18					0	0	0 0 0	0	0 0				
	10					0	0	0	0	0				
	18 19 20					0 0	0		0	0				
						U	0	0	0	0				
	21 22 23 24 25					0	0	0	0	0				
	22					0	0	0	0	0				
	23					0	0	0	0	0				
	24					0	.24	0	0	0				
	25					0	.24	0	0	0				
	26 27 28 29 30					0	.24	0	0	^				
	27					ō	.24	Ö	Ö	0				
	28					ŏ	24	Ö	Ö	0 0 0				
	29					ŏ	.24 .24	Ô	0	0				
	30					Ö	.24	0	0	Ü				
	31					Ö	. 24	0	0	0				
						J	,	U	0					
TOTAL (AC	-FT)					0	3.3	0	0	0				3.3

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 11 BENSON-BEAR LAKE IRR. CO.

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 11 TOWNSHIP 12N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 3200 North 3700 West - Benson DIVERTING WORKS: 30 HP Electric Flood Pump MEASURING DEVICE: 18 inch Parshall Flume RECORDS RATING: G (E,G,F,P) WATER RIGHT NUMBER: 25- 6318

•	DAY	JAN	FEB	MAR	APR	MAY	NUL	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	7.0	0	0				
•	2					0	0	7.0	7.0	0				
	3					0	0	7.0	7.0	0				
	4					0	0	0	7.0	0				
	5					0	0	0	0	0				
	6					0	0	0 7.0	0	0				
	7 8					0	0	7.0	0	0				
						0	0	7.0	0	0				
	9					0	0	7.0	0	0				
	10					. 0	0	7.0	7.0	0				
	11 12					0	0	7.0	7.0	0				
	12					0		0	0	0				
	13					0	0	0	0	0				
	14					0	0	0	0	0				
	15					0	0	0	0	0				
	16					0	0	0	7.0	0				
	17						7.0	0	7.0	0				
	18					0	7.0	0	0	0				
	19					0 7.0	7.0	0	0	0				
	20					7.0	7.0	0	0	0				
	21 22 23 24 25					7.0	7.0	0	0	0				
	22					0	0	0	0	0				
	23					0	0	7.0	0	0				
•	24					0	0	7.0	7.0	0				
	25					0	0	7.0 7.0	7.0	0				
	26 27					0	0	7.0	0	0				
	27					0	0	0	0	0				
	28					0	7.0	0	0	0				
	29					0	7.0	0	7.0	0				
	30 31					0	7.0	0	7.0	0				
	31					9		0	3.5					
TAL (AC	C-FT)					28	. 111	167	160	0				465

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 11A LEE JOHNSON

THE MEASURING STATION IS LOCATED AND COMMON DESCRIPTION: East of Benson Marina
DIVERTING WORKS: 30 HP Electric Pressure Pump

FEET FROM THE CORNER OF SECTION 10 TOWNSHIP 12N RANGE 1W, SL B&M.

DIVERTING WORKS: MEASURING DEVICE: RECORDS RATING:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: -EX 581

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	0	0	0				
	2					0 0	0 0	0	0	0	-			
	3					0	0	0	0	0				
	4					0	0	0	0	0				
	5					0	0	0	0	0				
	6 7					0	0	0	0	0				
	7					0	0 0 0	0	0	0				
	8					0	0	0	0	0				
	9					0	0	0	0	0				
	10					0	0	0	0	0				
	11 12 13 14					0	0	0	0	0				
	12					0	0	0	0	Ŏ				
	13					0	0	0	Ö	0			•	
	14					0	0	0	Ō	Ö				
	15					0	0	0 0	0	0 0				
	16 17 18 19					0	0	0	0	0				
	17					0	Ō	ō	0 0	ŏ				
	18					0	Ō	0	ō	Ö				
	19					0	Ō	Ō	ō	Õ				
	20					0	0 0 0 0	0	Ö	0 0 0				
	21					0	1.0	0	0	0				
	22					0	1.0	ō	ō	ñ				
	23					0	1.0	Ŏ	0 0	0 0 0				
	24					0	1.0	ŏ	ō	Ô				
	21 22 23 24 25					0	1.0	Ö	Ŏ	ō				
	26					0	1.0	0	0	0				
	27					Ö	0	ŏ	ŏ	ŏ				
	26 27 28 29 30 31					Ö	Ö	ŏ	ŏ	ŏ				
	29					Ö	Ō	ŏ	0 0	ŏ				
	30					Ö	0 0	Ö	Õ	0				
	31					ō	•	ŏ	0 0	Ū				
TOTAL (AC	-FT)					0	12	0	0	0				12

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 11B W.D. JOHNSON

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 11 TOWNSHIP 12N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 3660 North 4000 West - Benson DIVERTING WORKS: 25 HP Electric Pressure Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: -EX 802

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	. 70	0	0				
_	,					0 0 0	Ŏ	.70 .70	ŏ	0	-			
<del></del>	3					ŏ	ŏ	0	ŏ	ō				
	4					ŏ	ŏ	ŏ	ŏ	0				
	5					ō	Ö	ŏ	ō	Ŏ				
_						•	•	•	•	. 0				
_	6					0	0	0 0	0	0				
•	′					0	0	0	0	. 0				
	8					0	0		0	0				
	9					0	0	0	•	0				
_	10					0	0	0	0	0				
	11					0	0	0	0	0				
	12					0	0	0	0	0	•			
	13					0	0	0	0	0				
	14					0	0	0	0	0				
_	11 12 13 14 15					0	0	0	0	0				
	16					0	0	0	0	0				
	17					ŏ	ŏ	ŏ	ŏ	0				
	10					ŏ	Ö	ŏ	ŏ	Ö				
_	10					Ö	Ö	ŏ	Ŏ	ŏ				
	16 17 18 19 20					ŏ	Ö	ŏ	ŏ	0				
	20					•	•	·	•					
	21 22 23 24 25					0	0	0	0	0				
-	22					0	0	0	0	0				
	23					0	0	0	0	0				
	24					0	0	0	0	0				
	25					0	0	0	0	0				
	26					0	0	0	0	0				
	27					0	.70	0	0	0				
	28					0	.70	0	0	0				
	29					Ó	.70 .70 .70 .70	0	0	0				
	30					0	.70	0	0	0				
	26 27 28 29 30 31					Ō		0	0					
							/		_	_				
OTAL (	AC-FT)					0	<b>Š.</b> 6	2.8	0	0				8.3

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 11C JIM WATTERSON

THE MEASURING STATION IS LOCATED FEET FROM THE CORNER OF SECTION 3 TOWNSHIP 12N RANGE 1W, SL B&M. AND

COMMON DESCRIPTION: 4705 West 3800 North - Benson DIVERTING WORKS: Propane Pressure Pump MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: -EX1194

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
1					0	0	1.0	0	0				
2 3					0	0	1.0	Ö					
3					0	0	1.0	0	ō				
4					0	0	1.0	0	0				
5					0	0	1.0	0	0 0 0				
6					0	O O .	0	0	0				
7					0	0.	0	0	0				
8 9					0	0 0 0	0	0	0 0 0				
9					0	0	0 0 0	0	0				
10					0	0	0	0	0				
11 12					0	0 0	0	0	0		•		
12					0	0	0	0	0				
13 14 15					0	0	0	0 0 0	0 0 0				
14					0	0	0		0				
					0	0	0	0	0				
16 17					0	0	0	0	•				
17						ŏ	ŏ	0	0				
18					0 0 0	ŏ	ŏ	1.0	Ö				
19 20					ō	Ď	0 0	1.0	ŏ				
20					Ō	0	ŏ	1.0	ŏ				
21 22 23 24 25					0	0	0	1.0	0				
22					0	0	Ō	0	Ö				
23					0	1.0	0	Ö	Ö				
24					0	1.0	0	Ō	ŏ				
25					0	1.0	0	0	ō				
26 27 28 29 30 31					0	0	0	0	0				
27					0	0	0	0	Ö				
28					0	0	0	Õ	ŏ				
29					0	1.0	0	Ō	0 0 0				
30					0	1.0	0	Ö	Õ				
31					0		0	ō /	-				
TOTAL (AC-FT)					0	9.9	è.9	7.9	0				28

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 11D SAM HILTON

THE MEASURING STATION IS LOCATED AND COMMON DESCRIPTION: East of Benson Marina DIVERTING WORKS: 25 HP Electric Pressure Pump FEET FROM THE CORNER OF SECTION 10 TOWNSHIP 12N RANGE 1W, SL B&M.

MEASURING DEVICE:

RECORDS RATING: (E,G,F,P) WATER RIGHT NUMBER: 25- 8346

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					o	0	0	0	0				•
	,					ŏ	0 0 0 0	Ö	Ö	0				
	2 3					Ō	Ó	0		0				
	4					Ó	0	0	0 0 0	0 0				
	5					0	0	0	0	0				
	6					0	0	0	0	0				
	6 7					0	0	0	0	0 <b>0</b>				
	8					0	<b>0</b> 0	0	0	0				
	9					0	0	0	0	0				
	10					0	0	0	0	0				
	11 12 13					0	0	0	0	0				
	12					0	0 0	0	0 0 0	0				
	13					0	0	0	0	0				
	14					0	0 0	0	0	0				
	15					0	0	0	0	0				
	16					0	0	0	0	0				
	17					0	0	0	0	0				
	18					0	0 0	0	0	0				
	19					0	0	0	0	0				
	19 20					.70	0	0	0	0				
	21					.70	0	0	0	0				
	22 23 24 25					0	0	0	0	0				
	23					0 0	0	0	0	0				
	24					0	0	0	0	0				
	25					0	.70	0	0	0				
	26					0	.70	0 0 0	0	0				
	27					0	.70	0	0	0				
	26 27 28 29 30 31					0	.70		0	0				
	29					0	.20	0	0	0				
	30					0 0	0	0	0	0				
	31						/	0	0					
AL (A	AC-FT)					2.8	6.0	0	0	0				8.7
•														

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 12 KING IRRIGATION CO.

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 36 TOWNSHIP 13N RANGE 1E, SL B&M.

COMMON DESCRIPTION: 4817 North 2750 West - Benson DIVERTING WORKS: 30 HP Electric Flood Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 5087

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
1					0	0	5.0	0	•				
1 2 3 4 5					0 0	0 0 0	5.0 5.0	0 0	0	•			
3					ő	ŏ	5.0	0	0				
4					. 0	ŏ	5.0	0	0				
5					0	0 0	5.0	0 0	0				
					· ·	U	5.0	U	U				
6 7 8 9 10					0	0	5.0	0	0				
7					0 0 0	0	5.0	0	0				
8					0	0 0 0	5.0	0	. 0				
9					0	0	5.0	0	0				
10					0	0	5.0	0	0 0 0				
11					0	o	5.0	^	•				
12					Ď	ŏ	5.0	0	Ü				
12 13					ŏ	0	5.0	0 0	0				
14					ŏ	0		0	0				
14 15					0 0 0 0	0 0	0 0	0 0	0 0 0 0				
					·	J	U	U	U				
16 17					0	0	0	0	0				
17					0	Ō	Ŏ	5.0	0 0				
18					0	0	5.0	5.0	Ö				
19					0	Ō	5.0	5.0	ŏ				
18 19 20					0	Ö	5.0 5.0	5.0	ŏ				
01													
21					0	0	5.0	5.0	0				
22					0	0	5.0	5.0	0				
23					0	5.0	5.0	5.0	0			•	
22 23 24 25					0	5.0	5.0	5.0	0				
25					0	5.0	5.0	5.0	0				
26 27					0	5.0	5.0	5.0	0				
27					Ö	5.0	5.0	5.0	ŏ				
28					Ö	5.0	0	5.0	ŏ				
29					ŏ	0	Ö	5.0	Ö				
30					ŏ	Ö	Ö	5.0	Ö				
31					ŏ	$\mathbf{v}_{j}$	Ö	0	U				
					•	/		<i>;</i>					
TOTAL (AC-FT)					0	<b>6</b> 0	228	139	0				426

# UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 13 SPACKMAN

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 36 TOWNSHIP 14N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 1600 West 9800 North - S.W. Lewiston

DIVERTING WORKS: 40 HP Electric Flood & 2 25 HP Electric Pressure

MEASURING DEVICE:

DAV

LAN

EER

MAD

APD

MAY

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 6891

### CALENDAR YEAR 1997 DAILY DISCHARGE IN CFS

. II IN

.00

ALIG

SEP

DEC

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANN
	1					0	0	5.0	0	0				
_	2					Ö	Ö	5.0	ō	Ō				
_	2 3					0 0 0	Ō	5.0	Ö	Ö				
	Ă					. 0	Ŏ	5.0	ō	Ŏ				
	5					Ō	ŏ	5.0 5.0 5.0 5.0	Ö	Ö				
	•					•			· ·	•				
_	6					0	. 0	6.6 6.6 6.6	0	0				
	7					0	0	6.6	Ō	Ō				
	Ŕ					Ö	Ö	6.6	Ō	. 0				
	6 7 8 9					Ō	Ŏ	6.6	Ö	ō				
	10					ō	Ō	6.6	Ō	Ö				
-						-	-		•	_				
	11					0	0	6.6	0	0				
	11 12					0	0 0 0	0	Ō	0				
	13					Ö	ō	0	Ō	Ö				
	14					Ō	Ō	Ō	Ö	0				
_	15					Ō	ō	Ö	Ö	Ō				
						-	_	-	_					
	16					0	0	0	0	0				
	17					0	0	0 0	0	0				
	18					0	0	0	2.5 2.5	0				
_	19					0	0	0	2.5	0				
	19 20					- 0	0	0	0	0				
	21					0	0	0	1.6 1.6	0				
_	22					0	0	0	1.6	0				
	23					0	0	0	1.6	0				
	24					0	0	0	1.6	0				
	21 22 23 24 25					0	0	0	1.6 6.6	0				
-	26 27 28					0	0 5.0 5.0	0	6.6	0				
	27					0	5.0	0	0	0				
	28					0	5.0	0	0	0				
	29					0	0	0	0	0				
	30					0	0	0	0	0				
-	30 31					0		0/	0 /					
							/		49					
OTAL (A	C-FT)					0	20	128	49	0				197

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 14 SIMMONDS-CHAMBERS

CORNER OF SECTION 15 TOWNSHIP 14N RANGE 1W, SL B&M.

THE MEASURING STATION IS LOCATED AND FEET FROM THE COMMON DESCRIPTION: 4200 West 11600 North - N. of Trenton DIVERTING WORKS: 2 25 HP Electric Pressure Pumps

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 6627

DA	Υ .	JAN	FEB	MAR	APR	MAY	NUL	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	1.0	0	0				
	1 2 3 4 5					0	0 0	1.0	0	0 0				
	3					0	0	.50	0	0 0 0				
	4					0	0	0	1.0	0				
	5					0	0	.50	1.0	0				
	6 7 8 9					0	0	1.0	1.0	0				
	7					0	0	1.0	1.0	0 0 0 0				
	8					0	0	1.0	1.0	0				
	9					0	0	1.0	1.0	0				
1	0					0	0	. 50	1.0	0				
1	1					0	0	. 50	1.0	0 0				
1	2					0	0	1.0	1.0	0				
1	3					0	0	0	1.0	0				
1	4					0	0	0	1.0	0				
1	5					0	0	0	1.0	0				
1	6 7					0	0	0	1.0	0				
1	7					0	0	0	1.0	0				
1	8					0	0	0	1.0	0				
1	9					1.0	0	0	0	0				
2	8 9 !0					1.0	0	1.0	0	0				
2	!1 !2 !3 !4					1.0	1.0	1.0	0	0				
2	2					0	1.0	1.0	0	0				
2	!3					0	1.0	1.0	0	0				
2	4					0	1.0	0 0	0	0 0 0				
2	!5					0	1.0	0	0	0				
2	26 27					0	1.0	0	0	0				
2	27					0	1.0	0	0	1.0				
2	8					0	1.0	0	0	1.0				
2	9 10 11					0	1.0	0	0	1.0				
3	10					0	1.0	0	0	1.0				
3	11					Ο,	7	0	0,					
TOTAL (AC-FT	.)					6.0	20	26	30	<b>7.9</b>			ı	89

# UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 14A LARRY PITCHER

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 15 TOWNSHIP 14N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 4200 West 11600 North - N. of Trenton DIVERTING WORKS: 2 25 HP Electric Pressure Pumps

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)

WATER RIGHT NUMBER: 25- 6625

1	-	DAY	JAN	FEB	MAR	APR	MAY	NUL	JUL	AUG	SEP	ОСТ	NOV	DEC	ANN
6 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1					0	o	0	o	.50				
6 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	_	,					ō	Ö	Ō		.50				
6 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	<del>-</del>	3					ō	Ö	0		. 50				
6 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0								0	0	0	. 50				
8 0 0 .50 0 0 0 1 10 10 10 10 10 10 10 10 10 10									0		. 50				
8 0 0 .50 0 0 0 1 10 10 10 10 10 10 10 10 10 10	•	6					0	0		0					
10 0 0 .50 0 0  11 0 0 0 0 0 0 0  12 0 0 0 0 0 0  13 0 0 0 0 0 0  14 0 0 0 0 0 0 0  15 0 0 0 0 0 0  16 0 0 0 0 0 0  17 0 0 0 0 0 0  18 0 0 0 0 0 0 0  19 0 0 0 0 0 0  20 0 0 0 0 0  21 0 0 0 0 0 0  22 0 0 0 0 0 0  23 0 0 0 0 0 0  24 0 0 0 0 0 0  25 0 0 0 0 0 0  26 0 0 0 0 0 0  27 0 0 0 50 0 0  28 0 0 0 55 0 0  29 0 0 55 0 0  30 0 0 55 0 55 0  31		7						0	. 50	0					
10 0 0 .50 0 0  11 0 0 0 0 0 0 0  12 0 0 0 0 0 0  13 0 0 0 0 0 0  14 0 0 0 0 0 0 0  15 0 0 0 0 0 0  16 0 0 0 0 0 0  17 0 0 0 0 0 0  18 0 0 0 0 0 0 0  19 0 0 0 0 0 0  20 0 0 0 0 0  21 0 0 0 0 0 0  22 0 0 0 0 0 0  23 0 0 0 0 0 0  24 0 0 0 0 0 0  25 0 0 0 0 0 0  26 0 0 0 0 0 0  27 0 0 0 50 0 0  28 0 0 0 55 0 0  29 0 0 55 0 0  30 0 0 55 0 55 0  31		8						0	. 50	0	0		• .		
10 0 0 .50 0 0  11 0 0 0 0 0 0 0  12 0 0 0 0 0 0  13 0 0 0 0 0 0  14 0 0 0 0 0 0 0  15 0 0 0 0 0 0  16 0 0 0 0 0 0  17 0 0 0 0 0 0  18 0 0 0 0 0 0 0  19 0 0 0 0 0 0  20 0 0 0 0 0  21 0 0 0 0 0 0  22 0 0 0 0 0 0  23 0 0 0 0 0 0  24 0 0 0 0 0 0  25 0 0 0 0 0 0  26 0 0 0 0 0 0  27 0 0 0 50 0 0  28 0 0 0 55 0 0  29 0 0 55 0 0  30 0 0 55 0 55 0  31		9						0	. 50						
12 13 0 0 0 0 0 0 0 14 15 0 0 0 0 0 0 0 15 16 17 0 0 0 0 0 0 0 18 0 0 0 0 0 0 0 19 20 0 0 0 0 0 0 0 21 22 0 0 0 0 0 0 0 22 3 0 0 0 0 0 0 24 25 0 0 0 0 0 0 0 26 27 28 0 0 0 0 0 0 29 30 30 0 0 0 0 0 31	<b>.</b>	10					0	0	.50	0	0				
13 14 0 0 0 0 0 0 0 15 0 0 0 0 0 0 16 16 0 0 0 0 0 0 0 17 0 0 0 0 0 0 18 0 0 0 0 0 0 0 19 0 0 0 0 0 0 20 21 0 0 0 0 0 0 0 22 0 0 0 0 0 0 23 0 0 0 0 0 0 24 25 0 0 0 0 0 0 0 27 0 0 0 0 0 0 28 0 0 0 0 0 0 29 0 0 0 0 0 0 29 0 0 0 0 0 0 29 0 0 0 0 0 0 29 0 0 0 0 0 0 30 31		11							0						
14 15 16 17 18 0 0 0 0 0 0 0 0 0 0 0 0 0		12							0					* .	
14 15 16 17 18 0 0 0 0 0 0 0 0 0 0 0 0 0		13							0		0				
16 17 18 0 0 0 0 0 0 0 0 0 18 18 0 0 0 0 0 0	_	14						0	0		0				
17	_	15					0	0	0	0	0				
18 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		16					0	0	0	0	0				
18 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		17					0	0	0	0	0				
21	_	18					0	0	0		0				
21	-	19						0	0	0	0				
- 22 23 24 25 0 0 0 0 0 0 25 0 0 0 0 0 26 0 0 0 .50 0 0 27 0 0 0 .50 0 0 28 0 0 0 .50 0 0 29 0 0 .50 0 0 30 0 0 .50 .50 0		20					0	0	0	0	0				
24 25 0 0 0 0 0 26 0 0 0 .50 0 0 27 0 0 0 .50 0 0 28 0 0 0 .50 0 0 29 0 0 .50 0 0 30 0 0 .50 .50 0		21					0		0		0				
24 25 0 0 0 0 0 26 0 0 0 .50 0 0 27 0 0 0 .50 0 0 28 0 0 0 .50 0 0 29 0 0 .50 0 0 30 0 0 .50 .50 0	_	22							0		0				
24 25 0 0 0 0 0 26 0 0 0 .50 0 0 27 0 0 0 .50 0 0 28 0 0 0 .50 0 0 29 0 0 .50 0 0 30 0 0 .50 .50 0		23						0	0		0				
- 26 0 0 .50 0 0 .50 27 0 0 .50 0 0 0 .50 0 0 0 .50 0 0 0 .50 0 0 0		24							0		0				
27 28 29 30 - 31		25					0	0	0	0	0				
28 29 0 0 .50 0 0 30 0 0 .50 .50 0 - 31	_	26					0		.50	0	0				
28 29 0 0 .50 0 0 30 0 0 .50 .50 0 - 31		27					0		. 50		0				
30 0 0 .50 .50 0 - 31 0 .50 .50		28					0		. 50	0	0				
30 0 0 .50 .50 0 - 31 0 .50 .50		29							. 50	0 _	0				
47		30						0	.50	. 50	0				
47	_	31					0		.50	.50					
OTAL (AC-FT) 0 0 9.9 2.0 5.0 17		<u> </u>													
	OTAL (	AC-FT)					0	0	9.9	2.0	5.0				17

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 15 LARRY FALSLEV

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 2 TOWNSHIP 12N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 4000 West 4150 North - Benson DIVERTING WORKS: 15 HP Electric Flood Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 6908

DAY	JAN	FEB	MAR -	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
1					0	0	0	0	•				
2					0	ŏ	ŏ	0 0	0 0				
3					ŏ	ŏ	0 0	ŏ	0				
4					Ö	ŏ	ŏ	Ö	0				
5					ō	ŏ	ŏ	Ö	Ö				
					_	•	·	Ū	U				
6					0	0	0	0	0				
7					0	ō	0 0	ŏ	0				_
8 9					0	Ō	o -	Ŏ	0				
9					0	Ö	ő	ŏ	ŏ				
10					0	Ö	0	ŏ	Ö				
						_	•	·	v				
11 12 13					0	0	0	0	0				
12					0	Ó	Ö	ŏ	Õ				
13					0	0	Ō	ŏ	0 0				
14 15					0	0	0	ŏ	ŏ				
15					0	0	ō	ŏ	ŏ				
40								-	•				
16 17 18 19 20					0	0	0	0	0				
17					0	0	0	Ō	ŏ				
18					0	0	0	Ö	Ö				
19					0	0	0	0	ō				
20					0	0	0	0	Ö				
21													
21 22 23					0	0	0	0	0				
23					0	0	0	0	0 0				
24					0	0	0	0	0				
25					0	0	0	0	0				
25					0	0	0	0	0				
26					_	_							
27					0	0	0	0	0				
28					0	0	0	0	0				
29					0	0	3.0	0	0				
30					0	0	0	0	0 0				
31					0	0	0	0	0				
					0		0	0					
TOTAL (AC-FT)					0	0	6.0	0	0				6.0

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 15A LARRY FALSLEV

THE MEASURING STATION IS LOCATED

AND

FEET FROM THE

CORNER OF SECTION 2 TOWNSHIP 12N RANGE 1W, SL B&M.

DIVERTING WORKS:

COMMON DESCRIPTION: 4200 West 4250 North - Benson Diesel Pump - Pivot Sprinkler

MEASURING DEVICE:

RECORDS RATING:

F (E,G,F,P)

WATER RIGHT NUMBER: 25- 6908

_'	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	1.0	0	0				
	2					Ö	0	1.0 1.0	0	0				
_	3					0	0	1.0	0	0				
	4					0	0	1.0	0	0				
	5					0	0	1.0 1.0	0	0				
_	6					0	0	1.0 1.0	0	0				
	6 7					0	. 0	1.0	0	0				
	8					0	0	1.0	0	0				
	9					0	0	1.0	0	0				
_	10					0	0	0	0	0				
_	11 12 13					0	0	0	0	0				
	12					0	0	0	0	0				
	13					0	0	0	0	0				
	14					0	0	0	0	0				
-	14 15					0	0	0	0	0				
	16 17					0	1.0	0	0	0				
	17					0	1.0	0	0	0				
	18					0	1.0	0	1.0	0				
-	19					0	1.0	0	1.0	0				
	18 19 20					0	1.0	0	1.0	0				
	21 22 23					0	1.0	0	1.0	0				
_	22					0	1.0	0	1.0	0				
	23					0	1.0	0	0	0				
	24 25					0	1.0	1.0 1.0	0	0				
	25					0	1.0	1.0	0	0				
-	26 27					0	0	1.0	0	0				
	27					0	0	0	0	0				
	28					0	0	0	0	0				
	28 29					0	0	0	0	0				
	30					0	0	0	0	0				
_	31					0	1	0	0					
TAL (A	C-FT)					0	20	24	9.9	o				54
(	•													

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 16 RULON FALSLEV

THE MEASURING STATION IS LOCATED AND COMMON DESCRIPTION: 4000 West 4150 North - Benson CORNER OF SECTION 2 TOWNSHIP 12N RANGE 1W, SL B&M. FEET FROM THE

DIVERTING WORKS: 60 HP Electric Pressure Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)

WATER RIGHT NUMBER: 25- 6909

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANN
	1					0	0	0	•	•				
	2 3					0 0	0 0 0	0 3.0	0	0				
	3					ŏ	Õ	3.0	0	0 0 0				
	4					ŏ	Õ	3.0	Ö	0				
	5					ŏ	Ö							
						J	U	0	0	0				
	6 7 8 9 10					0	0	0	0	0				
	<u> </u>					0	0	0	0	0 0				
						0	0	3.0	0	0			•	
	9					0	0	3.0	0	0				
	10					0	0	3.0 3.0	0	0				
	11					0	0	0	0	0				
	12					0	0	Ŏ	ŏ	ŏ				
	13					0	ō	Ö	ŏ	ŏ				
	14					0	Ö	ŏ	ŏ	Õ				
	15					0	Ö	ŏ	ŏ	0 0				
	16 17					3.0	0	•		_				
	17					3.0	0	0	3.0	0				
	18 19					3.0		0	3.0	0 0 0				
	19					3.0	0	0	0	0				
	20					3.0	0	0	0	0				
						3.0	0	0	0	0				
	21 22 23 24 25					0	3.0	0	0	0				
	22					0	3.0	0	0	0				
	23					0	3.0	0	0	0 0 0 0				
	24					0	3.0	0	0	0				
	25					0	3.0	0	0	0				
	26 27					0	o	0	0	0				
	27					0	ō	0 0	ŏ	0 0				
	28					ŏ	3.0	3.0	Ö	Ö				
	28 29					ŏ	3.0	3.0	Ö	0				
	30					ŏ	0	0		0 0				
	30 31					Ģ	,	9	0 0	U				
TOTAL (	40 FT\							9 48						
TOTAL (	AU-FI)					30	42	48	12	0				131
			•											

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 17 HILL IRRIGATION CO.

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 22 TOWNSHIP 14N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 4000 West 11600 North - S.W. of Lewiston DIVERTING WORKS: 30 HP ELectric Flood Pump MEASURING DEVICE:

RECORDS RATING: (E,G,F,P)

WATER RIGHT NUMBER: 25- 6925

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANN
	1					0	0	0	0	0				
_	2					Ö	0 0	0	ŏ	Ö		-		
	2 3					ŏ	ŏ	ŏ	Ö	Ö				
	4					ŏ	ŏ	Ö	ŏ	ŏ				
	5					ŏ	ŏ	4.0	ŏ	Ö				
	6					0	0	4.0	0	0				
	7					Ö	Ō	2.0	ō	ŏ				
	6 7 8 9					Ō	ŏ	0	Ö	Ŏ				
	9					0	ō	Ŏ	ŏ	Ö				
-	10					ō	ō	ō	ō	ō				
	11					0	0	0	0	0				
	12					0	0	Ō	Ō	Ö				
	13					4.0	0	0	0	Ō				
	14					4.0	0	Ō	ō	ō				
	15					4.0	0	Ō	ō	ō				
	16					4.0	0	0	4.0	0				
	17					4.0	0	0	4.0	0				
	18					4.0	4.0	0	4.0	0				
	19					4.0	4.0	2.0	4.0	Ō				
	20					4.0	4.0	4.0	0	0				
	21 22					0	4.0	4.0	0	0				
-	22					0	4.0	4.0	0	0				
	23 24					0	4.0	4.0	0	0				
	24					0	4.0	4.0	0	0				
	25					0	4.0	0	0	0				
-	26 27					0	4.0	0	0	0				
	27					0	4.0	0	0	0				
	28					0	4.0	0	0	0				
	29					0	4.0	0	0	0				
	28 29 30					0	0	0	0	0				
-	31					9		0	0					
)TAL (	AC-ET)					62	95	62	20	•				
TIME (	AC-FI)					63	95	63	32	0				254

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 18 SMITHFIELD WEST BENCH

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 17 TOWNSHIP 13N RANGE 1E, SL B&M.

COMMON DESCRIPTION: 7600 North 1700 West - N. of Smithfield DIVERTING WORKS: Electric Pressure Pumps MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 4523

DAY	/ JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
1					0	0	1.0	0	0				
2 3 4	?				0	Ó	1.0	Ō	0				
3	3				0	0	1.0	0	0				
					0	0	1.0	0	0				
5	i				0	0	1.0	0	0				
6	3				0	0 0	1.0	0	0				
7	•				0	0 .	1.0	0	0 0 0				
9 10	3				0	0	2.0	0	0				
8	)				0	0	2.0	0	0				
10	)				0	0	2.0	0	0				
11					0	0	1.0	0	0				
12	?				0	0	1.0	0	0 0 0 0				
13	I				0	0	0	0	0				
14	<b>,</b>				0	0	0	0	0				
15	i				0	0	0	0	0				
16	3				0	0	0	0	0				
17	,				0	0	0	0	0 0 0				
18	3				0	0	0	0	0				
19	)				0	0	0	0	0				
20	)				0	1.0	0	1.0	0				
21 22 23					0	1.0	0	1.0	0 0 0 0				
22	!				0	1.0	0	1.0	0				
23	1				0	1.0	0	1.0	0				
24 25					0	1.0	1.0	0 0	0				
25	j				0	1.0	1.0	0					
26 27	3				0	1.0	1.0	0	0 0				
27	,				0	1.0	1.0	0	0				
28	3				0	1.0	0	0	0				
29	)				0	1.0	0	0	0				
30 31	•				0	1.0	0	0	0				
31					0		<b>0</b> √	0					
TOTAL (AC-FT)					0	2ž	38	<b>ř.</b> 9	0				67

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 19 W.A. HANSEN

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 18 TOWNSHIP 13N RANGE 1E, SL B&M. COMMON DESCRIPTION: 7600 North 1700 West - N. of Smithfield
DIVERTING WORKS: 30 HP Electric Pressure Pump
MEASURING DEVICE:
RECORDS RATING: F (E,G,F,P)

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 8332

_	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANN
	1					0	0	0	0	0				
-	1 2 3					0	0	0	0 0	0				
	3					0	0	0	0	0				
	4					0	0	0	0	0				
	5					0	0	0	0	0				
-	6 7					0 <b>0</b>	0	0	0	0				
•	7					0	Ο,	0	0	0 0 0				
	8					0	0	0	0	0				
	9					0	0	0	0	0				
-	10					0	0	0	0	0				
	11 12 13 14 15					0	0	0	0	0				
	12					0	0	0	0	0				
	13					0	0	0	0	0				
_	14					0	0	0	0	0				
	15					0	0	0	0	0				
	16 17 18 19 20					0	0	0	0	0 0				
	17					0	0 0 0	0	0	0				
-	18					. 70	0	0	0	0				
	19					.70	0	0	0	0				
	20					.70 .70 .70	0	0	0	0				
	21 22 23					.70 .70	0	0	0	0				
-	22					.70	0	0	0	0 0				
	23					.70	0	0	0	0				
	24 25					.70	0	0	0	0				
	25					0	0	0	0	0				
-	26 27 28 29					0	0	0	0	0				
	27					0	0	0 0	0	0 0				
	28					0	0	0	0	0				
	29					0	0	0 0	0	Ö				
	30					Ó	Ō	Ō	Ŏ	ŏ				
-	31					Ō		ō	ō	-				
						<b>✓</b>								
TAL (A	AC-FT)					9.7	0	0	0	0				9.7

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 20 COE LARKIN

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 18 TOWNSHIP 13N RANGE 1E, SL B&M.

COMMON DESCRIPTION: 7600 North 1700 West - N. of Smithfield DIVERTING WORKS: 2 30 HP Electric Pressure Pumps MEASURING DEVICE:

RECORDS RATING: RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 8178 F

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
1					0	0	1 2	0	0				
1 2 3 4					0 0	ŏ	1.2 1.2	ŏ	ň				
3					ŏ	ŏ	1.2	ŏ	ŏ				
4					Ö	ŏ	1.2	ŏ	ň				
5					Ō	Ö	0	Ö	0 0 0 0				
6 7 8 9 10					0	0	0	0	0				
7					0	0	0	0	0 0 0				
8					0	0	0	0 0	0				
9					0	0	0	0					
10					0	0	0	0	0				
11					0	0	0	0 0	0 0				
12					0	0	0	0	0				
12 13 14					0 0	0	0	0 0 0	0				
14					0	0	0	0	0				
15					0	0	0	0	0				
16					0	0	0	0	0				
17					0	0	0 0	0	Ô				
18					0	0	0 0	Ö	0 0 0				
19					0	0	0	0	Ō				
20					0	0	0	0 0 1.0	0				
21 22					0	0	0	1.0	0				
22					0	0	0	1.0	0				
23					0	0	0	1.0	0				
24					0	1.2	0	1.0	0				
25					0	1.2 1.2	0	0	0				
26					0	1.2	0 0	0	0				
27					0	1.2	0	0	0				
28					0	1.2	1.2	0	0				
29					0	1.2	1.2 1.2 1.2	0	0 0				
30					0	1.2	1.2	0	0				
31					0	7	0/	0					
TOTAL (AC-FT)					0	17	17	`9.9	0				43

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 21 MARCHANT

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 8 TOWNSHIP 13N RANGE 1E, SL B&M. COMMON DESCRIPTION: 8000 North 1200 West - N.W. of Smithfield DIVERTING WORKS: Propane or Diesel Pressure Pump MEASURING DEVICE:

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 8167

_	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	2.7	0	0				
_	1 2 3 4					0	0	2.7	0	0 0				
	3					0	0	2.7	0	0 0				
						0	0	2.7	0	0				
	5					0	0	2.7	0	0				
	6 7					0	0	2.7	0	0				
	7					0	0	2.7	0	0				
	8		•			0	0	2.7	0	0				
	9					0	0	2.7	0	0				
-	10					0	0	2.7	0	0				
	11					0	0	0	0	0				
	12					0	0	0	0	0				
	13					0	0	0	0	0				
_	14					0	0	0	0	0				
	15					0	0	0	0	0				
	16					0	0	0	0	0				
	17					0	0	0	0	0				
_	18					0	0	0	2.7	0				
	19					0	0	0	2.7	0				
	20					0	0 2.7	0	2.7	0				
	21					0	2.7	0	2.7	0				
	22					0	2.7	0	2.7	0				
	23					0	2.7	0	2.7	0				
	24					0	2.7	0	0	0				
	25					0	2.7	0	0	Ō				
-	26					0	2.7	0	0	0				
`	27					Ō	2.7	Ō	Ō	Ö				
	28					Ö	2.7	ō	Ö	ō				
	29					ŏ	2.7	ŏ	ŏ	Ö				
	30					ŏ	2.7	ŏ	Ö	Ö				
	31					Ö		Ö	ŏ _	•				
						_		54						
JTAL	(AC-FT)					0	59	54	32	0				145

# UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 22 LARRY FALSLEV

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 2 TOWNSHIP 12N RANGE 1W, SL B&M.

THE MEASURING STATION IS LOCATED AND COMMON DESCRIPTION: 3500 West 3200 North - Benson DIVERTING WORKS: 25 HP Electric Pressure Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 6319

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	0	0	0				
	9					Ö	Ö	Ö	ŏ	0 0				
	2 3					Ö	ŏ	Ö	Ö	Ö				
	4					ŏ	ō	Ŏ	ō	Ö				
	5				•	Ö	Ö	0	Ö	0				
	6 7					0	0 0	.80	0	0 0				
	7					0	0	.80	0	0				
	8					0	0	.80	0	0				
	9					0	0	.80	0	0				
	8 9 10					0	0	.80	0	0				
	11 12 13					0	0	0	0	0				
	12					0	0	0	0	0				
	13					0	0	0	.80	0				
	14					0	0 -	0	.80	0				
	15					0	0	0	.80	0				
	16 17					0	0	0	0	0				
	17					0	. 80	0	0	0 0				
	18 19					0	.80	0	0	0				
	19					0	.80	0	0	0 0				
	20					0	.80	0	0	0				
	21 22 23 24 25					0	.80	0	0	0 0 0				
	22					0	.80	0	0	0				
	23					0	0	.80	0	0				
	24					0	0	.80	0	0				
	25					0	0	.80	0	0				
	26 27					0	0	.80	0	0				
	27					0	0	0	.80	0 0				
	28					0	0	0	.80	0				
	29					0	0	0	.80	0				
	30 31					0	0	0	0	0				
	31					0		0	0					
TOTAL (AC-	FT)					0	9.5	14	9.5	0				33

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 22A LARON FALSLEV

FEET FROM THE CORNER OF SECTION 2 TOWNSHIP 12N RANGE 1W, SL B&M. THE MEASURING STATION IS LOCATED AND

COMMON DESCRIPTION: 3850 West 3900 North - Benson DIVERTING WORKS: 10 HP Electric Flood Pump
MEASURING DEVICE:

F

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 6320

1		DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANN
2		1					0	0	1.6		0			•	
4	-	2						0	1.6	0	0				
5		3							1.6	0	0				
6 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	•	4						0	0						
7 8 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 10 11 0 0 0 0 0 0 0 0 0 0 0 0 0 11 12 0 0 0 0		5					0	. 0	0	0	0				
9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1.6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-	6						0	0		0				
9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1.6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	•	7						0	0		0				
9 0 0 0 0 0 0 0 0 1.6 0 0 1.6 0 0 0 0 1.6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0								0	0		. 0				
111		9							0		0				
12	•	10					0	0	0	0	0				
13 14 0 0 0 0 0 0 0 15 0 0 0 0 0 0 16 17 0 0 0 0 0 0 0 18 0 0 0 0 0 0 0 19 0 0 0 0 0 0 0 20 0 0 0 0 0 0 21 0 0 0 0 0 0 0 22 0 0 0 0 0 0 0 23 0 1.6 0 0 0 24 0 1.6 0 1.6 0 25 0 0 0 0 1.6 0 27 0 0 0 0 1.6 0 28 0 0 0 1.6 0 0 29 0 0 1.6 0 0 29 0 0 1.6 0 0 30 30 0 1.6 0 0 31		11						0	0						
14		12					0	0	0	0	0				
15 0 0 0 0 0 0 0 0 1.6 0 0 0 1.6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0							0	0		0	0				
15 0 0 0 0 0 0 0 1 1 6 0 0 1 1 6 0 0 0 0 0	_	14					0		0	0	0				
18 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		15					0	0	0	0	0				
18 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		16						0	0						
19 20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		17							0	0	0				
20 0 0 0 0 0 0 0 21 0 0 0 0 0 0 22 0 0 0 0 0 0 23 0 1.6 0 0 0 24 0 1.6 0 1.6 0 25 0 1.6 0 1.6 0 26 0 0 0 0 1.6 0 27 0 0 0 0 0 0 28 0 0 0 1.6 0 0 29 0 0 0 1.6 0 0 30 0 0 1.6 0 0 31 0 1.6 0	•	18					-		0		0				
21 0 0 0 0 0 0 0 0 0 22 0 0 0 0 0 0 0 0		19								0					
22 0 0 0 0 0 0 0 0 0 23 0 1.6 0 0 1.6 0 0 1.6 0 0 1.6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		20					0	0	0	0	0				
23 24 0 1.6 0 0 0 25 0 1.6 0 1.6 0 25 0 0 1.6 0 1.6 0 26 27 0 0 0 0 1.6 0 28 0 0 0 1.6 0 0 29 0 0 0 1.6 0 0 30 0 0 1.6 0 0 31		21								0	0				
24 25 0 1.6 0 1.6 0 26 0 0 0 0 1.6 0 27 0 0 0 0 0 28 0 0 0 1.6 0 0 29 0 0 1.6 0 0 30 0 0 1.6 0 0 31	•	22					0	0	0	0	0				
25 0 1.6 0 1.6 0  26 0 0 0 1.6 0  27 0 0 0 0 0  28 0 0 1.6 0 0  29 0 0 1.6 0 0  30 0 0 1.6 0 0  31 0 1.6 0		23					0	1.6			0				
25 0 1.6 0 1.6 0  26 0 0 0 1.6 0  27 0 0 0 0 0  28 0 0 1.6 0 0  29 0 0 1.6 0 0  30 0 0 1.6 0 0  31 0 1.6 0		24					0	1.6	0	1.6	0				
28 29 0 0 1.6 0 0 30 0 0 1.6 0 0 31 0 1.6 0		25					0	1.6	0	1.6	0				
28 29 0 0 1.6 0 0 30 0 0 1.6 0 0 31 0 1.6 0		26					0	0	0	1.6	0				
28 29 0 0 1.6 0 0 30 0 0 1.6 0 0 31 0 1.6 0		27					0	0	0		0				
29 0 0 1.6 0 0 30 0 0 1.6 0 0 31 0 1.6 0		28					0	0	1.6	0	0				
30 0 0 1.6 0 0 31 0 1.6 0		29					0	0	1.6	0	0				
31 0 1.6 0		30					0		1.6	0	0				
	<b>-</b> .	31					0	./	1.6	0					
viri⊑ (riv i i j	JATC	(AC-FT)					0	9.5	22	9.5	0				41

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 23 LARSON

FEET FROM THE CORNER OF SECTION 34 TOWNSHIP 13N RANGE 1W, SL B&M. THE MEASURING STATION IS LOCATED AND

COMMON DESCRIPTION: 5000 North 4700 West - Benson DIVERTING WORKS: 75 HP Electric Pressure Pump
MEASURING DEVICE:

TOTAL

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 3041

DAY	JAN	FEB	MAR	APR	MAY	MUL	JUL	AUG	SEP	ост	NOV	DEC	ANN	
1					o	0	0 0 0	0 0	0					
1 2 3 4 5					0 0 0	0	0	0	0					
3						0	0	0	0					
4					0	0	3.0 3.0	0	0					
5					. 0	0	3.0	0	0					
6 7 8 9 10					0	0	3.0	0 0	0					
7					0	Ο,	3.0	0	0					
8					0 0	0	0	0 0 0	0 0 0					
9					0	0	0	0	0					
10					0	0	0	0	0					
11					0 3.0	0	0	0	0					
12					3.0	0	0 0 0	0 0 0 0	0					
13					3.0	0	0	0	0					
14					3.0	0	0	0	0 0 0					
15					3.0	0	0	0	0					
16					3.0	0	0	3.0	0					
17					3.0	0	0	3.0	0					
18					3.0	0	0	3.0	0					
19					3.0	0	0	3.0	0 0 0					
20					3.0	0	0	3.0	0					
21					0	3.0	0	3.0	0					
22 23					0	3.0	0	0	0 0 0					
23					0	3.0	0 0	0	0					
24					0	3.0	0	0	0					
25					0	3.0	0	0	0					
26					0	3.0	0	0	0					
26 27					0	3.0	0 0	0	0					
28					0	3.0	0	0	0					
29					0	3.0	0	0	0 0 0					
30					0	3.0	0	0	0					
30 31					0,		0/	0						
L (AC-FT)					54	60	24	36	0				173	

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 24 WALTER WOOD

THE MEASURING STATION IS LOCATED AND FOR COMMON DESCRIPTION: 3800 West 10800 North - Trenton DIVERTING WORKS: 25 HP Electric Pressure Pump MEASURING DEVICE: FEET FROM THE CORNER OF SECTION 26 TOWNSHIP 14N RANGE 1W, SL B&M.

RECORDS RATING: F (E,G,F,P)

WATER RIGHT NUMBER: 25- 3518

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	2.2	0	2.0				
^	1 2 3					0	0	2.2	0	2.0				
	3					0	0	0	0	2.0				
	4					0	0	0	o	2.2				
	5					0	0	0	0	2.0 2.2 2.2				
~	6					0	. 0	0	0	2.2				
,	6 7 8 9					0	0	0	0	0				
	8					0	0	0	0	0 0				
	9					0	0	2.0	0	0				
~	10					0	0	2.0	0	0				
	11					0 0	0	2.0	0	0				
	12					0	0	2.0	0	0				
	13					0	0	2.0	0	0				
	14					0	0	2.0	0	0				
	15					0	0	2.0	0	0				
	16					0	0	2.0	2.2	0				
	17					0	0	2.0	2.2	0				
	18					0	0	0	2.2	0				
	19					2.2	0	2.2	2.2	0				
	20					0 2.2 2.2	0	2.2	2.2	0				
	21 22					2.2 2.2	0	0	2.2	0				
_	22					2.2	0	0	2.2	0				
	23					0	0	0	2.2	0				
	24					0	0	0	2.2	0				
	25					0	0	0	2.2 2.2	0				
~	26 27					0	0	0	2.2	0				
	27					0	1.2	0	2.2	0				
	28					0	2.2	0	2.0	0				
	29					0	2.2 2.2	Ō	2.0	Ö				
_	30					0	2.2	0	2.0	0				
	30 31					0		O	2.0	<b></b>				
JTAL (A	(C-FT)					17	15	53	68	25				179
•														

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 25 WOOD IRRIGATION CO.

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 22 TOWNSHIP 14N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 11300 North 4200 West - N. of Trenton DIVERTING WORKS: 25 HP Electric Pressure Pump

DIVERTING WORKS: MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 6917

DA	Y JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1				0	0	0	•	•				
•	9				0	0 0	0 0	0 0	0 0 0				
	2 3 4				Ö	ŏ	o	Ö	0				
	4				ŏ	ŏ	ŏ	Ö	ŏ				
4	5				ŏ	ŏ	ŏ	Ö	ŏ				
	-				J	·	•	Ū	· ·				
(	6				0	0	0	0	0				
; ; ;	7				Ō	Ö	Ö	ō	0 0				
(	В				0	ō	Ō	Ö	Ö				
9	9				0	0	0	0	0		•		
10	ס				0	0	0	0	0				
				•									
1.	1				0	0	0	0	0				
12 13	2				0	O	0	0	0				
1;	3				0	0	0	0	0				
14 18	4				0	0	0	0	0				
1!	5				0	0	0	0	0				
4.4	-				_	_							
16 17	5 -				0	0	0	0	0				
1,	<i>(</i>				0	0	0	.60	0				
18					0	0	0	.60	0				
19 20	•				0	0	0	.60	0 0				
20	,				0	0	0	.60	0				
2	1				0	•	•	.60	^				
22	, -				0	0 0	0 0	.60	0				
25	3				ŏ	Ö	ŏ	.60	0				
24	<u>.</u>				ŏ	• 0	Ö	.60	o				
2° 22 23 24 28	5				ŏ	ŏ	. 60	.60	ŏ				
					ŭ	·	.00	.00	·				
26 27	3				0	0	.60	.60	0				
27	7				Ō	Ö	.60	.60	Õ				
28	3				0	0	. 60	.60	Ö				
28 29 30	•				0	0	.60	.60	0 0 0				
30	)				0	0	.60		Ō				
31	I				0		į. <b>6</b> 0	0 ,					
							i	0					
TOTAL (AC-FT)	)				0	0	8.3	15	0				24

# UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 27 HAROLD FALSLEV

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 1 TOWNSHIP 12N RANGE 1W, SL B&M.

THE MEASURING STATION IS LOCATED AND COMMON DESCRIPTION: 3000 West 3900 North - Benson DIVERTING WORKS: 40 HP Electric Pressure Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 5977

^	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	1.0	0	0				
>	2					. 0	0 0	1.0	ō	ō				
	2 3					Ö	Ö	1.0	Ö	0 0 0				
	4					0 0 0	Ō	1.0	0	0				
	5					0	0	0	0	0				
~	6					0	0	0	0	0				
`	<b>6</b> 7					0 0 0	.0	0	0 0 0	0 0 0				
	8					0	0	0 0 0	0	0		-		
	9 10					0	0	0	0					
_	10					0	0	0	0	0				
	11					0 0 0 0	0 0 0	0	0 0 0 0	0 0				
	12 13					0	0	0	0	0				
	13					0	0	0 0 0	0	0 0				
	14 15					0	0 0	0	0	0				
	15					0	0	0	0	0				
	16					0 0 0 0	0 0 0 1.0	0	0	0 0 0				
	17					0	0	0 0	0 0	Ō				
	18					0	0	0	0	0				
	19 20					0	1.0	0	0					
	20					0	1.0	1.0	0	0				
	21 22 23 24 25					0	1.0 1.0	1.0	0	0 0 0				
~	22					0	1.0	1.0	0	0				
	23					0	1.0	0	1.0	0				
	24					0	1.0	0	1.0 1.0	0				
	25					0	0	0	1.0	0				
_	26					0	0 0 0 0	0	1.0	0				
	27 28					Ō	0	0	1.0	0				
	28					0	0	0	1.0	0				
	29					0	0	0	0	0				
_	30 31					0	0			0				
≥,	31					0	/	0	0					
'ATA	(AC-ET)					0	12	14	12	0				38
UIAL	(AC-FT)					•	••			-				

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 29 REGAN WHEELER

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 15 TOWNSHIP 14N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 12300 North 4200 West - S.W. of Lewiston DIVERTING WORKS: 50 HP Electric Pressure Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 7813 RECORDS RATING: F

. [	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	0	0	o				
	2 3					0	0 0	0	0	0 0				
	3					0	2.5	0	0	0				
	4					0	2.5	0	0	0				
	5					0	2.5	0	0	0				
	6 7					0	2.5	0	0	0				
	7					0	2.5	0	0	0				
	8 9 10					0	0	0	0	0				
	9					0	0	0	0	0				
	10					0	0	0	0	0				
	11					0	0	0	0	0				
	12					0	0	0	0	0				
	13					0	0	0	0	0				
	14					0	0	0	0	0				
	15					0	0 2.5	0	0	0				
	16					0	2.5	0	0	0				
	17					0	2.5	0	0	0				
	18					0	2.5	0	0	0				
	19					0	2.5	0	0	0 0				
	20					0	2.5 2.5	0	0	0			•	
	21					0	2.5 2.5 2.5	0	0	0				
	22 23					0	2.5	0	0	0 0 0				
	23					0	2.5	0	0	0				
	24 25					0	2.5	0	0	0				
	25					0	2.5	0	0	0				
	26					0	2.5	0	0	0 0				
	27					0	0	0	0					
	28					0	0	0	0					
	29					0	0	0	0	0 0 0				
	30					0	0	0	0	0				
	31					0	1	0	0					
TOTAL (AC-F	T)					0	84	0	0	0				84

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 30 J.L. WATTERSON

CORNER OF SECTION 10 TOWNSHIP 12N RANGE 1W, SL B&M. THE MEASURING STATION IS LOCATED AND FEET FROM THE

COMMON DESCRIPTION: 3700 North 4100 West - Benson DIVERTING WORKS: 12 HP Electric Flood Pump MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)

WATER RIGHT NUMBER: 25- 6023

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	3.0	0	0				•
<u> </u>	2 3					0	ō	3.0 3.0	Ö	Ö				
	3					0	0	3.0	Ō	Ō				
	4					0	Ō	3.0	Ō	0 0				
	5					0	0	0	0	0				
~~	6 7 8 9 10					0	0	0	0	0				
•	7					0	0	0	0	0 0 0 0				
	8					0	0	0	0	0				
	9					0	0	0	0	0				
_	10					0	0	0	0	0				
	11					0 0	0	0	0	0				
	12					0	0	0 0 0	0	0 0 0				
	13					0	0	0	0					
_	14 15					0	0	0	0	0				
	15					0	0	0 3.0	0	0				
	16 17					0 0	0	3.0	0	0				
	17					0	0	3.0	0	0				
<b>–</b> ⊊	18					0	0	0	0	0				
	19 20					0	0	0	0	0				
	20					0	0	0	0	0				
	21 22					0	0	0	3.0	0				
	22					0	0	0	3.0	0				
	23 24					0	0	0	3.0	0				
	24					0	3.0	0	3.0	0				
	25					0	3.0	0	0	0				
<b>-</b> ,	26 27					0	3.0	0	0	0				
	27					0	3.0	0	0	0				
	28					0	3.0	0	0	0				
	28 29					0	0	0	0	0				
	30					0	0	0	0	0				
<b>~</b> ,	30 31					Ó		0	Ō.					
OTAL (AC	-FT)					0	30	42	24	0				95
•	•													

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 31 WILLIAM RIGBY

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 29 TOWNSHIP 13N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 5500 North 6300 West - Cache Junction DIVERTING WORKS: 60 HP Electic Pressure Pump

DIVERTING WORKS: MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)

WATER RIGHT NUMBER: 25- 3259

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
1					0	0	3.0	0	0				•
					ŏ	Ö	3.0	ő	Ö		•		
2 3 4					ŏ	ŏ	3.0	ŏ	ŏ				
4					Ö	ŏ	3.0	ŏ	0				
5					ō	ō	3.0	ŏ	ŏ				
6 7					0	0	0	0	0				
7					0	0	0	0	0				
8 9 10					0	0	0	0	0				
9					0	0	0	0	0				
10					0	0	0	0	0				
11					0	0	0	0	0				
12					0	0	0	0	0				
13					0	0	0	0	0				
14 15					3.0	0	0	0	0				
15					3.0	0	0	0	0				
16 17					3.0	0	0	0	0				
17					3.0	0	0	0	0				
18 19					0	0	0	0	0				
19					0	0	0	0	0				
20					0	0	0	3.0	0				
21					0	0	0	3.0	0				
22 23					0	0	0	3.0	0				
23					0	3.0	0	3.0	0				
24 25					0	3.0	0	3.0	0				
					0	3.0	3.0	0	0				
26					0	3.0	3.0	0	0				
27					0	3.0	3.0	Ó	0				
28					0	3.0	3.0	Ó	0				
29					0	0	3.0	0	0 0 0				
30					0	0	0	0	0				
31					0		0	0					
TOTAL (AC-FT)					24	36	60 <sup>/</sup>	30	0				149

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 32 MURRAY RIGBY

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 32 TOWNSHIP 13N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 5200 North 6000 West - Cache Junction DIVERTING WORKS: 2 50 HP Electric Pressure Pump
MEASURING DEVICE:

MAD

ADD

MAV

. IAN

RECORDS RATING: (E,G,F,P)

WATER RIGHT NUMBER: 25- 3260

### CALENDAR YEAR 1997 DAILY DISCHARGE IN CFS

HIM

46.14

ALIG

CED

....

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	0	0					
<b>~</b>	1 2 3					0 0 0	0 0 0	0	ŏ					
	3					0	0	0	0					
•	4					0	0	3.0	0					
	5					0	0	3.0 3.0	0 0 0 0				*	
	6					0	0	3.0 3.0 3.0 3.0	0					
	6 7 8 9 10					0 0 0	0	3.0	0 0 0					
	8					0	0	3.0	0					
	9					0	0	3.0	0					
_	10					0	0	0	0					
	11 12 13					0 3.0 3.0 3.0 3.0	0	0	0					
	12					3.0	0	0	0					
	13					3.0	0	0 0	0					
_	14					3.0	0	0	0					
•	14 15					3.0	0	0	0					
1														
	16 17 18 19 20					3.0 3.0 3.0	0	0	0					
	17					3.0	0	0	0 0					
_	18					3.0	0	0	0					
	19					0	0	0 0 0	0					
	20					0	0	0	0					
	21					0	0	0	0					
	22					0	0	0	0					
	23					0 0 0	3.0	0	0					
	24					0	3.0	0	0					
	21 22 23 24 25					0	0 0 3.0 3.0 3.0	0	0 0					
خاص	26					0	3.0 3.0	0	0					
	27					0	3.0	0	0					
	28					0	3.0	0	0					
	26 27 28 29 30					0 0 0	3.0	0	0					
	30					0	0	0	0					
رح	31					9/		0	0					
TAL (A	C-FT)					42	42	36	0					119

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 33 LARRY FALSLEV

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 11 TOWNSHIP 12N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 3250 West 3700 North - Benson DIVERTING WORKS: 30 HP Electric Pressure Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 3296

DA	Y	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					o	0	1.0	0	0				•
	2					0	0	1.0	0 0 0	0 0 0				
	2 3					0	0	1.0	0	0				
	4					0	0	1.0	0	0				
	5					0	0	1.0	0	0				
	6					0	0	1.0	0	0				
	6 7					0	0	1.0	0	0				
	8 9					0	0	1.0	0	0				
	9					0	0 0 0	0 0	0	0				
1	0					0	0	0	0	0				
1 1	1					0	0	0	0 0	0 0 0				
1	2					0 0 0	0	0	0	0				
1	3					0	0	0 0 0	0	0				
1	4					0	0	0	0	0				
1	5					0	0	0	0	0				
1	6					0	0	0	0	0				
1	7					0	0	0	1.0	0				
1	8					0 0 0	0 0 0	0	1.0	0				
1	9					0	0	0	1.0	0				
2	0					0	0	0 0 1.0	1.0	0				
2	1 2					0	0	1.0	1.0	0				
2	2					0	0	1.0	1.0	0				
2	3 4					0	0	1.0	1.0	0				
2	4					0	0	0	1.0	0				
2	5					0	1.0	0	1.0	0				
2	6 7					0	1.0	0	1.0	0				
2	7					0	1.0	0	0	0				
2	8					0	1.0	O	0	0				
2	9					0	1.0	0	0	0				
3	0					0	1.0	0	0	0				
3	0 1					0	1	0	0/					
TOTAL (AC-FT	)					0	¥2	24	20	0				56

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 34 HAROLD FALSLEV

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 11 TOWNSHIP 12N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 3500 West 3200 West - Benson

DIVERTING WORKS: 1 Electric Pressure & 1 Electric Flood Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 3311

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANN
	1					0	0	0	0	0				
7	2 3					0 0	0 0	0 0	0	0				
	3					0	0	0	0	0				
	4					0	0	0	0	0				
	5					0	0	0	0	0				
~_	6					0	0	0	0	0				
	7					0	0	2.0	0	0				
	8					0	0	2.0	0	0				
	9					0	0	0	0	0 .				
_	10					0	0	0	0	0				
	11 12 13					0	0	0	0	0				
	12					0	0	0	0	0				
	13					0	0	0	0	0			•	
Ċ,	- 14 15					0	0	0	0	0				
_,	15					0	0	0	0	0				
	16 17					0	0	0	0	0				
	17					0	0	0	0	0 0				
	18					0	0	0	0	0				
	19					0	0	0	0	0				
	20					0	0	0	0	0				
	21 22 23					0	0 2.0	1.0	0	0				
<b>-</b>	22					0	2.0	0	0	0				
	23					0	2.0	0	0	0				
	24					0	0	2.0 2.0	2.0 2.0	0				
	24 25					0	0	2.0	2.0	0				
بنه	26					0	0	0	1.0	0				
	27					0	0	0	O	0 0				
	28					0	0	0	0	0				•
	29					0	0	0	0	0 0				
	30					0	0	0	0	0				
ٺ	28 29 30 31					0	7	1.9	0 /					
i						_	7.9							20
OTAL (	AC-FT)					0	7.9	20	<b>9</b> .9	0				38

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 35 J. GOLDEN RIGBY

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 33 TOWNSHIP 13N RANGE 1W, SL B&M.

THE MEASURING STATION IS LOCATED AND FEET FR
COMMON DESCRIPTION: 5300 North 5250 West - S.E. of Newton
DIVERTING WORKS: 75 HP Electric Pressure Pump Pivot

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 3358

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
1					0	0	2.0	0	0				
2					0 0	0	2.0	0	0 0				
2 3					0	0	2.0	0	0				
4					0	0	2.0	0	0 0 0				
5					. 0	0	2.0	0	0	-			
6 7					0	0	0	0	0 0 0				
7					0	0	0	0	0				
8 9 10					0	0	0	0	0				
9					0	0	0	0	. 0		•		
10					0	0	0	0	0				
11					0	0	0	0	0 0				
12					2.0	0	0	0	0				
13					2.0	0	0	0	0				
14					2.0	0	0	0	0				
15					2.0	0	0	0	0				
16					0	0	0 0 0	0	0 0 0				
17					0	0	0	0	0				
18					0	0	0	0	0				
19					0	0	0	0	0				
20					0	0	0	0	0				
21					0	0	0	0	0				
22 23					0	2.0	0	0	0				
23					0	2.0	0	0	0				
24 25					0	2.0	0	0	0 0				
25					0	2.0	0	0	0				
26					0	0	0	0	0 0 0				
27					0	0	0	0	0				
28					0	0	0	0					
29					0	0	0	0	0				
30					0	0	0	0	0				
31					9		9	0					
TOTAL (AC-FT)					16	16	20	0	0				52

## UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 36 NORVAL JOHNSON

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 15 TOWNSHIP 12N RANGE 1W, SL B&M.

COMMON DESCRIPTION: East of Benson Marina
DIVERTING WORKS: 40 HP Electric Pressure Pump
MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 3379

•	DAY	JAN	FEB	MAR	APR	MAY	NUL	JUL	AUG	SEP	ОСТ	NOV	DEC	ANN
	1					0	0	1.5 1.5 1.5	0	1.5				
	2					0	0	1.5	0	1.5 1.5				
	3					0	0	1.5	0	0				
	4					0	0	1.5	0	0 0 0				
	5					0	0	0	0	0				
	6					0	0	0	0	0				
`	7					0	0	0	0	0 0 0 0				
	8					0	0	0	0	. 0				
	9					0	0	0	0	0				
4	10					0	0	0	0	0				
	11 12 13					0	0 0	0	0	0				
	. 12					0	0	0	0	0 0 0				
	13					0	0	0	0	0				
_	14 15					0	0	0	0	0				
	15					0	0	0	0	0				
	16 17 18					0	0	0	0	0				
	17					0 0 0	0	0	0	0				
-	18					0	0	0	0	0				
	19 20					0	0	0	0	0				
	20					0 1.5	0	0	1.5	0				
	21 22 23 24 25					0	0	1.5	1.5 1.5	0				
<del>-</del>	22					0	1.5	1.5	1.5	0				
	23					0	1.5	1.5	0	0				
	24					0	0	1.5	0	0				
	25					0	0	1.5 1.5 1.5 1.5	0	0				
<b>L</b>	26 27					0	0	1.5	0	0				
	27					0 0	0	0	1.5	0 0				
	28					0	0	0	1.5	0				
	29					0	1.5 1.5	0 0	1.5 1.5 1.5	0 0				
	30					0	1.5	0	0	0				
1	28 29 30 31					0		0	1.5	"سسيد"	*			
.OTAL	(AC-FT)					3.0	12	30	21	6.0				71
	,						<del>-</del>							

## UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 37 BULLEN FARMS

THE MEASURING STATION IS LOCATED AND FEET FR COMMON DESCRIPTION: 5000 North 5400 West - Cache Junction FEET FROM THE CORNER OF SECTION 33 TOWNSHIP 13N RANGE 1W, SL B&M.

Deutz Diesel Pressure Pump

DIVERTING WORKS: MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 3382

DA	Y JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1				0	0	0	0	0				
	2				0 0	Ö	0	0	0 0 0				
	2 3				ŏ	ŏ	ŏ	ŏ	ŏ				
	4				ŏ	ŏ	ŏ	ŏ	ŏ				
	5				ŏ	ō	ŏ	ŏ	0				
	6				0	0	0	0	0 0 0 0				,
1	7				0	0	0	0	0				
	В				0	0	0	0 0 0	0				
	9				0	0	0	0	0				
1	0				0	0	0	0	0				
1	1				0	0	0	0	0				
1	,				0 3.0	ŏ	ŏ	Ö	0 0 0 0				
1	3				3.0	Ö	ŏ	ŏ	0				
i	4				3.0	Ö	Ô	ŏ	0				
1.	5				3.0	0	Ö	0	0				
					3.0	U	U	U	U				
1:	5				3.0	0	0	3.0	0				
1'	7				0	0	0	3.0	0				
1:	В				0	0	3.0	3.0	0				
1:	9				0	0	3.0	3.0	Ó				
2	0				0	0	3.0	3.0	0 0				
2					•				_				
2:	•				0	3.0	3.0	3.0	0 0 0				
2:	2				0	3.0	3.0	3.0	0				
2	3 4				0	3.0	3.0	0	0				
2: 2:	<b>4</b>				0	3.0	3.0	0	0				
2	5				0	3.0	3.0	0	0				
2	6				0	3.0	3.0	0	0				
2	7				0	3.0	0	0	Ó				
2	В				0	3.0	0	0	Ö				
2:	9				Ō	3.0	Ŏ	Ö	0 0 0 0				
3	0				Ö	3,0	Ö	ō,	ō				
3	1				/o	7	ō.	o/	•				
						1	9	7					
TOTAL (AC-FT	)				<sup>7</sup> 30	60	54	42	0				184

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER LOGAN RIVER BLACKSMITH FORK

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 8 TOWNSHIP 11N RANGE 1E, SL BAM.

COMMON DESCRIPTION: Young Ward

DIVERTING WORKS: Headgates out of river

MEASURING DEVICE: 6 foot Parshall Flume with recorder

RECORDS RATING: G (E,G,F,P)

WATER RIGHT NUMBER: 25- 3514

.OTAL (AC-FT)

### CALENDAR YEAR 1997 DAILY DISCHARGE IN CFS

DAY JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC ANN 5 7.9 

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 39 REESE-CLARK PUMP

FEET FROM THE CORNER OF SECTION 36 TOWNSHIP 13N RANGE 1W, SL B&M. THE MEASURING STATION IS LOCATED AND

COMMON DESCRIPTION: 4817 North 2750 West - Benson DIVERTING WORKS: 20 HP Electric Flood Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 4647 RECORDS RATING:

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	2.0	0	0				
	2 3					0 0	0	0	0	0 0 0				
	3					0	0	0 0	0	0				
	4					0	0	0	0	0				
	5					0	0	0	0	0			•	
	6 7 8 9 10					0	0	.20	0	0				,
	7					0 0	0	2.0	0	0				,
	8					0	0	2.0	0	0 0 0				
	9					0	0	2.0	0	0				
	10					0	0	2.0 2.0 2.0 2.0	0	0				
	11					0	0	2.0	0	0 0 0				
	12					0	0	0	0	0				
	13					0	0	0	0	0				
	14					0	0	0	0	0				
	15					0	0	0	0	0				
	16					0	0	0	0	0 0 0 0				
	17					1.0	0	0	0	0				
	18					2.0	0	0	0 0 0	0				
	19					2.0	0	0	0	0				
	20					2.0 2.0 2.0	0	0	0	0				
	21					2.0 2.0 1.0	0	0	0	0 0 0				
	22 23					2.0	0	1.0	.70	0				
	23					1.0	0	2.0	2.0	0				
	24 25					0	0	0 0	2.0	0				
	25					0	0	0	2.0	0				
	26					0	0	1.0 2.0	.80	0				
	27					0	0	2.0	0	0				
	28					0	0	2.0	2.0	0				
	29					0	0	2.0	2.0	0 0 0				
	30 31					0	0	1.0	0	0				
	31					<b>o</b> /		1.0	23					
TOTAL (A	C-FT)					24	0	48	23	0				95

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 39A WAYNE WATTERSON

FEET FROM THE CORNER OF SECTION 1 TOWNSHIP 12N RANGE 1W, SL B&M. THE MEASURING STATION IS LOCATED AND

COMMON DESCRIPTION: 4500 North 2700 West - Benson DIVERTING WORKS: Diesel Pressure Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 4647

# CALENDAR YEAR 1997 DAILY DISCHARGE IN CFS

	DAY	MAL	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	0 0 1.2	0	0				
,	2					0	0	0	. 0	0 0				
	3					0	0	1.2	0	0		*		
	4					0	0	1.2 1.2	0	0 0				
	5					0	0	1.2	0	0				
	6					0 0	. 0	1.2	0	0				
,	7					0	0	0	0	0				
	8					0	0	0	0	0				
	9					0	0 0 0	0 0 0	0	0				
	10					0	0	0	0	0				
	11					0	0	0	0	0				
	12					0	0	0	0	0				
	12 13 14 15					0	0	0	0	0				
	14					0	0	0	0	0				
_	15					0	0	0	0	0				
	16 17 18					0	0	0	0	0				
	17					1.2	0	0	0	0				
•	18					1.2 1.2	0	0	0	0				
	19					1.2	0	0	0	0				
	20					1.2	0	0	0	0				
	21					1.2 1.2	0	0	0	0				
-	22					1.2	0	0	0	0				
	23					0	0	0	0	0				
	24					0	0	0	0	0				
	22 23 24 25					0	0	0	0	0				
,	26					0	0 1.2	0 0	0	0				
	27					0 0	1.2	0	0	0				
	28					0	1.2	0	0	0				
	29					0	1.2 1.2 1.2	0	0	0				
	30					0	1.2	0	0	0				
t	26 27 28 29 30 31					9/		0	0					
OTAL (	AC-FT)					14	9.5	9.5	0	0				33
(-														

## UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 40 DON SPACKMAN

THE MEASURING STATION IS LOCATED CORNER OF SECTION 36 TOWNSHIP 14N RANGE 1W, SL B&M. AND FEET FROM THE

COMMON DESCRIPTION: DIVERTING WORKS: MEASURING DEVICE:

FLOOD PUMP

(E,G,F,P)

RECORDS RATING: (E,G, WATER RIGHT NUMBER: 25- 6017

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	0	0	0				
	2 3					0 0	0	ŏ	0	Ŏ		•		
	3					ŏ	ŏ	ŏ	Ö	Õ				
	4					0 0 0	0	Ö	ŏ	ŏ				
	5					0	Ō	0 0 0 0	Ö	0 0 0 0			•	
	6 7 8 9 10					0	0	0	0	0				
	7					0 0 0	0 0 0	0	0	0				
	8					0	0	0 0 0	0 0	0				
	9					0	0	0	0	0				
						0	0	0	0	0				
	11 12					0	0	0 0	0	0				
	12					0	0	0	0	0				
	13 14					0	0	0	0	0				
	15					0	0	0	0	0				
	15					0	0	0	0	0				
	16					0	0	0	0	0 0				
	17					0	0	0	0	0				
	18 19					0	0	0	0	0				
	19					0	0	0	0	0				
	20					0	0	0	0	0				
	21 22 23					0	2.0	0	0	0				
	22					0	2.0	0	0	0				
	24					0	2.0	0	0	0 0 0				
	24 25					0	2.0	0	0	0				
						0	0	0	0	0				
	26 27					0	0	0	0	0				
	27					0	0	0	0	0 0 0				
	28					0	0	0	0	0				
	28 29 30					0	0	0	0	0				
	30					0	0	0	0	0 0				
	31					0	1	0	0					
TOTAL (AC-	FT)					0	16	0	0	0				16

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 41 LARRY PITCHER

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 15 TOWNSHIP 14N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 11930 North 4400 West - Cornish DIVERTING WORKS: 20 HP Electric Pressure Pump
MEASURING DEVICE:

F RECORDS RATING: (E,G,F,P)

WATER RIGHT NUMBER: 25- 6083

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	o	.50	0	.50				
	2					0 0	Ō	.50	Ö	.50				
,	2 3					0	0	.50	0	. 50				
	4					. 0	0	. 50	0	. 50				
	5					0	0	.50	0	.50 .50				
	6 7					0	0	.50	0	0				
`	7					0	0	. 50	0	0				
	8 9 10					0	0	. 50	0	. 0		•		
	9					0	0	. 50	0	0				
<u></u>	10					0	0	.50	0	0				
	11					0	.0	.50 .50	0	0				
	12 13					0	0	. 50	0	0				
	13					0	0	0	0	0 0				
_	14 15					0	0	0	0	0				
-	15					0	0	0	0	0				
	16 17					0	0	0	0	0				
	17					0	0	0	0	0				
-	18					0	0	0	0	0				
	19					0	0	0	0	0				
	20					0	0	. 50	0	0				
	21 22 23 24					0	0	.50	0	0				
	22					0	0	.50	0	0				
	23					0	0	. 50	0	0				
	24					0	0	. 50	0	0				
	25					0	.50	. 50	0	0				
~	26 27					0	.50	.50	. 50	0				
	27					0	. 50	.50	.50	0				
	28					0	.50 .50	0	. 50	0				
	29					0	.50	0	. 50	0				
_	30					0	. 50 . 50	0 0	0	0				
	28 29 30 31					0		0 /	0 /					
STAL (	AC-FT)					0	6.0	20	4.0	5.0				35

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 42 JOE COWLEY

FEET FROM THE THE MEASURING STATION IS LOCATED AND CORNER OF SECTION 4 TOWNSHIP 12N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 4200 North 5000 West - Cache Junction DIVERTING WORKS: 80 HP Ford Propane Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 6262

. [	PAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1 2 3 4					0 0	0 0	1.7 1.7 1.7	0	0				
	2					0	0	1.7	0	0 0 0				
	3					0	0	1.7	0	0				
	•					0	0	1.7	0	0				
	5					0	0	1.7 1.7	0	0				
	6 7					0	0	0	0	0				
	7					0	0	0 0	Ö	Ö				
	8					Ō	0	Ô	ō	ň				
	9					Ŏ	ŏ	0	ŏ	ŏ				
	<b>8</b> 9 10					Ö	0	ō	Ö	0				
	11					0	O	o	o	0				
	12					Ö	0 0	ŏ	ŏ	0				
	12 13					ŏ	ŏ	ŏ	ŏ	ŏ				
	14					ŏ	ŏ	ŏ	ŏ	ŏ				
	15					Ö	ŏ	ŏ	ŏ	0				
	16					0	0	0	0	0				
	17					0	0 0	0 0	0 0	0				
	18					0	0 0 0	0	0 0	0				
	19					0	0	0	0	0				
	20					0	0	0 0 0	1.7	0				
	21 22 23 24 25					0	0	0 0	1.7	0				
	22					0	0	0	1.7	0				
	23					0 0 0	1.7	0	1.7	0 0				
	24					0	1.7	1.7	1.7	0				
	25					0	1.7	1.7 1.7	0	0 0				
	26 27					0	1.7 1.7 1.7	1.7	0	0				
	27					0	1.7	1.7	0	0				
	28					0	1.7	0	0	0 0 0				
	29					0	1.7	0	0	Ö				
	30					0	1.7	Ō	0	0 0				
	30 31					ō	,	Ď	9	-				
****							1	1	J					
TOTAL (AC-F	1)					0	27	30	17	0				74

## UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 43 BULLEN FARMS

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 9 TOWNSHIP 12N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 3700 North 5100 West - Cache Junction DIVERTING WORKS: 116 HP Deutz Diesel Pressure Pump

MEASURING DEVICE:

F RECORDS RATING: (E,G,F,P) RECORDS RATING: F (E,G WATER RIGHT NUMBER: 25- 6691

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	3.0	0	0				
	2					0	0	3.0	0	0				
,	2 3					0	0	3.0	0	0				
	4					0	0	3.0	0	0				
	5					0	0	3.0	0	0				
~~	6 7					0	0	3.0	0	0				
`	7					0	0	3.0	0	0				
	8 9					0	0	3.0	0	0				
	9					0	0	3.0	0	0				
<b>4</b> 5	10					0	0	3.0 3.0	0	0				
	11 12					0	0	0	0	0				
	12					0	0	0	0	0				
	13					0	0	0	0	0				
	14 15					3.0	0	0	0	0				
	15					3.0	0	0	0	0				
	16 17					3.0	0	0	0	0				
	17					3.0	0	0	0	0				
<b>-</b> ←	18					3.0	0	0	0 3.0 3.0	0				
	19					0	0	0	3.0	0				
	20					0	0	0	3.0	0				
	21					0	0 3.0 3.0 3.0 3.0	0	3.0	0				
	22					0	3.0	0	3.0	0				
	23					0	3.0	0	3.0	0				
	24 25					0	3.0	0	0	0				
	25					0	3.0	0	0	0				
~	26					0	3.0 3.0	0	0	0				
	27					0	3.0	0	0	0				
	27 28 29 30 31					0	3.0	3.0	0	0				
	29					0	0	3.0	0	0				
`	30					0	0	3.0	0	0				
7	31					0		0	0					
(OTAL (	AC-FT)					<b>3</b> 0	42	77	30	0				179

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 44 FLOYD DORIUS

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 11 TOWNSHIP 14N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 13250 North 3800 West - W. of Lewiston DIVERTING WORKS: 40 HP Electric Pressure Pump

DIVERTING WORKS: MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 7162

DA	Y JA	N FE	В	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	.60	.40	.50				
:	2 3					Ö	Ö	.60	0	.50				
;	3					0	0 0 0	.60	ō	0				
	4					. 0	ō	.10	0	Ö				
	5					0	0	.70	0	0				
	5					0	0	1.1	0	0				
; ; ; 10	7					0	0	0	.40	.60				
1	3					0	0	.60	0	.60				
\$	9					0	0	.70	0	0				
10	)					0	0	.70	0	0				
11 12 13 14	1					0	0	.70	0	0				
12	2					0	0 0	0	0	0 0 0				
13	3					0	0	0 0	0	0				
14	1					1.1	0	0	0	0				
15	5					1.1	0	0	0	0				
16	3					1.1	0	0	0	0				
17	7					1.1	0	0	1.1	0				
16	3					0	0	0	0	0				
19	•					0	0	0	0	0				
20	)				•	0	0	.50	.70	0				
21 22 23						0	0	.50	.70	0				
22	2					0	.70	. 50	.70	0				
23	3					0	0	.30	1.1	0			•	
24 25	•					0	.70	.30	1.1	0				
25	5					0	.70	.30	.40	0				
26 27	5					0	.80	.70	0	0				
27						0	.80	.70	0	0				
28	3					0	1.1	.30	0	0				
29	•					0	1.1	.30	. 50	0				
29 30 31	)					0	.80	.30	1.0 1.0	0				
31						0		9		/				
TOTAL (AC-FT)	)					¥.7	13	22	18	4.4				66

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 44A WEEKS & TAGGART

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 11 TOWNSHIP 14N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 13250 North 3800 West - W. of Lewiston DIVERTING WORKS: 30 HP Electric Pressure Pump (in shed)

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 7162

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					o	0	0	0	0				
<b>-</b> j	2					0	0	0	0	0				
•	3					0	0	0	0	0				
	4					0	0	0	0	0				
	5					0	0	.50	0	0			•	
`_	6 7					0	0	.50 .50	0	0		,		
	7					0	. 0	. 50	0	0		•		
	8					0	0	.50	0	0				
	9					0	0	0	0	0				
<b>~</b>	10					0	0	0	0	0				
	11 12					0	0	0 0 0	0	0				
	12					0	0	0	0	0				
	13					0	0	0	0	0				
	14					0	0	0	0	0				
	15					0	0	0	0	0				
	16					0	0	0	0	0				
	17					0	0	0	0	0				
4	18					0	0	0	0	0				
	19					0	0	0 0	0	0				
	20					0	0	0	0	0				
	21 22 23					0	0	0 0	0	0				
-	22					0	0	0	0	0				
	23					0	0	0	0	0				
	24					0	0	0	0	0				
	25					0	0	0	0	0				
•	26 27 28					0	0	0 0 0	0	0				
	27					0	0	0	0	0 0				
	28					0	0	O.	0	0				
	29					0	0	0	0	0				
_	30 31					0	0	0	0	0				
	31					0		0 /	· 0					
OTAL (	AC-FT)					0	0	4.0	0	0				4.0
•														

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 45 DUANE GRIFFIN

THE MEASURING STATION IS LOCATED AND FEET F
COMMON DESCRIPTION: East of Walton Feed - Cache Junction FEET FROM THE CORNER OF SECTION 30 TOWNSHIP 13N RANGE 1W, SL B&M.

Electric Pressure Pump

DIVERTING WORKS: MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 7174

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
1					0	0	.70	0	0				
2					0	0 0 0	.70	0	0				
3					0	0	. 70	0	Ō				
4					0	0	.70	0	Ó				
5					0	0	.70	0	0				
6					0	0	.70	0	0				
7					0 0 0	0 0 0 0	0	0	0				
8					0	0	0	0	0				
9					0	0	0 0	0	0				
10					0	0	0	0	0				
11 12					0	0	0	0	0				
12					0	0	0	0	0				
13					0	0	0	0	0 0 0				
14					0	0	0	0 0	0				
15					0	0	0	0	0				
16					0	0	0	.70	0				
17					0 0 0	0	0 0	.70	0				
18					0	0	0	.70	0				
19						0	0	.70	0				
20					0	0	0	.70	0				
21					0	0	0	0	0				
22					0	0	0 0 0	0	0				
23					0	0	0	0	0				
23 24 25					0	0	0 0	0	0				
25					0	0	0	0	0				
26					0	0	0	0	0				
27 28					0	0	0	0	0				
28					0	0	0 0	0	0				
29					0	0	0	0	0 0				
30					0	0	0	Ο,	0				
31					0		0/	0/					
TOTAL (AC-FT)					0	. 0	8.3	6.9	0				15

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 46 DALE BENSON

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 30 TOWNSHIP 13N RANGE 1W, SL B&M.

COMMON DESCRIPTION: 6000 North 6600 West - S. of Newton

DIVERTING WORKS: Electric Pressure Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 7329

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	0	0	0				
	2					0 0 0	0 0	0 0 0	0 0	0		•		
_	3					0	0	0	0	0				
	4					0	0	0 0	0 0 0	0				
	5					0	0	0	0	0				
<b>-</b>	6					0	0	0	0	0 0 0				
	6 7					0	0	0 0 0	0 0 0	0				
	8					0	0	0	0					
	9					0	0	0	0	0				
<u>~</u>	10					0	0	0	0	0				
	11					0	0	0 0 0 0	0	0				
	12					0	0	0	0	0				
	11 12 13 14 15					0	0	0	0					
	14					0	0	0	0	0				
	15					0	0	0	0	0				
	16 17 18 19 20					0	0	0 1.2 1.2 1.2	0 0	0 0			4	
	17					0	0	1.2	0	0				
<u></u>	18					0	0	1.2	0 1.2 1.2	0				
	19					0	0	1.2	1.2					
	20					0	0			0				
	21 22 23					0	0	1.2 1.2 1.2 1.2	1.2 1.2 1.2	0				
	22					0	0	1.2	1.2	0				
	23					0	0	1.2	1.2	0				
	24 25					0	0	1.2	0	0				
	25					0	0	0	O	0				
_	26					0	1.2 1.2 1.2 1.2 1.2	0	0 0 0	0				
	27					0	1.2	0	0	0				
	28					0	1.2	0	0	0				
	26 27 28 29 30 31					0	1.2	0	0	0				
	30					0	1.2	0	0	0				
_	31					0		0	0					
JATC (	AC-FT)					0	12	19	12	0				43

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 47 RICH

FEET FROM THE

CORNER OF SECTION 8 TOWNSHIP 13N RANGE 1E, SL BAM.

THE MEASURING STATION IS LOCATED AND FEET FROM T COMMON DESCRIPTION: 8600 North 1400 West - N.W. of Smithfield DIVERTING WORKS: 125 HP Electric Pressure Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 8128

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	3.4	0	0				
	2 3					0	0	3.4	0	0				
	3					0	0	3.4	0	0				
	4					0	0	3.4	0	0				
	5					0	0	3.4	0	0				
	6					0 0	0	3.4	0	0				
	7					0	0	3.4	0	0				
	8					0	0	3.4	0	0				
	9					0	0	3.4	0	Ö				
	10					0	0	3.4	0	0				
	11					0	0	3.4	0	0				
	12					0	Ö	3.4	ō	ŏ				
	13					0	Ö	0	ŏ	ō				
	14					0 0 0	0 0	Ö	Ö	ō				
	15					0	0	Ö	0 0	0				
	16					0	0	0	0	o				
	17					Ö	ŏ	ŏ	ŏ	Õ				
	18					Ö	ŏ	3.4	3.4	0 0				
	19					Ö	ŏ	3.4	3.4	ŏ				
	19 20					0	0 0 0 0	3.4	3.4	ŏ				
	21					0	3.4	3.4	3.4	o				
	22					Ŏ	3.4	3.4	3.4	ŏ				
	23 24					ō	3.4	3.4	3.4	ŏ				
	24					0	3.4	3.4	3.4	ŏ				
	25					0	3.4	3.4	3.4	ŏ				
	26					0	3.4	3.4	0	0				
	27					Ö	3.4	0	ŏ	ŏ				
	28					ō	3.4	ŏ	ŏ	0				
	29					Ö	3.4	ŏ	Ö	ŏ				
	30					Ŏ	3.4	ŏ	ŏ	ŏ				
	31					Ö	7	Ŏ,	ŏ,	·				
TOTAL (AC	-FT)					0	<b>67</b>	142	54	0				263

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 49 BILL LINDLEY

THE MEASURING STATION IS LOCATED COMMON DESCRIPTION: Clay Slough

FEET FROM THE AND

CORNER OF SECTION 27 TOWNSHIP 13N RANGE 1W, SL B&M.

DIVERTING WORKS:

MEASURING DEVICE: RECORDS RATING:

F (E,G,F,P)

WATER RIGHT NUMBER: 25- 8272

_	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	0	0 0 0	0				
~	2 3					0 0	0 0 0	0 0 0	0	0				
	3					0	0	0	0	0				
	4					0	0	0	0	0				
	5					. 0	0	0	0	0				
	6 7					0	0 0 0	0 0	0 0 0	0 0 0 0				
						0 0 0	Ο,	0	Ō	0				
	8					0	0	0	0	. 0				
	9 10					0	0	0						
	10					0	0	0	0	0				
	11					0	0 0 0	0	0	0				
	12 13					0	0	0	0	0				
	13					0	0	0	0	0				
~	14					0	0 0	0	0 0	0				
	15					0	0	0	0	0				
	16					0	0	0	0	0 0 0				
	17					0	0	0	0	0				
_	18					0	0 0 0	0 0 0	0					
	19					0	0	0	0	0				
	18 19 20					0	0	0	0	0				
	21 22 23 24 25					0	0 0 0	0	0 0	0				
-	22					0	0	0	0	0				
	23					0		0	0	0				
	24					0	0	0	0	0				
	25					0	0	0	0	0				
<b>~</b> .	26					0	0	0	0	0				
	27					0	0	0	0	0				
	28					0	0	0	0	0				
	26 27 28 29 30 31					0	3.0 3.0	0	0	0				
	30					0	3.0	0	0	0				
_	31					0		0	0					
) TAL (	AC-FT)					0	12	0	0	0				12

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 50 BOB MUNK

THE MEASURING STATION IS LOCATED COMMON DESCRIPTION: Clay Slough

AND

FEET FROM THE

CORNER OF SECTION 27 TOWNSHIP 13N RANGE 1W, SL B&M.

DIVERTING WORKS: MEASURING DEVICE: RECORDS RATING:

F

(E,G,F,P) WATER RIGHT NUMBER: 25- 8263

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
•	1					0	0	2.5	0	0				4
	2 3					ŏ	ŏ	2.5 2.5	0 0 0	0 0 0				
						Ö	ŏ	2.5	ŏ	ŏ				
	4					ŏ	ŏ	4.5	ŏ	ŏ				
	5					0	ŏ	4.5	Ö	ŏ				
						_	•	4.0	v	U				
	6 7 8 9 10					0	0	4.5	0	0				
	7						Ō	4.5	0	ŏ				
	8					0 0 0	0	4.5	Ö	Õ				
	9					0	0	4.5	Ö	ŏ				
	10					0	0 0	0	ŏ	0 0 0 0				
									•	•				
	11 12					0	0	0	0	0				
	12					0	0	0	0	Ō				
	13			•		0 0 0 0	0	0 0 0	Ö	0 0 0				
	14					0	0	0	0 0	ò				
	15					0	0	0	Ö	ŏ				
	4.0													
	16 17					0	0	0	2.0	0				
	17					0	0	0	2.0	0				
	18 19 20					0	0	2.5	0	0				
	19					0	0	2.5	0	0				
	20					0	0	2.5 2.5 2.5	0	0				
	21					_								
	22					0	4.5	2.5	2.0	0				
	23					0	4.5	2.5	2.0	0				
	24					0	4.5	0	0	0				
	21 22 23 24 25					0	4.5	0	2.0	0				
	25					0	4.5	0	2.0	0				
	26					•		_		_				
	26 27					0	4.5	0	2.0	0				
	28					0	0	0	0	0 0 0				
	28 29					0	0	0	0	0				
	30					0 0	0	0	1.0	0				
	31					0	0/	0	2.5	0				
	-					0	/	0/	2.5					
TOTAL (AC	-FT)					0	54	93	40	_				
(	,					v	<del>54</del>	93	40	0				186

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 51 RUSS SEAMONS

FEET FROM THE

THE MEASURING STATION IS LOCATED COMMON DESCRIPTION: Clay Slough DIVERTING WORKS:

MEASURING DEVICE:

(E,G,F,P)

AND

RECORDS RATING: WATER RIGHT NUMBER: 25- 8268

CALENDAR YEAR 1997 DAILY DISCHARGE IN CFS

•	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	1.0 1.0	0	0				
-	2					0	0 0	1.0	o	0				
	3					0	0	1.0	0	0				
	4					. 0	0	0	0	0				
	5					0	0	0	0	0				
_	6					0	0	0	0 0	0				
	6 7					0	0 0	0	0	0				
	8					0	0	0	0	.0				
	9					0	0 0	0	0	0				
_	9 10					0	0	0	0	0				
	11					0	0	1.0 1.0	0	0				
	12					0	0	1.0	0	0				
	13					0	0	1.0	0	0				
	14					0	1.0	0	0	0				
~	12 13 14 15					0	0 1.0 1.0	0	0	0				
	16					0	1.0	0	0	0 0 0				
	17					0	0	0	0	0				
_	18					0	0 0 0	0	0					
	19					0	0	0	0	0				
	18 19 20					0	0	0	0	0				
	21					0	0	0	0	0				
<u> </u>	22					0	0	0	0	0				
	23					0	0	0	0 0	0				
	24					0	0 0	0	0	0				
	21 22 23 24 25					0	0	0	0	0				
_	26					0	0	0	0	0				
	27					0	0	0	0	0				
	28					0	1.0	0	0 0	0				
	29					0	0 1.0 1.0	0	0	0				
	30					0	1.0	0	0	0				
_	26 27 28 29 30 31					0		0 /	0					
						0	12	12	0	0				24
JTAL	(AC-FT)					·			-	_				

CORNER OF SECTION 27 TOWNSHIP 13N RANGE 1W, SL B&M.

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 52 ALLEN WHEELER

THE MEASURING STATION IS LOCATED FEET FROM THE CORNER OF SECTION 15 TOWNSHIP 14N RANGE 1W, SL B&M. AND

COMMON DESCRIPTION: 12300 North 420 West - S.W. of Lewiston DIVERTING WORKS: 60 HP Electric Pressure Pump

MEASURING DEVICE: Hour Meter on Pivot Sprinkler

RECORDS RATING: G (E,G,F,P)
WATER RIGHT NUMBER: 25- 8724

D.	AY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	0.0						
						Ö	Ö	2.3 2.3	0 0	0	•			
	2 3 4					ŏ	ŏ	2.3	Ö	0				
	4					ŏ	ŏ	0	Ö	Ö				
	5					ŏ	ŏ	Ö	Ö	0				
						·	· ·	U	U	U				
	6 7 8 9					0	0	0	0	0				
	7					0	0	0	0	0				
	8					0	0	2.3	0	0				
	9					0	0	2.3	0	Ô				
•	10					0	0	2.3 2.3	0	0 0 0 0 2.3				
	11					0	•	•	_					
•	12					Ö	0	0	0 2.3	2.3				
	13					0	0	0	2.3	0				
-	14						0	0	2.3	0				
	14					0	0	0	2.3 2.3 2.3	0				
,						0	0	0	2.3	0				
1	16 17 18 19					0	0	2.3	2.3	0				
1	17					0 2.3	0	2.3	0	ō				
1	8					2.3	Ö	2.3 2.3 2.3	Ŏ	0 0 0				
1	9					2.3	2.3	2.3	ō	Õ				
2	20					0	2.3	0	ŏ	0				
4						0	2.3	0	0	0				
-	21 22 23					0	2.3	0	0 0	0				
2	:3					0	0	0	0	0				
2	.4 .5					0	0	0	2.3	0 0 0 0				
2	:5					0	0	0	2.3 2.3	0				
2	.6 .7					0	0	0	2.3	•				
2	7					ō	0 0	ñ	2.3	Ŏ				
2	8					Ö	2.3	0 2.3	0	0 0 0				
2	8 9					Ŏ	2.3	2.3	Ö	Ö				
3	10					Ö	2.3	2.3	Ö	0				
3	1					Ö	2.5	2.3	0	U				
						./	V	2.9						
TOTAL (AC-FT	)					14	32	64	41	9.1			10	50

## UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 53 CECIL ARCHIBALD

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 4 TOWNSHIP 12N RANGE 1W, SL B&M.

COMMON DESCRIPTION: East of Benson Marina
DIVERTING WORKS: 30 HP Electric Pressure Pump DIVERTING WORKS:

MEASURING DEVICE:

RECORDS RATING: F (E,G, WATER RIGHT NUMBER: 25- 8949 (E,G,F,P)

~	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	1.5	0	0				
~	2 3					0	ō	1.5	ŏ	0 0				
	3					0	Ö	1.5 1.5 1.5	ŏ	Ö				
	4					0	Ö	1.5	ŏ	ŏ				
	5					0	0	1.5	ŏ	ŏ				
	6					0	0	1.5	0	0				
	7					0	Ö	0	ŏ	0				
	8					0	ō	ŏ	ŏ	ŏ				
	9					0	Ö	ŏ	ŏ	Ŏ				
_	10					0	ō	ŏ	ŏ	ŏ				
	11 12 13					0	0	0	0	0				
	12					0	ō	ŏ	Ö	Ö				
	13					0	ō	ō	Ö	Ö				
	14 15					0	Ö	ō	Ö	ŏ				
	15					0	ō	ŏ	ŏ	ŏ				
	16 17					0	0	0	0	0				
	17					0	Ö	ŏ	ŏ	ŏ				
_	18					0	Ō	ŏ	ŏ	ŏ				
	19					0	Ö	0 0	ŏ	ŏ				
	20					0	Ō	Ö	ŏ	ŏ				
	21 22 23					0	0	n	0	0				
_	22					0	1.5	0 0	ŏ	ŏ				
	23					0	1.5 1.5	ō	ŏ	Ö				
	24					0	1.5	Ö	ŏ	ŏ				
	25					0	1.5	Ō	ŏ	ŏ				
~.	26					0	1.5	0	0	0				
	27					0	1.5	ŏ	ŏ	ŏ				
	28					Ō	1.5	Ö	ŏ	o				
	29					0	1.5	Ö	Ö	Ö				
	30					Ö	1.5	ŏ	ŏ	Ö				
_	31					0		ŏ	ŏ	•				
JTAL (A	C-FT)					0	21	18	0	0				45

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 54 MARK RIGBY

FEET FROM THE CORNER OF SECTION 32 TOWNSHIP 13N RANGE 1W, SL B&M. THE MEASURING STATION IS LOCATED AND FEET FR
COMMON DESCRIPTION: 5000 North 5500 West - Cache Junction
DIVERTING WORKS: 50 HP Electric Pressure Pump

MEASURING DEVICE:

RECORDS RATING: (E,G,F,P) WATER RIGHT NUMBER: 25- 8991

	, DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
						0	0	0	0	0				
	1					ŏ	0	0	0	0 0 0				
	2 3					0	0	0	0	0				
	4					0	0	0 2.0	0					
	5					0	0	2.0	0	0				
	6					0	0	2.0	0	0 0 0				
	7					0	0	2.0	0	0				
	8					0	0	2.0	0	0				
	9					0	0	0	0	0				
	10					0	0	0	0	0				
	11					0	0	0	0	0				
	12					0	0	0	0	0				
	13					2.0	0	0	0	0				
	14					2.0	0	0	0	0				
	15					2.0	0	0	0	0				
	16					0	0	0	0	0				
	17					0	0	0	0	0				
	18					0	0	0	0	0				
	19					0	0	0	0	0				
	20					0	0	0	0	0				
	21					0	0	0	0	0				
	22					0	0	0	2.0	0				
	22 23					0	0	0	2.0	0				
	24					0	0	0	2.0	0				
	25					0	2.0	0	2.0	0				
	26					0	2.0	2.0	2.0	0				
	27					0	2.0	2.0	0	0 0				
	28					0	2.0	2.0	0	0				
	29					0	2.0	2.0	0	0				
	29 30					0	2.0	2.0	0	0				
	31					0	/	2.0	0					
	• •					12	<b>√</b>	40	20	0				95
TOTAL (	AC-FT)					12	24	40	20	J				

## UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 55 STEWART

THE MEASURING STATION IS LOCATED AND COMMON DESCRIPTION: 5300 North 4825 West - Benson CORNER OF SECTION 33 TOWNSHIP 13N RANGE 1W, SL B&M. FEET FROM THE

Electric Pressure Pump

DIVERTING WORKS: MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 9014

~	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	•	•					
						0	0 0	0 0	0 0	0 0				
	2 3					0	0	0	0	0				
	4					0	0 0 0	0	0	_				
	5					Ö	0	0	0	0				
						U	U	U	U	0				
_	6 7					0	0	0	0	0				
,						0 0	0	0	0	0				
	8					O	0	0	0	0		-		
	9					0	0	0	0 0 0	0				
_	10					0	0	0	0	0				
	11					0	0	0	0	0				
	12 13					0	0 0 0	0	0	0				
	13					0	0	0	0	0				
	14 15					0	0	0	0	0				
_	15					0	0	0	0 0 0	0				
	16					0	0	0	0	0				
	17					0	0	0	0					
_	18					0	0	0	0	0 0 0				
	19					0	2.0	0	Ō	ŏ				
	18 19 20					0	2.0 2.0	0	0	Ō				
	21					0	2.0	0	n	0				
_	22					0	2.0	0 0	0	ŏ				
	23					Ö	2.0	ō	ŏ	ŏ				
	24					Ö	2.0	ŏ	ŏ	ŏ				
	21 22 23 24 25					Ö	2.0 2.0	ŏ	ŏ	ŏ				
~	26					0	2.0	0	0	0				
	26 27					ŏ	2.0	ŏ		0				
	28					Ö	2.0	Ö	0 0	0				
	28 29					ŏ	0	Ö	0	0 0 0				
	30					ŏ	Ö	o	0	0				
_	30 31					Ö	U	0	0	U				
						U		U	U					
OTAL (A	C-FT)					0	40	0	0	0				40

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER 56 LEROY SPACKMAN

FEET FROM THE

AND

THE MEASURING STATION IS LOCATED

COMMON DESCRIPTION: East of Trenton

DIVERTING WORKS: MEASURING DEVICE:

RECORDS RATING: (E,G,F,P) WATER RIGHT NUMBER: 25- 3266

### CALENDAR YEAR 1997 DAILY DISCHARGE IN CFS

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
1					0	o	0	. 50	0				
2					0	0	0 0	. 50	0				
2 3 4	<b>,</b>				0 0	0 0 0	0	. 50	0 0 0				
4					0		0	0					
5	;				0	0	0	0	0				
6	}				0	0	0	0	0 0				
6 7 8 9 10					0	0	0	0	0				
8	1				0	0	0	0	0				
9	)				0	0	0	0	0				
10	)				0	0	0	0	0				
11					0	0	0	0 0	0 0 0				
12	!				0	0	0	0	0				
13	3				0	0	0	0	0				
14	ļ				0	0	0	0	0				
15	5				0	0	0	0	0				
16	3	*			0	0	0	0	0 0 0				
17	,				0	0	0	0	0				
18	3				0	0	0	0	0				
19	•				0	0	0	0	0				
20	)				0	0	0	.50	0				
21 22 23 24 28	1				0	0	0	.50	0				
22	2				0	0	0	.50	0				
23	3				0	0	0	.50	0				
24	1				0	. 50	0	.50	0				
25	5				0	.50	0	. 50	0				
26	5				0	.50	0	0	0				
27	7				0	. 50	0	0	0				
26	3				0	.50	0	0	0 0 0				
29 30 3	•				0	0	0	0	0				
30	)				0	0	0	0	U				
3.	1				0	/	0	0/					
TOTAL (AC-FT	)				0	5.0	0	8.9	0				14

CORNER OF SECTION 25 TOWNSHIP 14N RANGE 1W, SL B&M.

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER EX1 PRESTON, SAUNDERS, JOHNSON

THE MEASURING STATION IS LOCATED AND COMMON DESCRIPTION: 3100 West 3200 North - Benson FEET FROM THE CORNER OF SECTION 12 TOWNSHIP 12N RANGE 1W, SL B&M.

DIVERTING WORKS: Electric Pressure Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: -EX1093

-	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	0	0	0				•
٠.	2					0	0	0 0 0	0	0				
	3					0	0	0	0	0				
	4					0	0	0	0	0				
	5					0	0	0	0	0				
_	6					0	0	0 0	0	0				
	7					0	0	0	0	0				
	8					0	0	0 0	0	0				
	9					0	0 0 0	0	0	0	*			
<b>-</b>	10					0	0	0	0	0				
	11 12 13					0	0	0	0	0				
	12					0	O	0	0	0				
	13					0	0	0	0	0				
_	14 15					0	0	0	0	0				
4	15					0	0	0	0	0				
	16 17					0	0	1.0 1.0	0 0	0				
	17						0	1.0	0	0				
-	18 19 20					0	0	1.0	0	0				
	19					0	0	0	0	0				
	20					0	0	0	0	0				
	21 22 23 24 25					0	0	0	0 0	0				
-	22					0	0 0	0	0	0				
	23					0	0	0	1.0	0				
	24					0	0 0	0	1.0 1.0	0				
	25					0	0	0	1.0	0				
-	26 27					0	1.0	0	1.0	0				
	27					0	1.0	0	0	0				
	28 29 30 31					0	1.0	0	0	0				
	29					0	1.0	0	0	0				
	30					0	0	0.	0	0				
•	31					0		0	0					
TAL (A	C-FT)					0	7.9	6.0	7.9	0				22

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER **EX2 BILL LINDLEY**

THE MEASURING STATION IS LOCATED FEET FROM THE CORNER OF SECTION 30 TOWNSHIP 13N RANGE 1E, SL B&M. AND

COMMON DESCRIPTION: W. of Smithfield by Trout Farm Electric Flood Pump

DIVERTING WORKS: MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: -EX2604

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
1					0	o	3.0	0	0				
1 2 3 4					0	0	3.0	0	0		•		
3					0	0	3.0	0	0				
4					0	0	0	0	0				
5					0	0	0	0	0				
6 7 8 9 10					0	0	0	0	0				
7					0	0	0	0	0				
8					0	0	0	0	0 0 0				
9					0	0	0	0	0				
10					0	0	0	0	0				
11					0	0	0	0	0				
12					0	0	0	0	0 0 0				
13					0	0	0	0	0				
14					0	0	0	0	0				
15					0	0	0	3.0	0				
16					0	0	0	3.0	0				
17					0	0	0 0 0	3.0	0				
18					0	0	0	0	0				
19					0	0	0	0	0				
20					0	0	3.0	0	0				
21					0	0	3.0	0	0				
22 23					0	0	3.0	0	0 0 0				
23					0	0	0	0	0				
24 25					0	0	0	0	0				
25					0	0	3.0	0	0				
26					0	0	3.0	3.0	0				
27					0	0	3.0	3.0	0				
28					0	0	0	3.0	0				
29 30					0	0	0	0	0				
30					0	3.0	0	0	0				
31					0		0/	<b>o</b> ∕					
TOTAL (AC-FT)					0	6.0	54	36	0				95

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER EX3 GARTH BENSON

COMMON DESCRIPTION: 5100 North 5900 West - S.E. of Newton DIVERTING WORKS: Electric Pressure Pump MEASURING DEVICE: RECORDS PATTED: -FEET FROM THE CORNER OF SECTION 29 TOWNSHIP 13N RANGE 1W, SL B&M.

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: -EX2627

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
	1					0	0	2.0	0	0					
_	1 2 3					0	Ö	2.0	ō	Ö					
7.	3					Ō	Ö	2.0	ŏ	ŏ					
	4					0	Ö	0	Ŏ	ŏ					
	5					0	0	0	Ō	Ö					
	6 7 8 9					0	0	0	0	0					
	7					0	0	0 0 0	0	0					
	8					0	0	0	0	0					
	9					0	0	0	0	0					
~	10					0	0	0	0	0					
	11					0	0	0	0	0					
	12					0	0	0	0	0 0 0					
	13					0	0	0	0	0					
_	14					0	0	0	0	0					
7	15					0	0	0	0	0					
	16 17					0	0	2.0 2.0 2.0	0	0					
	17					0	0	2.0	0	0					
_	18					0	0	2.0	0	0					
	19					0	0	2.0 2.0	0	0					
	20					0	0	2.0	0	0					
	21 22					0	0	2.0	0 2.0	0					
_	22					0	0	0	2.0	0					
	23					0	0	0	2.0	0					
	24					0	0	0	2.0	0 0					
	25					0	0	0	2.0	0					
_	26 27					0	2.0	0	2.0	0					
	27					0	2.0	0	2.0	0					
	28					0	2.0	0	2.0	0					
	29					0	2.0	0	2.0	0					
	30					0	2.0	0	2.0	0					
_	31					0		0	0						
JTAL (AC	-FT)					0	20	36	36	0				91	

## UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER TO1 LEE REESE

THE MEASURING STATION IS LOCATED

AND

FEET FROM THE

CORNER OF SECTION 1 TOWNSHIP 12N RANGE 1W, SL B&M.

COMMON DESCRIPTION: Hopkins Slough DIVERTING WORKS:

20 HP Electric Flood Pump

MEASURING DEVICE:

NECORIUS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 6299

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
. 1					0	0	0	0	<b>o</b> .				
2					ŏ	ŏ	ŏ	ŏ	Ö				
3					ō	Ö	0 0 0	ŏ	Ö				
4					ō	Ö	Ö	ō	ō				
1 2 3 4 5					Ó	Ö	3.0	Ö	ō				
6 7 8 9 10					0	0	3.0	0	0				
7					0	0	3.0	0	0				
8					0	0	0	0	0				
9					0	0	0	0	0				
10					0	0	0	0	0				
11 12 13 14 15					0	0	0	0	0				
12					0	0	0	0	0				
13					0	0	0	0	0				
14					0	0	0	0	0				
15					0	0	0	0	0				
16 17					0	0	0	0	0				
17					0	0	0	0	0				
18					0	0	0	0	0				
18 19 20					0	0	0	0	0				
20					0	0	0	3.0	0				
21 22 23 24 25					0	0	0	3.0	0 0				
22					0	0	0	3.0	0				
23					0	0	3.0	0	0				
24					0	3.0	3.0	0	0				
25					0	3.0	3.0	0	0				
26 27					0	3.0	0	0	0				
27					0	0	0	0	0				
28 29 30					0	0	0	0 0 0	0 0 0 0				
29					0	0	0 0	0	0				
30					0	0	0	0	0				
31					0	1	%	0,					
TOTAL (AC-FT)					0	18	36	18	0				71

## UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER TO2 LEE REESE

THE MEASURING STATION IS LOCATED COMMON DESCRIPTION: Hopkins Slough

AND

FEET FROM THE

CORNER OF SECTION 1 TOWNSHIP 12N RANGE 1W, SL B&M.

MEASURING DEVICE:

DIVERTING WORKS: 25 HP Electric Pump

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 6300

~	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	0	0	0				
	1 2 3					0 0 0	0	0	0	0				
	3						0	1.0	0	0				
	4					0	0	1.0	0	0				
	5					0	0	1.0	0	0				
	6 7 8 9 10					0	0	1.0	0	0				
	7					0	0	0	0	0				
	8					0	0	0	0	1.0				
	9					0	0	0	0	1.0		•		
_	10					0	0	0	0	1.0				
	11 12 13					0	0	0	0	1.0				
	12					0	0	0	0	0				
	13					0	0	0	0	0				
	14					0	0	0	0	0				
	14 15					0	0	0	0	0				
	16 17					0 0	0	0	0	0				
	17					0	0	0	0	0				
_	18					0	0	0	0	0				
-	19					0	0	0	0	0				
	18 19 20					0	0	0	0	0				
	21					0	0	0	0	0				
_	22					0	0	0	0	0 0 0				
	23					0	0	0	0	0				
	24					0	0	0	0	0				
	21 22 23 24 25					0	0	0	0	0				
~	26 27 28 29					0	0	1.0 1.0	0	0				
	27					0	0	1.0	0	0				
	28					0	0	1.0	0	0				
	29					0	0	1.0	0	0 0 0				
	30					0	0	0	0	0				
_	30 31					Ó		0	0	/				
								16						
)TAL (A	AC-FT)					0	0	16	0	7.9				24

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER TO3 TOM REESE

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 1 TOWNSHIP 12N RANGE 1W, SL B&M.

COMMON DESCRIPTION: Hopkins Slough

DIVERTING WORKS: 15 HP Electric Pressure Pump

MEASURING DEVICE:

TOTAL

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 7522

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
1					0	0	0	0	0				
2					0	0	0	0	0				
2 3 4					0	0	0	0	0				
4					0	0	0	0 0 0	0				
5					0	0	0	0	0				
6 7 8 9 10					0	0	0	0	0				
7					0 0	0	0	0 0 0	0 0				
8					0	0	0	0	0				
9					0	0	0	0	0				
10					0	0	0	0	0				
11 12 13					0	0	0	0	0				
12					0 0	0	0	Ō	ō				
13					0	0	Ō	0 0 0	0 0 0				
14 15					0	0	0	Ō	Ö				
15					0	0	0	0 0	0				
16					0	0	1.0	0	٥				
17					ŏ	ŏ	1.0 1.0	ŏ	ŏ				
18					0 0 0	Ö	1.0	Ö	ŏ				
19					ŏ	ŏ	1.0	Ö	ŏ				
20					ō	Ö	1.0 1.0	ŏ	0 0 0 0				
21					0	^	•	•	•				
22					ŏ	0 0	0 0	0	Ü				
23					Ö	ŏ	Ö	0 0 0	0 0 0				
24					Ö	Ŏ	Ö	1 ^	0				
21 22 23 24 25					ŏ	0 0	Ö	1.0 1.0	0				
26					_								
20					0	1.0	0	1.0	0				
26 27 28					0	1.0	0	1.0	0				
28 29					0	1.0	0	1.0	0				
20					0	1.0	0	1.0	0				
30 31					0	1.0	0	0	0				
					0	/	0/	0					
(AC-FT)					0	e.e	9.9	12	0				32

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER TO4 ROBERT GRIFFITHS

THE MEASURING STATION IS LOCATED COMMON DESCRIPTION: Hopkins Slough

AND

FEET FROM THE

CORNER OF SECTION 1 TOWNSHIP 12N RANGE 1W, SL B&M.

DIVERTING WORKS: 20 HP Electric Flood Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 6301

_	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	2.0	0	0				
_	1 2 3					0 0 0	0	2.0	0	0 0 0				
	3					0	0	2.0	0	0				
	4					0	0	0	0	0				
	5					0	0	0	0	0				
	6 7					0	0	0	0	0				
	7					0	0	2.0	0	0				
	8					0	0	2.0 2.0	0	. 0				
	9					0	0	2.0	0	0				
_	10					0	0	0	0	0				
	11					0	0	0	0	0				
	12 13					0	0	0	0	0				
	13					0	0	0	0	0 0 0				
	14					0	0	0	0	0				
_	15					0	0	0	0	0				
	16 17					0 0	0	0	0	0				
	17					0	0	0 0	2.0	0				
~	18					0	0	0	2.0	0				
	19					0	0	0	2.0	0				
	20					0	0	0	0	0				
	21 22 23					0	0	2.0	0	0				
	22					0	0	2.0	0	0				
	23					0	2.0	2.0	0	0				
	24					0	2.0	0 0	0	0				
	24 25					0	2.0 2.0	0	2.0	0				
~	26 27					0	0	0 0 0	2.0	0				
	27					0	0	0	0	0				
	28					0	0	0	0	0				
	29					0	0	2.0	0	0				
	30 31					0	0	2.0	0	0				
_	31					0		2.0 2.0	0 _					
TAL (AC	C-FT)					0	12	48	20	0				79

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER TO6 GORDON RICKS

CORNER OF SECTION 11 TOWNSHIP 12N RANGE 1W, SL B&M. FEET FROM THE THE MEASURING STATION IS LOCATED AND

COMMON DESCRIPTION: Benson

DIVERTING WORKS: MEASURING DEVICE: 10 HP Electric Pressure Pump

RECORDS RATING: (E,G,F,P)

WATER RIGHT NUMBER: 25- 4958

COMMENTS: \*\*\*\*\*\*

TOTAL

DAY	JAN	FEB	MAR	APR	MAY	NUL	JUL	AUG	SEP	ост	NOV	DEC	ANN
1					0	0	0	0	0				
2					0	0	0 0 0	0 0	0				
2 3 4					0	0	0	0	0				
4					0	0	0	0	0				
5					0	0	0	0	0				
6					0	0	0	0	0				
6 7 8 9 10					0	0	0 0	0	0		•		
8					0	0	0	0	0				
9					0	0	0	0	0				
10					0	0	0	0	0				
11					0	0	0	0	0				
12					0	Ο.	0	0	0				
13					0	0	0	0	0				
14					0	0	0 0 0	0 0	0				
15					0	0	0	0	0				
16					0	0	0	0	0				
17					ŏ	Ŏ	ŏ	0	ō				
18					Ö	ō	0 0	.24	0				
18 19					Ō	Ö	Ö	.24	0				
20					Ō	Ō	Ō	.24 .24	0				
21					0	0	.24	.24	0				
21 22					ō	Ö	.24	.24	Ŏ				
23					ō		.24	0	Ō				
24					Ö	Ō	.24	Ó	0				
23 24 25					Ō	0 0 0	.24 .24	0	0				
26					0	.24	.24	0	0				
27					ŏ	.24	0	ō	Ö				
28					ŏ	.24 .24	ŏ	0 0 0	ō				
29					ŏ	.24	Ö	ŏ	0				
30					ŏ	.24	Ö	Ŏ	ŏ				
26 27 28 29 30 31					ŏ		ŏ	0	<del>-</del>				
						124		✓ .					
(AC-FT)					0	2.4	2.9	2.4	0				7.6

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER TO7 HYER-JORGENSEN PUMP

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 21 TOWNSHIP 14N RANGE 1E, SL B&M.

COMMON DESCRIPTION: 11500 North 200 West - W. of Richmond - Cub River

DIVERTING WORKS: Electric Pressure Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 3263

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	2.0	0	0				
_	2					Ō	0	2.0 2.0	0	0		•		
	3					Ō	0	2.0	0	0		•		
	4					0	0	2.0	0	0				
	5					0	0	2.0 2.0	0	0				
	6					0	0	2.0	0	. 0				
`	7 8					0	0	2.0	0	0				
	8					0	0	2.0	0	0				
	9					0	0	2.0 2.0	0	0				
-	10					0	0	2.0	0	0				
	11					0	0	0	0	0				2
	12 13					0	0	0	0	0				1
	13					0	0	0	0	0				
_	14 15					0	0	0	0	0				
	15					0	0	0	0	0			1	
	16 17					0	0	0	0	0				
	17					0	0	0	0	0			1	
_	18					0	0	0	0	0				
	19					0	0	0	0	0				
	20					0	0	0	0	0				
	21					0	0	0	0	0				
~	22 23					0	0	0	0	0				
	23					0	0	0	0	0				
	24					0	2.0	0	0	0				
	25					0	2.0	0	0	0				
~	26 27 28 29					0	2.0	0	0	0				
	27					0	2.0	0	0	0				
	28					0	2.0	0	0	0				
	29					0	2.0	0	0	0				
	30					0	2.0	0	0	0				
•	31					0		0	0					
:OTAL	(AC-FT)					0	28	40	0	0				67

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER TO9 SKIDMORE

FEET FROM THE CORNER OF SECTION 31 TOWNSHIP 14N RANGE 1E, SL BAM. AND THE MEASURING STATION IS LOCATED

COMMON DESCRIPTION: Cub River - S.W. of Richmond DIVERTING WORKS: Cat. Diesel Pressure Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 7866

COMMENTS:

Reservoir storage of 400 AF used by T09, T09A, and T09B.

	DAY	JAN	FEB	MAR	APR	MAY	NUL	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	3.0	0	0				
						ŏ	ŏ	3.0	Ö	ŏ				
	2 3 4					0	ŏ	3.0	Ö	0				
	4					ŏ	ŏ	3.0	Ŏ	ŏ				
	5					ŏ	ŏ	3.0	ŏ	0 0				
	•					·		0.0	•	•				
	6					0	0	3.0	0	0				
	6 7 8 9 10					0	0	3.0	0	0				
	8					0	0	3.0	0	0				
	9					0	0	3.0	0	0				
	10					0	0	3.0	0	0 0				
	11					0	0	0	0	0				
	12 13 14					0	0 0	0	0	0 0 0				
	13					0	0	0	0	0				
	14					0	0	0 0 0	0	0				
	15					0	0	0	0	0				
						_		_						
	16 17					0	0 0	0	0	0 0 0				
	17					0	0	0	0	0				
	18 19 20					0	0	0	0	0				
	19					0	0	0	0	0				
	20					0	0	0	0	0				
	21					0	0	0	0	0				
	22					ŏ	0 3.0	ŏ	ŏ	ő				
	23					ŏ	3.0	ŏ	0	ŏ				
	24					ŏ	3.0	ŏ	ŏ	ő				
	21 22 23 24 25					ŏ	3.0	ŏ	ŏ	0 0 0				
						•	0.0	•	•	•				
	26 27					0	3.0	0	0	0				
	27					Ö	3.0 3.0	Ö	Ö	ō				
	28					Ö	3.0	Ŏ	Ŏ	Ö				
	29					Ö	3.0	Ö	Ö	Õ				
	30					Ö	3.0	ŏ	ŏ	0 0				
	28 29 30 31					ŏ	7.5	0/	0 0 0	•				
						•	J	7	•					
TOTA	L (AC-FT)					0	54	60	0	0				113

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER TO9A HOWARD ANDERSON

FEET FROM THE CORNER OF SECTION 29 TOWNSHIP 14N RANGE 1E, SL B&M. THE MEASURING STATION IS LOCATED AND

COMMON DESCRIPTION: Cub River - 1400 West 10200 North - W. of Richmond 83 HP Deutz Diesel Pressure Pump

DIVERTING WORKS: MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 6833

### CALENDAR YEAR 1997 DAILY DISCHARGE IN CFS

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	0	0	2.0				•
	2 3 4 5					0	0	0	. 0	2.0				
	3					0	0	0	0	2.0				
	4					0	0	0	0	2.0				
	5					0	0	0	0	2.0				
_	6					0	. 0	0	0	2.0				
	7					0	0 0 0	0 0 0	0	2.0				
	8					0	0	0	0	2.0				
	9					0	0	0	0	2.0				
	6 7 8 9 10					0	0	0	0	2.0				
	11					0	0	0 0 0	0	2.0				
	12					0 0 0	0	0	0	0 0				
	13					0	0	0	0	0				
	14					0	0	2.0	0	0				
	15					0	0	2.0	0	0				
	16					0	0	2.0	0	0				
	17					0	0	2.0	0	0				
	18					0	0	2.0	0	0				
	19					0	0	2.0	0	0				
	20					0	0	2.0 2.0	0	0				
	21					0	0	2.0	0 0	0 0				
	22					0	0	2.0	0	0				
	23					0	0	2.0	0	0				
	24					0	0	2.0	0	0				
	23 24 25					0	0	2.0 2.0	0	0				
	26					0	0	0 0 0	0	0				
	27					0	0	0	0	0				
	28					0	0	0	0	0 0 0 0				
	20					Ö	0	0	0	0				
	30					ō	ō	0 0 0	0	0				
	27 28 29 30 31					Ŏ	-	0	0					
OTAL (	(AC-FT)					o	0	48	0	44				91

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER TO9B GORDON WEBB

THE MEASURING STATION IS LOCATED AND FEET FROM THE COCOMMON DESCRIPTION: Cub River - 9600 North 1600 West S.W. of Richmond CORNER OF SECTION 32 TOWNSHIP 14N RANGE 1E, SL B&M.

DIVERTING WORKS: Deutz Diesel Pressure Pump

MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 7103

D.	AY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	1.0	0	0				
	2					0	0	1.0	0	0	•			
	3					0	0	1.0	0	0				
	4					0	0	1.0	0	0				
	5					0	0	1.0	0	0				
	6 7					0	0	1.0	0	0				
	7					0	0	1.0	0	0				
	8					0	0	1.0	0	0				
	9					0	0	1.0	0	0				
•	10					0	0	1.0	0	0				
•	11 12 13					0	0	0	0	0				
•	12					0	0	Õ	0	0				
•	13					0	Ō	Ö	Ö	ŏ				
•	14					0	Ō	Ŏ	Ŏ	ŏ				
•	15					0	Ō	Ö	Ö	Ö				
1	16 17 18					0	0 .	0	0	0				
•	17					ŏ	Ô	ŏ	ŏ	Ŏ				
1	18					Ö	0 0 0	Ö	ŏ	Ö				
1	19					ŏ	Ö	Ö	Ö	Ö				
2	1 <b>9</b> 20					ŏ	ŏ	Ö	ŏ	Ö				
2	21					0	•	0	•	^				
2	22					0	0	0	0	0				
2	23					Õ	0	0	ŏ	0				
2	24					0	0	0	0	0				
2	21 22 23 24 25					ŏ	0 0 0	0 0 0	0	0				
										· ·				
2	26 27					0	0	0	0	0				
2	27					0	0 0 0	0	0	0				
2	28					0	0	0	0	0				
2	28 29 30					0	0	0	0 0 0	0 0 0 0				
3	30					0	0	0	0	0				
3	31					0		0	0					
TOTAL (AC-FT	Γ)					0	0	20	0	o .			2	20

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER TO9C RUDY SERRANO

THE MEASURING STATION IS LOCATED COMMON DESCRIPTION:

AND

FEET FROM THE

CORNER OF SECTION

TOWNSHIP

, SL B&M. RANGE

DIVERTING WORKS: MEASURING DEVICE:

WATER RIGHT NUMBER: -

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	0	0	0				
	2					0	Ö	0	0 0	ō				
	3					ō	ō	Ö	Ö	Ŏ				
	4					0	0	Ō	0	0				
	5					0	O	0	0	0				
	6 7					0	0	0 0	0	0				
•	7					0	0	0	0	0				
	8 9					0	0	0	0	. 0				
	9					0	0	0	0	0				
_	10					0	0	0	0	0				
	11 12 13					0	0 0	0	0	0			•	
	12					0	0	0 0 0	0	0 0 0				
	13					0	0	0	0	0				
_	14					0	0	0	0	0				
	14 15					0	0	0	0	0				
	16 17					0	0 0	0	. 50 . 50	0 0				
	17					0	0	0	. 50	0				
	18 19					0	0	0	. 50	0 0				
	19					0	0	0	.50	0				
	20					0	0	0	.50 .50 .50	0				
	21 22 23 24 25					0	0	.50 .50 .50	0	0				
	22					0	0	.50	0 0 0	0 0				
	23					0	0	. 50	0	0				
	24					0	0	. 50	0	0				
	25					0	0	. 50	0	0				
_	26 27					0	0	. 50	0 0	0				
	27					0	0 0	.50 .50	0	0 0 0				
	28					0	0	.50	0	0				
	28 29 30 31					0	0	0	0	0 0				
	30					0	0	0	0	0				
_	31					0		0	0 _	-				
DTAL (	AC-FT)					0	0	7.9	5.0	0				13
•	•													

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER T11 GEDDES

THE MEASURING STATION IS LOCATED AND FEE COMMON DESCRIPTION: Spring Creek - 2 small reservoirs FEET FROM THE CORNER OF SECTION 2 TOWNSHIP 14N RANGE 1E, SL B&M.

DIVERTING WORKS: 1 Portable Propane Pump

MEASURING DEVICE:

HECORDS RATING: F (E,G,F,P)
WATER RIGHT NUMBER: 25- 3291

, D.	AY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	0	0	0				
	2 3					0 0	0 0	Ō	0 0	ŏ				
	3					0	0	0	Ō	0 0				
	4					0 0	0	0	0	Ö				
	5					0	0	0 0	0 0	0 0				
	6 7 8 9					0	0	0	0	0				
	7					0	0	0		Ō				
	8					0 0 0	0	0 0 0	0	0				
	9					0	0	0	0	Ō				
1	10					0	0	0	0 0 0	0 0				
1	11 12 13 14					0	0	0	0	0				
1	12					0	0	0	0	Ō				
1	13					0	0	0	0	0 0				
1	14					0 0	0	0	0	0				
1	15					0	0	0	0	O				
1	16 17					0	0	0	0	0				
1	17					0	0	0	Ō	Ō				
1	18 19 20					0	0	0	0	Ō				
1	9					0	0	0	2.0	0				
2	20					0	0	0	2.0	Ö				
2	21					0	0	0	2.0	0				
2	22					0	0	0	2.0	0				
2	23					0	0	0	2.0	0				
2	24 25					0	0	0	2.0	0				
2	25					0	0	0	2.0	0				
2	26 27					0	0	0	2.0	0				
2	27					0	0	0	0	0				
2	.8 !9					0	0	0	0	0				
2	9					0	0	0	0	0 0 0				
3	10					0	0	0	0	0				
3	11					0		0	Ο,					
TOTAL (AC-FT	`)					0	0	0	32	0			,	32

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER T13 PEARSON

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 33 TOWNSHIP 15N RANGE 1E, SL B&M.

COMMON DESCRIPTION: Worm Creek - N.E. of Lewiston DIVERTING WORKS: Propane Pressure Pump

MEASURING DEVICE:

RECORDS RATING: (E,G,F,P)
WATER RIGHT NUMBER: 253305

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	0	0	0				
	9					0	Ö	0	0	0				
	2 3					Ō	O	0	0	0				
	4					Ö	0	0	0	0				
	5					0	0	0	0	0				
	6					0	0	0	0	0				
	7					0	. 0	0	0	0				
	8					0	0	0 0	0	0				
•	9					0	0	0	0	0				
	6 7 8 9 10					0	0	0	0	0				
	11					0	0	0	0	0				
	12					0	0	0	0	0				
	13					0	0	0	0	0				
	14					0	0	0	. 0	0				
	15					0	0	0	0	0				
	16					0	0	0 0 0	0	0 0				
	17					0	0	0	0	0				
	18					0	0	0	0	0 0				
	19					0	0	0	0	0				
	19 20					0	0	0	0	0				
	21					0	0 0	0	0	0				
	22					0	0	0	0	0				
	23					0	0	0	0	0 0 0				
	24					0	0	0	0 2.0	0				
	21 22 23 24 25					0	0	0	2.0	0				
	26					0	0	0	2.0	0				
	27					0	0	0	2.0	0				
	26 27 28 29 30					0	0	0	2.0	0				
	29					0	0	0	2.0	0				
	30					0	0	0	2.0	0				
	31					0		0	2.0					
OTAL (						0	0	0	28	0				28

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER T14 HOBBS

THE MEASURING STATION IS LOCATED

COMMON DESCRIPTION: Cub River

AND

FEET FROM THE CORNER OF SECTION 34 TOWNSHIP 15N RANGE 1E, SL B&M.

DIVERTING WORKS: MEASURING DEVICE:

(E,G,F,P)

RECORDS RATING: (E,G, WATER RIGHT NUMBER: 25- 3318

COMMENTS:

most of the later water is from transfered canal water stock

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					•	•	•	•	•				
	,					0	0	0 0	0 0	0				
	2 3					0	0	0	0	0				
	4					0 0	0	0	0	0				
	5					0	0	0	0	0 0				
	J					U	U	0	U	Ü				
	6 7 8 9					0 0 0	0 0 0	0	0	0 0 0				
	′					0	0	0	0 0 0	0				
	8					0	0	0	0	0				
	9					0	0	0	0	0				
	10					0	0	0	0	0				
	11					0	0	0 0	0	0				
	12					0	0	0	0	0				
	12 13					0	0		Ó	Ö				
	14					0 0 0	0	0	0	0				
	15					0	0 0 0	0 0 0	0 0 0	Ō				
	16 17 18					0	0	0	0	^				
	17					0	ň	0 0	ŏ	0				
	18					ŏ	0 0 0	Ö	0 0 0	0 0 0				
	19					ŏ	ŏ	Ö	0	0				
	19 20					0 0	0	Ö	Ö					
						Ū	U	U	U	0				
	21 22 23 24 25					0	0	0	0	0				
	22					0	0	0	2.0	0				
	23					0 0 0	0	0	2.0	0				
	24					0	0 0	0	2.0 2.0	0				
	25					0	0	0	2.0	0				
										•				
	26 27					0	0	0	2.0	0				
	27					0	0	0	2.0	0				
	28					0	0	0	2.0	0				
	28 29 30 31					0 0	0	0	2.0	0				
	30					0	0	0	2.0	0				
	31					0		0	0/					
TOTAL (A	C-FT)					0	0	0	36	0				36
														- <del>-</del>

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER T17 GORDON RICKS

THE MEASURING STATION IS LOCATED

FEET FROM THE

AND

CORNER OF SECTION 13 TOWNSHIP 12N RANGE 1W, SL B&M.

COMMON DESCRIPTION: Swift Slough
DIVERTING WORKS: Electric Pressure Pump

DIVERTING WORKS: MEASURING DEVICE:

RECORDS RATING:

(E,G,F,P)

WATER RIGHT NUMBER: 25- 5305

•	DAY	MAL	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANN
	1					0	o	.70 .70 .70 .70	0	0				
•	2 3					0	0	.70	0	0				
	3					0	0	.70	0	0				
	4					0	0	.70	0	0				
	5					0	0	.70	0	0				
·	6 7					0	0	0	0	0				
- `	7					0	0	0	0	0				
	8					0	0	0	0	0		•		
	9					0	0	0	0	0				
•	10					0	0	0	0	0				
	11					0	0	0	0	0				
	12					0	0	0	0	0				
	11 12 13 14 15					0	0	0	0	0				
	14					0	0	0	0	0				
-	15					0	0	0	0	0				
	16					0	0	0	0	0				
	17					0	0	0	0	0				
	16 17 18 19 20					0	0	0	0	0				
	19					0	0	0	0	0				
	20					0	0	0	0	0				
	21					0	0	0	0	0				
	22					0	0	0	.70	0				
	23					0	0	0	.70	0				
	24					0	0	0	.70	0				
	21 22 23 24 25					0	0	0	.70 .70 .70 .70	0				
_	26					0	0	0	.70	0				
	27					0	.70	0	.70	0				
	28					0	.70	0	0	0				
	29					0	.70 .70	0	0	0				
	30					0	.70	0	0 0	0				
-	26 27 28 29 30 31					Ö	/	0	0 /					
								-						
A) JATC	C-FT)					0	5.6	6.9	8.3	0				21

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER T19 LEE REESE

THE MEASURING STATION IS LOCATED

COMMON DESCRIPTION: Hopkins Slough DIVERTING WORKS:

MEASURING DEVICE:

RECORDS RATING: (E,G,F,P) WATER RIGHT NUMBER: 25- 6274

AND FEET FROM THE CORNER OF SECTION 6 TOWNSHIP 12N RANGE 1E, SL BAM.

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	0	0	0				
	2					0	0	0	0	0		•		
	3					0	0	0	0	0				
	4					0	0	0	0	0				
	5					0	0	0	0	0				
	6					0	0	0	0	0				
	7 8 9					0 0	0 0 0	0	0	0				
	8	•				0	0	0	0	0				
	9					0		0	0	0				
	10					0	0	0	0	0				
	11 12					0 0	0	0	0	0				
	12	•				0	0	0	Ō	Ö				
	13					0	0	0	0	Ö				
	14 15					0	0	0	Ō	ō				
	15					0	0	0	0 0	0 0				
	16					0	0	0	0	0				
	17					0	0	Ö	Ö	ŏ				
	18					0	Ō	Ö	0	0 0 0				
	19 20					0	0	0	Ö	Ö				
	20					0	Ō	Ö	ŏ	ŏ				•
	21 22 23					0	0	0	0	0				
	22					ō	ō	ŏ	ŏ	ŏ				
	23					0	ō	ŏ	ŏ	ŏ				
	24					0	Ö	1.5	ŏ	ŏ				
	25					0	Ö	1.5	ŏ	ŏ				
	26					0	0	1.5	0	•				
	27					ŏ	ŏ	1.5	ŏ	ŏ				
	28					ŏ	Ö	1.5	ŏ	0				
	28 29 30					Ö	ŏ	1.5	ŏ	0 0 0				
	30					ō	Ö	0	ŏ	ŏ				
	31					ŏ	•	ŏ	ŏ	•				
TOTAL (AC-F	FT)					0 .	0	18	0	0				18

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER T20 BECKSTEAD

FEET FROM THE CORNER OF SECTION 22 TOWNSHIP 14N RANGE 1W, SL B&M. THE MEASURING STATION IS LOCATED AND

COMMON DESCRIPTION: 11000 North 3900 West - N. of Trenton
DIVERTING WORKS: 25 HP Electric Pressure Pump
MEASURING DEVICE:

RECORDS RATING: F (E,G,F,P) WATER RIGHT NUMBER: 25- 6852

<del></del>	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANN
	1					0	0	.35	0	0				
_	2 3					0 0	0	. 35	0	0		-		
	3					0	0	. 35	0	0				
	4					0	0	. 35	0	0				
	5					0	0	.35 .35 .35 .35	0	0				
_	6 7 8 9 10					0	0	0 0 0	0	. 0				
`	7					0	0	0	0	0				
	8					0	0	0	0	0				
	9					0	0	0	,0	0				
_	10					0	0	0	0	0				
	11 12					0	0	0	0	0				
	12					0	0	0	0	0				
	13					0	0	0	0	0				
_	14					0	0	0	0	0				
	15			•		0	0	0	0	0				
	16 17					0	0 0	0	0	0				
	17					0	0	0	0	0				
_	18					0	0 0	0	0	0				
	19					0	0	0	0	0				
	19 20					0	0	0	0	0				
	21 22					0	0	0	0	0				
	22					0	0	0	0	0				
	23					0	0	0	0	0				
	24					0	0	0	0	0				
	25					0	.35	0	0	0				
	26 27 28					0	.35 .35 .35 .35	0	0	0				
	27					0	. 35	0	0	0			*	
•	28					0	. 35	0	0	0				
	29					0	.35	0 0	0	0				
	30					0	.35	0	0	0				
_	30 31					0		0	0					
A) JATC	(C-FT)					0	4.2	3.5	0	0				7.6

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER T21 BOYD LARSEN

FEET FROM THE

AND

THE MEASURING STATION IS LOCATED COMMON DESCRIPTION: Spring Creek DIVERTING WORKS: Portable Pump

MEASURING DEVICE:

NECURUS RATING: (E,G,F,P)
WATER RIGHT NUMBER: 25- 3269

COMMENTS: \*\*\*\*\*

CALENDAR YEAR 1997 DAILY DISCHARGE IN CFS

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	0	0	0				
	1 2 3					ŏ	Ö	ŏ	ŏ	ŏ				
	3					ŏ	Ö	ŏ	ŏ	ŏ				
	4					ŏ	ŏ	Ö	ŏ	ŏ				
	5					ō	Ö	ŏ	ŏ	ŏ				
	6 7 8 9 10					0	0	0	0	0				
	7					0	0	0	Ō	0 0 0				
	8					0	0	0	O	Ŏ				
	9					0	0	0	0	Ō				
	10					0	0	0	0	0				
	11 12 13					0	0	0	0	0				
	12					0	0	0	0	0				
	13					0	0	0	0	0				
	14					0	0	0	0	0				
	15					0	0	0	0	0 0				
	16 17					0	0	0	0	0 0 0				
	17					0	0	0	0	0				
	18 19 20					0	0	0	0	0				
	19					0	0	0	0	0				
	20					0	0	0	0	0				
	21 22 23 24 25					0	0	0	0	0				
	22					0	0	0	0	0				
	23					0	0	0	0	0				
	24					0	0	0	0	0 0 0				
						0	.70	0	0	0				
	26					0	.70	0	0	0				
	27					0	.70	0	0	0 0 0				
	28					0	.70	0	0	0				
	29					0	.70	0	0	0 0				
	30					0	.70	0	0	0				
	31					0	$\int$	0	0					
TOTAL (AC	-FT)					0	8.3	0	0	0				8.3

CORNER OF SECTION 10 TOWNSHIP 14N RANGE 1E, SL B&M.

APPENDIX D LOWER BEAR RIVER - BOX ELDER DIVERSIONS This Page Intentionally Left Blank

### LOWER BEAR - BOX ELDER LIST OF DIVERSIONS

KEITH FRIDAL Paul Munns 257-7204	GORING Sherie Rae Goring 257-3889
FRED SELMAN Fred Selman	BIRD REFUGE Al Trout 723-5887
CLIFFORD MCMURDIE Kent\Sam McMurdie 257-5913	CANADIAN GOOSE CLUB Alan Esplin
GARRY WORWOOD Garry Worwood 279-8377	CANADIAN GOOSE CLUB Alan Esplin 744-2943
VERL ANDERSON Verl\Earl Anderson 458-3739	
LYNN RICHARDS  Lynn Richards 458-3322	
WARREN HANSEN Warren Hansen 458-3701	
EARL LEWIS PETERSEN Earl Petersen 257-7324	
THOMPSON Lindon Thompson 257-5006	
BANGERTER Kent Bangerter 295-5535	
MAURICE THOMPSON Phil Barfuss 257-5039	
ROBERT GILBERT Robert Gilbert 744-2433	
HOLMGREN/ANDERSON Rich Holmgren 279-8766	
WESLEY/HANSEN Royal Norman 744-5505	
HATCH Pete Clawson 744-5116	
CUTLER	

Newel Cutler . . . . . . . 279-8697

1997 SUMMARY OF LOWER BEAR RIVER

		1///			OF ECHICAL BEAR MATER			
Pumps or Diversions	rsions	April	May	June	July	August	September	Total Ac-ft
Kieth & Walter Fridal	r Fridal	0	20	40	40	20	0	120
Fred Selman		0	24	21	24	74	12	104
Clifford McMurdie	ırdie	0	21	18	33	30	0	101
Garry Worwood	þ	0	84	09	09	42	24	232
Verl Anderson		0	35	42	35	83	42	236
Lynn Richards		0	18	24	30	36	0	107
Warren Hansen		0	•	14	18	18	0	05
Earl Lewis Petersen	ersen	0	21	28	21	24	0	94
Linden Thompson	son	0	18	18	15	12	0	62
Kent Bangerter		0	16	95	87	63	32	294
Maurice M. Thompson	nompson	0	0	0	0	0	0	0
Robert Gilbert		0	54	62	80	36	0	232
Holmgren/Anderson	erson	0	0	42	49	0	0	90
Barker/Hansen		0	0	42	19	99	0	159
Canadian Goose Club	e Club	0	0	0	54	101	42	196
Newell Cutler		0	15	15	26	17	0	73
Sherie Rae Goring	ing	0	10	12	10	0	0	32
						Total ac-ft for pumps	r pumps	2,182
		usi	using USGS Corrine gage figures in ac-ft	rine gage fig	ures in ac-ft			
	April	May	June	July	August	September	October	Total
Bird Refuge	221,078	341,752	293,415	84,355	96,893	110,565	132,773	1,280,831
								1

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER - BOX ELDER BEO5 FRED SELMAN

FEET FROM THE CORNER OF SECTION 31 TOWNSHIP 12N RANGE 2W, SL B&M. THE MEASURING STATION IS LOCATED AND

COMMON DESCRIPTION: EAST OF CROSSROADS - TREMONTON - W. SIDE OF RIVER DIVERTING WORKS: PORTABLE PUMP
MEASURING DEVICE:

RECORDS RATING: (E,G,F,P) WATER RIGHT NUMBER: 29- 2034

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
						0	0	0	1.5	1.5				
_	1 2 3					0 0	0 0	0 0	1.5 1.5	1.5 1.5		•		
_	2					ŏ	Ö	ŏ	1.5	1.5				
	3					. 0	Ö	ŏ	o o	1.5				
	5					Ö	Ö	Ö	ŏ	Ö				
						•	. •	•	•	•				
-	6					0	0	0	0	0				
	7					0	0	0	0	0				
	8					0	0	0	0	0				
	9					0	0	0	0	0				
	6 7 8 9 10					0 0 1.5	0	0	0	0				
-														
	11 12					1.5	0	0	0	0				
	12					1.5	0	0	0	0				
	13					1.5	0	0	0	0				
	14					1.5	0	0	0	0				
_	15					1.5 1.5 1.5 1.5	0 0	0	0	0				
	16					1.5 1.5	0	0	0	0				
	17					1.5	0	0	1.5	0				
_	18					0 0	0	1.5	1.5 1.5 1.5	0				
	19						0	1.5	1.5	0				
	20					0	0	1.5	1.5	0				
						_	_			•				
	21 22					0	0	1.5	1.5	0				
-	22					0	0	1.5	0	0				
	23					0	0 -	1.5 1.5 1.5	0	0				
	24					0	1.5	1.5	0	0 0				
	25					0	1.5	1.5	0	U				
						0	1.5	0	0	0				
_	26 27					Ö	1.5 1.5 1.5	0	ŏ	ŏ				
	27					ŏ	1.5	ŏ	ŏ	ŏ				
	28						1.5	Ö	ŏ	0 0 0				
	29					0 0	1.5	Ö	Ö	ŏ				
_	30					0	1.0	0 ,	ŏ	J				
	31								1	<b>ノ</b>				
STAL (	AC ÉTY					24	. 21	24	24	12				104
DTAL (	MU-F1)									· <del></del>				

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER - BOX ELDER BEO2 CLIFFORD MCMURDIE

THE MEASURING STATION IS LOCATED AND FEET F
COMMON DESCRIPTION: 2 HP ELECTRIC PUMP TO FILL RESERVOIR FEET FROM THE CORNER OF SECTION 7 TOWNSHIP 11N RANGE 2W, SL B&M.

DIVERTING WORKS: MEASURING DEVICE:

RECORDS RATING: (E,G,F,P)
WATER RIGHT NUMBER: 29- 1177

	DAY	JAN	FEB	MAR	APR	MAY	NUL	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	0	0	0				
	2 3					0	0 0 0	0	0	0				
	3					0	0	0 0 0	0	0 0				
	4					0	0	0	0	0				
	5					0	0	0	0	0				
	6					0	0	0	0	0				
	6 7 8 9					0	0	0 0	0 0 0	0 0 0				
	8					0	0	0	Ö	ō				
	9					0	0	0	Ö	ō ·				
	10					1.5	0	Ō	Ō	Ö				
	11 12 13 14					1.5	0	0	0	0				
	12					1.5 1.5 1.5	0	ō	0 0 0	ŏ				
	13					1.5	ŏ	ŏ	ň	Ö				
	14					1.5	ŏ	1.5	ň	ŏ				
	15					1.5 1.5	ō	1.5 1.5	0	ŏ				
	16					1.5	o	1.5	0	•				
	16 17					0	ŏ	1.5	1.5	0				
	18 19					ŏ	1.5	1.5	1.5	0				
	19					ŏ	1.5	1.5	1.5	0				
	20					0 0 0	1.5 1.5	0	1.5	0 0 0				
	21					•		•		_				
	22					0	1.5 1.5	0	1.5	0 0				
	22 23 24 25					0	1.5	0	0	Ü				
	24					Ö	1.5	0	0 0	0 0				
	25					Ö	0 0	0	0	0				
						U	U	U	U	0			•	
	26					0	0	0	0	0				
	27					0	0 0	1.5	1.5	ŏ				
	26 27 28 29 30 31					0	Ō	1.5 1.5 1.5	1.5	ŏ				
	29					0	Ō	1.5	1.5	ō				
	30					0	Ō	1.5	1.5	0				
	31					o	,	1.5 1.5	1.5	-				
TOTAL (A	C-FT)					2/1	18	33	30	0				101

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER - BOX ELDER BEO6 GARRY WORWOOD

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 19 TOWNSHIP 10N RANGE 2W, SL B&M. COMMON DESCRIPTION: EAST OF BEAR RIVER CITY - EAST SIDE OF RIVER DIVERTING WORKS: DIESEL PUMP MEASURING DEVICE:

RECORDS RATING: (E,G,F,P) 996

WATER RIGHT NUMBER: 29-

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	3.0	3.0	0				
	1 2 3					0 0	ŏ	3.0	3.0	ō				
	3					ō	Ö	3.0	0	ŏ		•		
	4					ō	Ö	0	ŏ	0				
	5					0	0	0	0	0				
	6					0	0	0	0	0				
	6 7 8 9					0	. 0	0	0	0				
	8					3.0	0	0	0	0				
	9					3.0 3.0	0	0	0	0				
_	10					3.0	0	0	0	0				
	11 12					3.0	0	0	0	0 0 0				
	12					3.0	0	0	0	0				
	13					3.0	0	0	0	0				
_	14					3.0	0	0	0	0				
	15					3.0	0	0	0	0				
	16					0	0 3.0	0	0	0				
	17					0	3.0	0	0	0				
-	18					0	3.0	0	3.0	0				
	19					0	3.0	0	3.0	0				
	20					0	3.0	0	3.0	U				
	21 22 23					0	3.0	0	3.0	3.0				
_	22					0	3.0	0	3.0	3.0				
	23					0	0	3.0	0	3.0				
	24 25					0	0	3.0	0	3.0				
	25					0	0	3.0	0	0				
_	26					0	0	3.0	0	0				
	26 27					0	3.0	3.0	0	0				
	28					0	3.0	3.0	0	0				
	29					0	3.0	3.0	0	0				
	30					0	3.0	0	0	0				
	30 31					0		0	0	<u></u> .				
OTAL (A	C-FT)					48	60	60	42	24				232

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER - BOX ELDER BE14 VERL ANDERSON

AND THE MEASURING STATION IS LOCATED FEET FROM THE CORNER OF SECTION 18 TOWNSHIP 12N RANGE 2W, SL B&M.

COMMON DESCRIPTION: SOUTH OF HWY 30 - ON BEAR RIVER DIVERTING WORKS: PORTABLE FLOOD PUMP

MEASURING DEVICE:

RECORDS RATING: (E,G,F,P)
WATER RIGHT NUMBER: 29- 1589

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	0	3.5	0				
	2					ō	ŏ	ŏ	3.5	ŏ		•		
	2					Ŏ	0 0	ŏ	3.5	ŏ				
	4					Ō	Ō	Ö	3.5	ō				
	5					Ō	Ō	Ö	3.5 3.5	3.5				
	6 7					0	0	0	3.5	3.5				
	7					0	0	0	0	3.5				
	8					0	0	0	0	3.5				
	8 9 10					0	0	0	0	3.5				
	10					0	0	0	0	3.5				
	11					0	0	0	0	0				
	12					0	0	0	0	0				
	13					0 3.5 3.5 3.5	0	0	0 0 0	0 0 0				
	14					3.5	0	0	0	0				
	15					3.5	0	0	0	0				
	16					3.5	0	3.5	3.5	0				
	17					3.5	0	3.5	3.5	0				
	18					0	0	3.5	3.5	0				
	19					0	0	3.5	3.5	0				
	20					0	0	3.5	3.5	0				
	21 22 23 24 25					0	3.5 3.5	0	3.5	0				
	22					0	3.5	0	0	0				
	23					0	3.5	0	0	0				
	24					0	3.5 3.5	0	0	0				
						0	3.5	0	0	0				
	26 27					0	3.5	0	0	0				
	27					0	0	0	0	0				
	20					0	0	0	0	0 0 0				
	28 29 30 31					0	0	0	0	0				
	30					0	0	0	0	0				
	31					0	,-	0	0					
TOTAL	(AC-FT)					35	42	<b>35</b>	83	42				236

# UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER - BOX ELDER BE11 LYNN RICHARDS

THE MEASURING STATION IS LOCATED AND FEET FR COMMON DESCRIPTION: BELOW CUTLER - NE OF HAMPTON CROSSING DIVERTING WORKS: PROPANE PUMP FEET FROM THE CORNER OF SECTION 8 TOWNSHIP 12N RANGE 2W, SL B&M.

MEASURING DEVICE: RECORDS RATING:

(E,G,F,P)

WATER RIGHT NUMBER: 29- 1483

_	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
٠	1					0	0	0	3.0 3.0	0				
••	1 2					0	0	0	3.0	0				
	3					0	0	0	3.0	0				
	4					0	0	0	0	0				
	5					0	0	0	0	0				
	6 7 8 9 10					0 0	0	0	0	0 0				
	7					0	0	0	0	0				
	8					0	0	0	0	0				
	9					0 3.0	0	0	0	0				
_	10					3.0	0	0	0	0				
	11 12					3.0	0	o	0	0 0 0				
	12					3.0	0	0	0	Ō				
	13					0	0	0	0	0				
	14 15					0	0	0	0	0				
·	15					0	0	0	0	0				
	16 17					0	0	0 3.0	0	0				
	17					0	0	3.0	0	0				
_	18					0	0	3.0	0	0				
	19					0	0	3.0 3.0 3.0	3.0	0				
i	20					0	0	3.0	3.0	0				
	21 22 23 24 25					0	0	3.0	3.0	0				
نند	22					0	3.0	0 0	0	0				
	23					0	3.0	0	0	0				
	24					0	3.0	0	0 0	0				
	25					0	3.0	0	0	0				
1	26 27 28 29					0	0	0	0	0				
1	27					0	0	0	0	0				
	28					0	0	0	0	0 0				
	29					0	0	0	0 0 0	0				
	30					0	0	0	0	0				
-	30 31					0	_		0					
						18	24	30	36	0				107
)TAL (A	AC-FT)					10	47	30	50	J				

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER - BOX ELDER BE15 WARREN HANSEN

THE MEASURING STATION IS LOCATED AND FEET FROM THE CORNER OF SECTION 30 TOWNSHIP 11N RANGE 2W, SL B&M. COMMON DESCRIPTION: SOUTH OF DEWEYVILL - EAST SIDE OF RIVER

DIVERTING WORKS: MEASURING DEVICE:

RECORDS RATING:

(E,G,F,P)

RECORDS RATING: (E,G WATER RIGHT NUMBER: 29- 1263

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
1					0	0	0	0	0		•		
2					0 0 0	0 0 0	Ö	Ö	ŏ		•		
3					0	0	0 0 0	0 0	ō				
4					0	0	0	0	Ö				
5					0	0	0	0	0 0 0				
6 7 8 9 10					0 0	0	0	0	0				
7					0	0 0	0 0	0 0 0	0				
8					0	0	0	0	Ö				
9					0	0 0 0	0	0	0				
10					0	0	0	0	0 0				
11 12 13					0	0	0	o	0				
12					0	0	0	0					
13						0 0 0	0 0 0	0	0				
14					0 0 0	0	0	0	Ó				
15					0	0	0	0	0 0 0				
16 17					0	0	0	0	0				
17					0	0	0	0	Ō				
18 19 20					0 0 0	0	1.8	0 0 0	ō				
19					0	0	1.8	0	Ō				
20					0	0	1.8 1.8	0	0 0 0 0				
21 22 23 24 25					0	0	1.8 1.8	0	0				
22					0	0	1.8	1.8	0				
23					0	0	0	1.8	0				
24					0	1.8	0	1.8	Ó				
25					0	1.8 1.8	0 0	1.8	0				
26 27					0	1.8 1.8	0	1.8	0				
27					0	1.8	0	0	0				
28					0	0	0	Ö	ō				
28 29 30					0	0	Ō	ō	0				
30					0	Ö	Ō	Ō	ō				
31					0	/	0/	0 0 <sub>2</sub>	-				
TOTAL (AC-FT)					0	14	18	18	0				50

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER - BOX ELDER BEO3 EARL LEWIS PETERSEN

THE MEASURING STATION IS LOCATED AND COMMON DESCRIPTION: APPROX. 8500 NORTH ELWOOD FEET FROM THE

CORNER OF SECTION 30 TOWNSHIP 11N RANGE 2W, SL B&M.

DIVERTING WORKS:
MEASURING DEVICE: 40 HP ELECTRIC PUMP
RECORDS RATING: (E,G,F,P)

RECORDS RATING: (E,G,F,P)
WATER RIGHT NUMBER: 29- 1200

<del></del>	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					o	0	0	.70	0				
	2					ō	ō	Ŏ	1.5	Ō				
<b>-</b>	2					ŏ	ō	Ö	1.5 .70	Ö				
	4					Ö	Ŏ	ŏ	.70	Ö				
	5					ō	ō	ō	.70	0				
_	6 7					0	0	0	.70	0				
	7					0	0,	0	0	0				
	8					0	0	0	0	0		•		
	9					0	0	0	0	0				
	10					1.5	0	0	0	0				
	11					1.5 1.5 1.5 1.5	0	0	0	0				
	12					1.5	0	0	0	0				
	12 13					1.5	0	0	0	0				
	14					1.5	0	0	0 0	0				
-	15					1.5	0	.70	0	0				
	16					1.5	0	.70	0	0				
	17					0	0	.70	0	0				
	18 19					0	0	.70	0 _	0				
	19					0	0 1.5	1.5 1.5	1.5	0				
	20					0	1.5	1.5	1.5	0				
	21					0	1.5	.70	.70	0 0				
<b>_</b>	22 23 24					0	1.5	.70	.70	0				
*	23					0	1.5	.70	.70	0				
	24					0	1.5 1.5	.70	.70 .70	0				
	25					0	1.5	.70	.70	0				
	26					0	.70 .70	0	0	0				
	27					0	.70	0	0	0				
	28 29				•	0	1.5 1.5 .70	0	0	0				
	29					0	1.5	0	0 0	0				
	30 31					0	.70	.70	0	0				
_	31				•	0		.70	0					
STAL (A	C-FT)					21	28	21	24	0				94

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER - BOX ELDER BE10 ROBERT & ROGER THOMPSON

THE MEASURING STATION IS LOCATED N 2100 AND E 2265 FEET FROM THE SW CORNER OF SECTION 19 TOWNSHIP 11N RANGE 2W, SL B&M. COMMON DESCRIPTION: SOUTH AND EAST OF ELWOOD DIVERTING WORKS: FLOOD PUMP

MEASURING DEVICE:

RECORDS RATING: (E,G,F,P)
WATER RIGHT NUMBER: 29- 1003

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	n	0	0				
	2 3					0 0	0 0 0	ő	0 0 0	ŏ				
	3					ŏ	ő	ŏ	Õ	ŏ				
	4					0 0 0	ō	ō	ō	ŏ				
	5					0	0	0 0 0 0	0 0	0 0 0 0				
	6 7 8 9 10					0	0	0	0	0				
	7					0 0 0 0	0 0 0 0	0 0 0 0	0	0				
	8					0	0	0	0	0				
	9					0	0	0	0	0				
	10					0	0	0	0	0				
	11 12 13					1.5 1.5 1.5 1.5	0	0	0	0 0				
	12					1.5	0	0	0	0				
	13					1.5	0	0	0	0				
	14 15					1.5	0	0	0	0				
	15					1.5	0	0	1.5	0				
	16					1.5	0	0	1.5 1.5	0				
	17					0	0	0	1.5	0				
	18					0	0	1.5	1.5	0				
	18 19 20					0	0	1.5	0	0				
	20					0	1.5	1.5 1.5 1.5	0	0				
	21 22 23 24 25					0	1.5 1.5 1.5 1.5	1.5	0	0				
	22					0	1.5	1.5	0	0				
	23					0	1.5	0	0	0				
	24					0	1.5	0	0	0				
	25					0	1.5	0	0	0				
	26 27 28 29 30 31					0	0	0	0	0				
	27					0	0	0	0 0	0				
	28					0	0	0	0	0				
	29					0	0	0	0 0 0	0 0 0 0				
	30					0	0	0	0	0				
						0		0,	0					
TOTAL	(AC-FT)					18	18	15	12 <sup>*</sup>	0				62

# UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER - BOX ELDER BEO9 KENT BANGERTER

THE MEASURING STATION IS LOCATED AND COMMON DESCRIPTION: EAST OF BEAR RIVER CITY DIVERTING WORKS: PROPANE & DIESEL PUMP AND

FEET FROM THE

CORNER OF SECTION 36 TOWNSHIP 11N RANGE 3W, SL BAM.

MEASURING DEVICE: RECORDS RATING:

(E,G,F,P)

WATER RIGHT NUMBER: 29-995

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					o	0	0	0	0				
						Ö	Ō	Ó	0 0	0				
	2 3 4					Ö	0	0	0	0				
	4					0	0	0	0	2.0				
	5					0	0	0	0	2.0				
_	6 7 8 9 10					0	0	0	0	2.0				
- 1	7					0	0	0	0	2.0				
	8					0	0	0	0	2.0				
	9					0	0	0	0	2.0				
	10					0	0	0	0	2.0				
	11					0	0	0	0	2.0				
	12 13						0	4.0	0	0				
	13					0	0	4.0	0	0 0				
	14					2.0 2.0	0	4.0	0	0				
	15					2.0	4.0	4.0	0	0				
	16					2.0	4.0	4.0	0	0				
	17					2.0	4.0	4.0	4.0	0				
	18					0	4.0	4.0	4.0	0				
	19					Ō	4.0	4.0	4.0	0				
	20					0	4.0	4.0	4.0	0				
	21 22					0	4.0	4.0	4.0	0				
	22					0	4.0	4.0	4.0	0				
	23					0	4.0	0	4.0 4.0	0				
	23 24 25					0	4.0	0	0	0				
	25					0	4.0	0	U	U				
	26					0	4.0	0	0	0 0 0				
	27					0	0	0	0	Ü				
	28 29 30 31					0 0 0	0	0	0	0				
	29					Ü	0	0	0	0				
	30					Ü	0	0	0	U				
	31							0	0					
TAL (	AC-FT)					16	95	87	63	32				294

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER - BOX ELDER BE13 ROBERT GILBERT

FEET FROM THE

THE MEASURING STATION IS LOCATED COMMON DESCRIPTION: CORINNE DIVERTING WORKS: ELECTRIC PUMP

MEASURING DEVICE:

RECORDS RATING: (E,G,F,P) WATER RIGHT NUMBER: 29- 3481

AND

### CALENDAR YEAR 1997 DAILY DISCHARGE IN CFS

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
1					0	0	4.5	0	0				
1 2 3 4					0	0	4.5	Ö	ŏ				
3					ŏ	ŏ	4.5	ŏ	ŏ		-		
4					0	0 0	0	Ö	Ö				
5					Ö	o	0	Ö	ō				
6 7 8 9 10					0	0	0	0	0				
7					0	0 0	0	0	0 0 0				
8					O	0	0	0 0 0	. 0				
9					4.5	0	0	0	0				
10					4.5 4.5	0	0	0	0				
11					4.5	0	0	0	0				
12					4.5 4.5	0	0	0 0	0				
13					4.5	0	0	0	0 0 0 0				
14 15					4.5	0	0	0	0				
15					0	0	0	0	0				
16					0	0	0	0	0 0 0 0				
17					0	0 0	0 0	0	0				
18					0	0	0	0 0	0				
19 20					0	4.5 4.5	0	0	0				
20					0	4.5	0	4.5	0				
21 22 23 24 25					0	4.5	0	4.5 4.5	0				
22					0	4.5	0	4.5	0				
23					0	4.5	0	4.5	0				
24					0	4.5	4.5	0	0				
25					0	4.5	4.5	0	0				
26 27 28 29 30					0	0	4.5	0	0				
27					0	0	4.5	0	0				
28					0	0 0 0	4.5	0	0 0 0				
29					0	0	4.5	0	0				
30					0	0	0	0	0				
31					9		0	0 /				•	
TOTAL (AC-FT)					54	62	80	<b>36</b>	0				232

CORNER OF SECTION 5 TOWNSHIP 9N RANGE 2W, SL B&M.

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER - BOX ELDER BEO7 HOLMGREN & ANDERSON

FEET FROM THE

AND

THE MEASURING STATION IS LOCATED COMMON DESCRIPTION: BEAR RIVER CITY

DIVERTING WORKS: ELECTRIC PUMP

MEASURING DEVICE:

**~** 

RECORDS RATING: G (E,G,F,P)

WATER RIGHT NUMBER: 29- 1001

# CALENDAR YEAR 1997 DAILY DISCHARGE IN CFS

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	o	0	0	0				
_	2 3					0 0 0	Ó	0	0 0	Ö				
_	3					ō	Ö	0	0	Ö				
	4					0	0	0	0	0				
	5					0	0	0 0	0 0	0			-	
	6					0	0	0	0	0				
	6 7 8 9 10					0	0	0 0 0 0	0 0 0	0 0				
	8					0	0	0	0	0				
	9					0	0	0	0	0				
_	10					0	0	0	0	0				
	11 12					0	0	0	0 0	0				
	12					0	0	0	0	0 0 0				
	13					0	0	0	0 0	0				
_	14					0	0	0	0					
	15					0	0	0	0	0				
	16 17					0	0	0	0	0 0				
	17					0	3.5 3.5	0	0	0				
_	18					0	3.5	0	0	0				
	19					0	3.5 3.5	0	0	0 0				
	20					0	3.5	0	0	0				
	21 22 23					0	3.5 3.5	3.5 3.5	0	0				
سند	22					0		3.5	0	0 0				
	23					0	0	3.5	0	0				
	24 25					0	0	3.5 3.5	0	0				
	25					0	0	3.5	0	0				
	26 27					0	0	3.5	0	0				
	27					0	0	3.5	0	0 0				
	28 29 30					0	0	0	0	0				
	29					0	0	0	0	0				
_	30					0	0	0	0	0				
<u>~</u>	31					0		<b>°</b> /	0					
ÍTAL (A	AC-FT)					0	42	49	0	0				90

CORNER OF SECTION 1 TOWNSHIP 10N RANGE 3W, SL B&M.

### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER - BOX ELDER BEO1 ROYAL NORMAN

THE MEASURING STATION IS LOCATED S 880 AND E 2560 FEET FROM THE W4 CORNER OF SECTION 31 TOWNSHIP 10N RANGE 2W, SL B&M. COMMON DESCRIPTION: Corinne

DIVERTING WORKS: MEASURING DEVICE:

RECORDS RATING: (E,G,F,P)
WATER RIGHT NUMBER: 29- 1010

	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	0	3.5	0				
	1 2 3 4					Ö	Ö	ŏ	3.5	ŏ				
	3					0	0	Ö	0	0 0				
	4					0	Ō	Ö	ŏ	ŏ				
	5					0	0	Ō	ō	ŏ				
	6 7 8 9 10					0	. 0	0	0	0				
	7					0	0	Ö	0	0 0 0				
	8					0	0	0	0	0				
	9					0	0	0	0	0				
	10					0	0	0	0	Ō				
	11					0	0	0	0	0				
	12 13					0	0	0	0	0 0 0				
	13					0	0	0	0	0				
	14 15					0	0	0	0	0				
	15					0	0	0	0	0				
	16					0	3.5	0	0	0				
	17					0	3.5	3.5	0	0				
	18					0	3.5	3.5	0	0 0 0				
	19					0	3.5	3.5	0	0				
	20					0	3.5	3.0	0	0				
	21					0	3.5	3.5	0	0				
	22 23					0	0	3.5	0	0				
	23					0	0	0	0	0				
	24 25					0	0	0	3.5	0 0 0				
	25					0	0	0	3.5	0				
	26					0	0	0 0	3.5	0				
	27					0	0	0	3.5	0 0				
	28					0	0	0	3.5	0				
	29					0	0	3.5	3.5	0				
	30					0	0	3.5	0	0				
	31					0		3.5	0					
TOTAL (A	C-FT)					0	42	61	<b>56</b>	0				159

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER - BOX ELDER BE22 NEWEL CUTLER

THE MEASURING STATION IS LOCATED S 3915 AND E 358 FEET FROM THE NW CORNER OF SECTION 7 TOWNSHIP 10N RANGE 2W, SL B&M. COMMON DESCRIPTION:

DIVERTING WORKS: MEASURING DEVICE:

RECORDS RATING: G (E,G,F,P)
WATER RIGHT NUMBER: 29- 1169

<u>.</u>	1 2 3 4									
<u> </u>	4									
<b>~</b>	4			0	0	1.9	0	0		
	4			0 0 0	0	1.9 1.9 1.9	0	0	•	
	4			0	0	1.9	0	0		
				0	0	0	0	0		
	5			0	0	0	0	0		
^_	6			0	0	0	0	. 0		
	6 7 8 9 10			0	0	0	0	0 0 0		
	8			0	0	0	0	0		
	9			0	0	0	0	0		
_	10			0	0	0	0	0		
	11 12 13			0	0	0	0	0		
	12			1.9	0	0	0	0		
	13			1.9	0	0	0	0		
_	14			1.9	0	0	0	0		
	15			1.9 1.9 1.9	0	0	0	0		
	16 17			0	0	0	0	0		
	17			0	0	0	0	0		
K.	18			0 0 0	0	0	0	0		
	19				1.9	0	0	0		
	18 19 20			0	1.9 1.9	0	0	0		
	21 22			0	1.9	0	0	0		
_	22			0	1.9	0	1.9 1.9 1.9	0		
	23			0	0	0	1.9	0		
	24			0	0	0	1.9	0		
	25			0	0	1.9	1.9	0		
•	26 27			0	0	1.9 1.9	0	0		
	27			0	0	1.9	0	0		
	28			0	0	1.9	0	0		
	28 29			0 0 0	0	0	0	0		
	30			0	0	0	0	0		
	30 31			0		0	.90			
STAL (A	C-FT)			15	15	26	17	0		73

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER - BOX ELDER BE23 SHERIE RAE GORING

THE MEASURING STATION IS LOCATED COMMON DESCRIPTION:

AND

FEET FROM THE

CORNER OF SECTION 7 TOWNSHIP 12N RANGE 2W, SL B&M.

DIVERTING WORKS: MEASURING DEVICE: RECORDS RATING:

RECORDS RATING: (E,G,F,P)
WATER RIGHT NUMBER: 29- 1178

DA	NY .	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANN
	1					0	0	0	0	0				
	2 3					0	ō	Ö	Ö	Ö				
	3					0	0	ō	ō	Ö				
	4					0	0	0	0	Ō				
	5					0	0	0	0	0				
	6					0	0	0	0	0				
	7					0	. 0	0	0	0				•
	8					0	0	0	0	0				
	9					0	0	0	0	0				
1	0					0	0	0	0	0				
1	1					1.0 1.0	0	0	0	0				
1	2					1.0	0	0	0	0				
1	3					1.0	0	0	0	0				
1	4					1.0	0	0	0	Ō				
1	5					1.0 1.0	0	0	0	0				
1	6					0	0	0	0	0				
1	7					0 0 0	0	0	0	Ö				
1	8					0	0	0	0	0 0 0				
1	9					0	0	0	Ō	Ŏ				
2	0					0	1.0	0	0	0				
2	:1					0	1.0	0	0	0				
. 2	2					0	1.0	Ō	0	ō				
2	3					0	1.0	0	0	0 0 0				
2	4					0	1.0	0	0	0				
2	3 4 5					0	1.0	1.0	0	0				
2	6 7 8					0	0	1.0	0	0				
2	7					0	0	1.0	0	0				
2	8					0	Ō	1.0	Ö	0				
2	9					0	Ó	1.0	Ō	0 0 0				
3	0					0	0	0	0	0				
3	1					0	/	0	0					
TOTAL (AC-FT	)					9.9	12	9.9	0	0			;	32

#### UTAH DIVISION OF WATER RIGHTS LOWER BEAR RIVER - BOX ELDER BE20 CANADIAN GOOSE CLUB

THE MEASURING STATION IS LOCATED N 2400 AND E 700 FEET FROM THE SW CORNER OF SECTION 34 TOWNSHIP 9N RANGE 3W, SL B&M.

COMMON DESCRIPTION: Near Bird Refuge

DIVERTING WORKS: MEASURING DEVICE:

RECORDS RATING: G (E,G,F,P)

WATER RIGHT NUMBER: 29- 3609

	DAY	JAN	FEB	MAR	APR	MAY	HUL	JUL	AUG	SEP	OCT	NOV	DEC	ANN
	1					0	0	0	3.0	0				
	1 2 3					0 0 0	0	0	. 3.0	0				
	3						0	0	3.0	0				
	4					0	0	0	3.0	0				
	5					0	0	0	3.0	0				
	6 7 8 9 10					0	0	0	3.0	0				
_	7					0	0	0	3.0	0				
	8					0	0	0	3.0	. 0				
	9					0	0	0	3.0	0				
	10					0	0	0	3.0	0				
	11					0	0	0	3.0	0				
	12					0	0	0	3.0	0				
	13					0	0	0	3.0	0				
	14					0	0	0	3.0	0				
	15					0	0	0	3.0	0				
	16					0	0	3.0	3.0	0				
	17					0	0	3.0	3.0	0				
	18					0	0	3.0	0	0				
	19 20					0	0	3.0	0	0				
	20					0	0	3.0	0	3.0				
	21 22 23					0	0	3.0	0	3.0				
	22					0	0	3.0	0	3.0				
	23					0	0	3.0	0	3.0				
	24					0	0	3.0	0	3.0				
	25					0	0	0	0	3.0				
	26					0	0	0	0	3.0				
	27					0	0	0	0	0				
	28					0 0	0	0 0 0	0	0				
	29					0	0	0	0	0				
	30					0	0	0	0	0				
	30 31					0		0	°_	•				
DTAL	(AC-FT)					0	0	54	101	42				196

#### UTAH DIVISION OF WATER RIGHTS USGS Streamflow Database Printout

USGS Gage Number: 10126000

Station Name: BEAR R NR CORINNE

Latitude: Longitude:

41 34 35 112 06 00 Drainage area MI^2 7029.00 Datum (FEET MSL) 4204.60

#### CALENDAR YEAR RECORD FOR YEAR 1997, UNITS ARE FLOW IN CFS MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	MUL	JUL	AUG	SEP	OCT	NOV	DEC
1	2600	2230	1630	4010	5140	6020	2280	1610	1500	2200	2160	2430
2	2580	2350		4000	5060	5750	1680	1490	943	1660	2770	2390
3	2810	2770	1670	3950	5170	5480	1540	920	1020	2290	2850	2420
4	3200	2240	1620	3880	5320	5580	1280	1280	1530	2270	2830	2540
5	3630	2130	1590	3670	4910	5660	782	1390	1560	2140	2630	2400
6	4000	1760	1580	3620	4800	5590	937	1440	1570		2930	2220
7	4240	1680	1630	3640	4590	5570	1120	1800	1590	2200	2930	2500
8	3990	1590	1910	3610	4610	5460	-	1730	1600	2260	2820	
9	3570	1600	2050	3070	4710	5380	857	2000	1550	2290	2900	
10	3250	1420	2070	3290	4790	5430	633	2180	1490	2260	2830	•••
11	3040	1430	2050	3150	4840	5540	316	2100	1630	2550	2850	
12	2930	1710	2420	2920	4850	5640	374	2240	1690	2190	2900	
13	2110	1570	2450	2890	4940	5730	1870	2280	1740	2370	2810	2820
14		1460	2610	2880	5110	5760	1940	1980	1830	2660	2830	2400
15	2200	1420	2760	3000	5280	5740	2330	2140	2010	2770	3030	2550
16	2300	1440	2520	3050	5280	5730	1850	1750	2060	2250	2770	2480
17		1490	2490	3090	5390	5720	1960	1660	2070	2270	2920	2680
18	2390	1530	1920	3090	5590	5700	2050	1620	2050	1790		2700
19	2210	1570	2530	3130	5690	5500	1620	1570	2050	1520	2870	3170
20	2210	1610	2840	•••	5830	5050	1560	1310	2130	2090	3130	2720
21	2230	1810	3100	3230	6070	4940	1530	1060	2200	2170	3150	2810
22	2090	1890	3190	3650	6030	4690	1480	1380	2210	2250	3150	2140
23	1900	1760	3320	4360	6020	4550	1520	1350	2660	2350	2540	2020
24	2140	1650	3560	4950	6100	4050	1400	1250	2540	2000	2450	
25	2210	1570	3560	5300	6310	3900	1360	1490	2340	1740	2100	•••
26	2150	1620	3810	5470	6500	3400	1480	1240	1910	2420	2340	
27	2140	1650	3950	5430	6730	3040	1490	1210	2120	2730	2660	
28	2460	1660	3930	5150	6780	2520	1210	1480	1850	2250	2370	
29	2980		- 3970	5000	6800	2420	1480	1240	2090	2310	2480	
30	3040		- 3990	4980	6660	2390	1200	1190	2210	2370	2480	
31	2810	•••	- 4020	•••	6400	•••	1400	1470	•••	2320		•••
	83570	48610	80740	111460	172300	147930	42529	48850	55743	66940	79480	45390
MEAN	2696	1736	2691	3843	5558	4931	1418	1576	1858	2231	2741	2522
MAX	4240	2770	4020	5470	6800	6020	2330	2280	2660	2770	3150	3170
MIN	1780	1420	1580	2880	4590	2390	316	920	943	1520	2100	2020
ACFT	165759	96416	160145	221078	341752	293415	84355	96893	110565	132773	157646	

Total For Year 1950826.AC-FT